

June 1, 2004

State of Utah
Division of Oil, Gas & Mining
Attn: Diana Whitney
1594 West North Temple - Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801

RE: Applications for Permit to Drill: State 1-2-9-18, 2-2-9-18, 3-2-9-18, 4-2-9-18, 5-2-9-18, 6-2-9-18, 7-2-9-18, 8-2-9-18, 9-2-9-18, 10-2-9-18, 12-2-9-18, 13-2-9-18, 4-2-9-18, 15-2-9-18, and 16-2-9-18.

Dear Diana:

Enclosed find APD's on the above referenced wells. The 3-2-9-18 and 13-2-9-18 are Exception Locations. I have notified our office in Denver, and they will be getting you the appropriate paperwork. When these APD's are received, please contact Brad Mecham to set up a State On-Site. If you have any questions, feel free to give either Brad or myself a call.

Sincerely,

Regulatory Specialist

mc

enclosures

RECEIVED


JUN 1 3 2004

DIV. OF OIL, GAS & MINING

0 1 DIV	ISION OF OIL	., GAS ANI	O MINING			5. LEASE DESIGNATION AND SERIAL NO. MIL-48377
			<u> </u>			6. IF INDIAN, ALLOTTEE OR TRIBE NAME
APPLICATIO	N FOR PERM	IIT TO DRI	LL, DEEPEN			N/A
1a TYPE OF WORK DRILL X DEEPEN 1b. TYPE OF WELL						7. UNIT AGREEMENT NAME N/A
OIL X	GAS	OTHER	SINGLE ZONE X	MULTI ZONE	PLE	8. FARM OR LEASE NAME N/A
2. NAME OF OPERATOR	- C		/			9. WELL NO.
Inland Production ADDRESS AND TELEPH						State #14-2-9-18
Route #3 Box 36	30, Myton, UT 84	1052	Phone	e: (43	5) 646-3721	Eight Mile Flat
LOCATION OF WELL	L (FOOTAGE)	FCI 1977 F	WL 596981X	40	05415	11. QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:
At Surface		. PSL 18// F				l
At proposed Producing Zone 44341747 -109. 86300						Sec. 2, T9S, R18E
	ND DIRECTION FROM NEA					12. County 13. STATE
Approximately 2	2.2 miles southeas	st of Myton, U	<u>T</u>	·		Uintah UT
	POSED* LOCATION TO NEA iso to nearest drig. unit line, if a		16. NO. OF ACRES IN LEASE	3	17. NO. OF ACRES	ASSIGNED TO THIS WELL
Approx. 574' f/ls		••	640.40		40	
	POSED LOCATION* TO NEA	•	19. PROPOSED DEPTH		20. ROTARY OR CA	ABLE TOOLS
Approxim	ED, OR APPLIED FOR ON TH ately 1211'	us lease, FI.	6500'		Rotar	·v
1. ELEVATIONS (Show w			1 0200		22000	22. APPROX. DATE WORK WILL START*
4851' GL	,					4th Quarter 2004
3. PROPOS	SED CASING	AND CEMI	ENTING PROG	RAN	1	
IZE OF HOLE	SIZE OF CASIN	IG WEIGHT/	POOT	SETTING	G DEPTH	QUANTITY OF CEMENT
12 1/4	8 5/8	24#	-001	290'	J DEI III	155 sx +/- 10%
7 7/8	5 1/2	15.5#		TD		275 sx lead followed by 450 sx tail
						See Detail Below
The actual cem SURFACE PIPE LONG STRING 4. Name & Signature	- 155 sx Class G O Weight: 15.8 PP - Lead: Premium I 10% Bentonite + Weight: 11.0 PP Tail: 50-50 Poz- Weight: 14.2 Pl	Cement +/I 10% G YIELD: Lite II Cement - 5.5% Sodium N G YIELD: Class G Cement	ff of the open hole 6, w/ 2% CaCl2 & 1 1.17 Cu Ft/sk H + 3lbs/sk BA-90 + 3 Metasilicate 3.43 Cu Ft/sk H	1/4#/sk 2O Red 2% KC 2O Red 2S/sk C	Cello-flake q: 5 gal/sk 1 + .25 lbs/sk q: 21.04 gal/sello Flake + 2 eq: 7.88 gal/s	Cello Flake + 2 lbs/sk Kol Seal + sk 2% Bentonite + .3% Sodium Metasilicate
	die Crozier					
(This space for State use	only)					
API Number Assigned:	43-047-35	781	APPROVAL:			
				bevo		

*See Instructions On Reverse Side

T9S, R18E, S.L.B.&M.






= SECTION CORNERS LOCATED

BASIS OF ELEV; U.S.G.S. 7-1/2 min QUAD (UTELAND BUTTE)

INLAND PRODUCTION COMPANY

WELL LOCATION, STATE 14-2-9-18, LOCATED AS SHOWN IN THE SE 1/4 SW 1/4 OF SECTION 2, T9S, R18E, S.L.B.&M. UINTATH COUNTY, UTAH.



REGISTERED LAME REGISTRA RON (No. STATE OF UTAHA

TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 (435) 781-2501

SCALE: 1" = 1000'	SURVEYED BY: K.G.S.
DATE: 4-7-04	DRAWN BY: J.R.S.
NOTES:	FILE #

INLAND PRODUCTION COMPANY STATE #14-2-9-18 SE/SW SECTION 2, T9S, R18E UINTAH COUNTY, UTAH

TEN POINT DRILLING PROGRAM

1. **GEOLOGIC SURFACE FORMATION:**

Uinta formation of Upper Eocene Age

2. <u>ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS:</u>

Uinta 0 – 1700' Green River 1700' Wasatch 6500'

3. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS:

Green River Formation 1700' - 6500' - Oil

4. **PROPOSED CASING PROGRAM:**

Surface Casing: 8-5/8" J-55 24# w/ST&C collars; set at 290' (New) Production Casing: 5-1/2" J-55, 15.5# w/LT&C collars; set at TD (New or used, inspected).

5. MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:

The operator's minimum specifications for pressure control equipment are as follows:

An 8" Double Ram Hydraulic unit with a closing unit will be utilized. Function test of BOP's will be check daily.

Refer to Exhibit C for a diagram of BOP equipment that will be used on this well.

6. TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATION MUDS:

The well will be drilled with air mist system to 3200', then from 3200' +/- to TD a fresh water/polymer system will be utilized. If necessary, to control formation fluids, the system will be weighted with the addition of bentonite gel, and if conditions warrant, barite. This fresh water system typically will contain Total Dissolved Solids (TDS) of less than 3000 PPM. Neither potassium chloride nor chromates will be utilized in the fluid system. The anticipated mud weight is 8.4 ppg and weighted as necessary for gas control.

AIR DRILLING

In the event that the proposed location is to be "Air Drilled", Inland requests a variance to regulations requiring a straight run blooie line. Inland proposes that the flowline will contain two (2) 90-degree turns. Inland also requests a variance to regulations requiring an automatic igniter or continuous pilot light on the blooie line. Inland requests authorization to ignite as needed, and the flowline at 80'.

Inland Production Company requests that the spark arrest, exhaust, or water cooled exhaust be waived under the Special Drilling Operations of Onshore Order #2.

Ten Point Well Program & Thirteen Point Well Program Page 2 of 7

MUD PROGRAM

MUD TYPE

Surface – 3200' 3200' – TD' fresh water or air/mist system fresh water system

From surface to \pm 3200 feet will be drilled with either fresh water or an air/mist system, depending on the drilling contractor's preference. From about 3200 feet, or in the case of the air/mist system when hole conditions dictate, to TD, a fresh water system will be utilized. Clay inhibition and hole stability will be achieved with a KCL substitute additive. This fresh water system will typically contain Total Dissolved Solids (TDS) of less than 3000 PPM. Anticipated mud weight is 8.4 lbs/gal. If necessary to control formation fluids or pressure, the system will be weighted with the addition of bentonite gel, and if pressure conditions warrant, with barite. No chromate additives will be used in the mud system.

7. **AUXILIARY SAFETY EQUIPMENT TO BE USED:**

Auxiliary safety equipment will be a Kelly Cock, bit float, and a TIW valve with drill pipe threads.

8. <u>TESTING, LOGGING AND CORING PROGRAMS</u>:

The logging program will consist of a Dual Induction, Gamma Ray and Caliper log from TD to base of surface casing @ 290' +/-, and a Compensated Neutron-Formation Density Log from TD to 3500' +-. A cement bond log will be run from PBTD to cement top. No drill stem testing or coring is planned for this well.

9. ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURE:

The anticipated maximum bottom hole pressure is 2000 psi. It is not anticipated that abnormal temperatures will be encountered; or that any other abnormal hazards such as H2S will be encountered in this area.

10. <u>ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS:</u>

It is anticipated that the drilling operations will commence the fourth quarter of 2004, and take approximately seven (7) days from spud to rig release.

INLAND PRODUCTION COMPANY STATE #14-2-9-18 SE/SW SECTION 2, T9S, R18E UINTAH COUNTY, UTAH

THIRTEEN POINT SURFACE PROGRAM

1. EXISTING ROADS

See attached Topographic Map "A"

To reach Inland Production Company well location site State 14-2-9-18 located in the SE¼ SW¼ Section 2, T9S, R18E, S.L.B. & M., Uintah County, Utah:

Proceed southwesterly out of Myton, Utah along Highway 40 - 1.6 miles \pm to the junction of this highway and UT State Hwy 53; proceed southeasterly along Hwy 53 - 11.7 miles \pm to it's junction with an existing road to the southeast; proceed southeasterly -3.6 miles \pm to it's junction with an existing road to the east; proceed northeasterly -1.8 miles \pm to it's junction with an existing road to the northeast; proceed northeasterly -3.4 miles \pm to it's junction with an existing road to the southeast; proceed southeasterly -0.1 miles \pm to it's junction with the beginning of the proposed access road; proceed along the proposed access road $5,675' \pm$ to the proposed well location.

The highways mentioned in the foregoing paragraph are bituminous surfaced roads to the point where Highway 216 exists to the South, thereafter the roads are constructed with existing materials and gravel. The highways are maintained by Utah State road crews. All other roads are maintained by County crews.

The aforementioned dirt oil field service roads and other roads in the vicinity are constructed out of existing native materials that are prevalent to the existing area they are located in and range from clays to a sandy-clay shale material.

The roads for access during the drilling, completion and production phase will be maintained at the standards required by the State of Utah, or other controlling agencies. This maintenance will consist of some minor grader work for smoothing road surfaces and for snow removal.

2. PLANNED ACCESS ROAD

Approximately 2,120' of access road is proposed. See attached Topographic Map "B".

The proposed access road will be an 18' crown road (9' either side of the centerline) with drainage ditches along either side of the proposed road whether it is deemed necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area. The maximum grade will be less than 8%.

There will be no culverts required along this access road. There will be barrow ditches and turnouts as needed along this road.

There are no fences encountered along this proposed road. There will be no new gates or cattle guards required.

All construction material for this access road will be borrowed material accumulated during construction of the access road.

3. **LOCATION OF EXISTING WELLS**

Refer to EXHIBIT B.

4. <u>LOCATION OF EXISTING AND/OR PROPOSED FACILITIES</u>

It is anticipated that this well will be a producing oil well.

There will not be a tank battery at this location. A Central Battery will be located at the proposed State 5-2-9-18 location.

The flow lines from this well will run along access roads leading to the Central Battery located at the proposed State 5-2-9-18 location. See attached Topographic Map "D".

All permanent (on site for six (6) months or longer) structures, constructed or installed (including pumping units), will be painted Desert Tan. All facilities will be painted within six months of installation.

5. LOCATION AND TYPE OF WATER SUPPLY

Fresh water purchased from the Johnson Water District will be used for drilling. A temporary poly pipeline may be used for water transportation from our existing supply line from Johnson Water District, or trucked from Inland Production Company's injection facilities – **EXHIBIT A**.

There will be no water well drilled at this site.

6. SOURCE OF CONSTRUCTION MATERIALS

All construction material for this location shall be borrowed material accumulated during construction of the location site and access road.

A mineral material application is not required for this location.

7. METHODS FOR HANDLING WASTE DISPOSAL

A small reserve pit (90' x 40' x 8' deep, or less) will be constructed from native soil and clay materials. The reserve pit will receive the processed drill cutting (wet sand, shale & rock) removed from the wellbore. Any drilling fluids, which do accumulate in the pit as a result of shale-shaker carryover, cleaning of the sand trap, etc., will be promptly reclaimed. All drilling fluids will be fresh water based, typically containing Total Dissolved Solids of less than 3000 PPM. No potassium chloride, chromates, trash, debris, nor any other substance deemed hazardous will be placed in this pit. Therefore, it is proposed that no synthetic liner be required in the reserve pit. However, if upon constructing the pit there is insufficient fine clay and silt present, a liner will be used for the purpose of reducing water loss through percolation.

Inland requests approval that a flare pit not be constructed or utilized on this location.

A portable toilet will be provided for human waste.

A trash basket will be provided for garbage (trash) and hauled away to an approved disposal site at the completion of the drilling activities.

Ten Point Well Program & Thirteen Point Well Program Page 5 of 7

Immediately upon first production, all produced water will be confined to a steel storage tank. If the production water meets quality guidelines, it is transported to the Ashley, Monument Butte, Jonah, and Beluga water injection facilities by company or contract trucks. Subsequently, the produced water is injected into approved Class II wells to enhance Inland's secondary recovery project.

Water not meeting quality criteria, is disposed at Inland's Pariette #4 disposal well (Sec. 7, T9S R19E) or at State of Utah approved surface disposal facilities.

8. **ANCILLARY FACILITIES:**

There are no ancillary facilities planned for at the present time and none foreseen in the near future.

9. **WELL SITE LAYOUT:**

See attached Location Layout Sheet.

Fencing Requirements

All pits will be fenced according to the following minimum standards:

- a) A 39-inch net wire shall be used with at least one strand of barbed wire on top of the net.
- b) The net wire shall be no more than two (2) inches above the ground. The barbed wire shall be three (3) inches above the net wire. Total height of the fence shall be at least forty-two (42) inches.
- c) Corner posts shall be centered and/or braced in such a manner to keep tight at all times
- d) Standard steel, wood or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than sixteen (16) feet.
- e) All wire shall be stretched, by using a stretching device, before it is attached to the corner posts.

The reserve pit fencing will be on three (3) sides during drilling operations and on the fourth side when the rig moves off location. Pits will be fenced and maintained until cleanup.

10. PLANS FOR RESTORATION OF SURFACE:

a) Producing Location

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, material, trash and junk not required for production.

The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximated natural contours. Weather permitting, the reserve pit will be reclaimed within one hundred twenty (120) days from the date of well completion. Before any dirt work takes place, the reserve pit must have all fluids and hydrocarbons removed.

b) Dry Hole Abandoned Location

Ten Point Well Program & Thirteen Point Well Program Page 6 of 7

At such time as the well is plugged and abandoned, the operator shall submit a subsequent report of abandonment and the State of Utah will attach the appropriate surface rehabilitation conditions of approval.

11. **SURFACE OWNERSHIP:** State of Utah

12. OTHER ADDITIONAL INFORMATION:

- a) Inland Production Company is responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, Inland is to immediately stop work that might further disturb such materials and contact the Authorized Officer.
- b) Inland Production will control noxious weeds along rights-of-way for roads, pipelines, well sites or other applicable facilities. On State administered land it is required that a Pesticide Use Proposal shall be submitted and given approval prior to the application of herbicides or other possible hazardous chemicals.
- c) Drilling rigs and/or equipment used during drilling operations on this well site will not be stacked or stored on State Lands after the conclusion of drilling operations or at any other time without State authorization. However, if State authorization is obtained, it is only a temporary measure to allow time to make arrangements for permanent storage on commercial facilities.

The Archaeological Cultural Resource Survey for this area is attached.

Additional Surface Stipulations

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws and regulations, Onshore Oil and Gas Orders, the approved plan of operations and any applicable Notice to Lessees. A copy of these conditions will be furnished to the field representative to ensure compliance.

Hazardous Material Declaration

Inland Production Company guarantees that during the drilling and completion of the State 14-2-9-18. Inland will not use, produce, store, transport or dispose 10,000# annually of any of the hazardous chemicals contained in the Environmental Protection Agency's consolidated list of chemicals subject to reporting under Title III Superfund Amendments and Reauthorization Act (SARA) of 1986. Inland also guarantees that during the drilling and completion of the State 14-2-9-18 Inland will use, produce, store, transport or dispose less than the threshold planning quantity (T.P.Q.) of any extremely hazardous substances as defined in 40 CFR 355.

A complete copy of the approved APD, if applicable, shall be on location during the construction of the location and drilling activities.

Inland Production Company or a contractor employed by Inland Production shall contact the State office at (801) 722-3417, 48 hours prior to construction activities.

The State office shall be notified upon site completion prior to moving on the drilling rig.

Ten Point Well Program & Thirteen Point Well Program Page 7 of 7

13. <u>LESSEE'S OR OPERATOR'S REPRENSENTATIVE AND CERTIFICATION:</u>

Representative

Name:

Brad Mecham

Address:

Inland Production Company

Route 3, Box 3630

Myton, UT 84052

Telephone:

(435) 646-3721

Certification

Please be advised that INLAND RESOURCES, INC. is considered to be the operator of well #14-2-9-18, SE/SW Section 2, T9S, R18E, LEASE #ML-48377, Uintah County, Utah and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by Hartford Accident #4471291.

I hereby certify that the proposed drill site and access route have been inspected, and I am familiar with the conditions which currently exist; that the statements made in this plan are true and correct to the best of my knowledge; and that the work associated with the operations proposed here will be performed by Inland Resources, Inc. and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of the 18 U.S.C. 1001 for the filing of a false statement.

Date

Mandie Crozier

Regulatory Specialist

Inland Production Company

CULTURAL RESOURCE INVENTORY FOR INLAND RESOURCES OF SECTIONS 2 AND 16, T 9S, R 18E ON EIGHT MILE FLAT, UINTAH COUNTY, UTAH

BY:

Angela Whitfield and Amanda Wilson

Prepared For:

State and Institutional
Trust Land Administration

Prepared Under Contract With:

Inland Resources Route 3 Box 3630 Myton, UT 84052

Prepared By:

Montgomery Archaeological Consultants P.O. Box 147 Moab, Utah 84532

MOAC Report No. 04-37

April 16, 2004

United States Department of Interior (FLPMA)
Permit No. 04-UT-60122

State of Utah Antiquities Project (Survey)
Permit No. U-04-MQ-0109s

RECEIVED
JUN 0 3 2004

DIV. OF OIL, GAS & MINING

ABSTRACT

A cultural resource inventory was conducted by Montgomery Archaeological Consultants (MOAC) of T 9S, R 18E, Sections 2 and 16 for Inland Resources. The project area is located on Eightmile Flat, Uintah County, Utah. Inland Resources, Inc. proposes to develop oil/gas well locations, access roads, and pipelines within these blocks. The inventory was implemented at the request of Ms. Mandie Crozier of Inland Resources. The project occurs entirely on land administered by the School and Institutional Trust Land Administration (SITLA).

The project area lies approximately 20 miles south of Roosevelt, Utah. The inventory resulted in the identification of thirteen new archaeological sites (42Un3669 through 42Un3681) and one isolated find of artifact. Five of the sites (42Un3674, 42Un3678, 42Un3679, 42Un3680, and 42Un3681) are recommended as eligible to the NRHP (see Table 1). These consist of three prehistoric temporary camps (42Un3674, 42Un3678, and 42Un3680), a lithic scatter (42Un3679), and a rock art site (42Un3681). The prehistoric camps and lithic scatter are deemed eligible to the NRHP under Criterion D due to their potential to yield additional information on the prehistory of the area. One of the sites (42Un3674) contains three single-hand manos and a core, all located near overhangs that are potential rock shelters. Colluvial deposits cover the site area, and could obscure the presence of additional cultural materials. Another prehistoric temporary camp (42Un3680) contains a core, several flakes, and a fire-cracked rock concentration. Aeolian soils covering the site area could obscure the presence of additional cultural materials. Site 42Un3678 contains lithic debitage and nine tools, including one diagnostic tool - the base of an Elko cornernotched projectile point. The lithic scatter (42Un3679) contains 15 pieces of lithic debitage of a variety of material types, a core, and a utilized flake. It is located near an ephemeral wash, and alluvial soils in the area suggest the potential for buried cultural materials. The rock art site (42Un3681) is evaluated as eligible to the NRHP under Criteria C and D. It possesses high artistic values as it is one of the few rock art sites that have been identified in the immediate area, and has potential to yield information important to the prehistory of the area.

Eight of the sites are evaluated as not eligible to the NRHP (Table 1). The prehistoric site types include two lithic scatters (42Un3675 and 42Un3677). These sites lack temporal indicators and spatial patterning and occur on sediments that are unlikely to yield buried cultural materials. The remainder of the sites evaluated as not eligible to the NRHP include five historic temporary camps (42Un3669 through 42Un3673) and a site containing two cairns (42Un3676). These sites all possess a limited class of artifacts and little depth potential. They are common site types to the area, and are unlikely to contribute to the historic research domains of the area.

It is recommended that the eligible sites be avoided by any future undertakings. Based on adherence to this recommendation, a determination of "no historic properties affected" pursuant to Section 106, CFR 800 is proposed for this project.

TABLE OF CONTENTS

ABST	RACT
TABLI	E OF CONTENTSii
LIST (DF FIGURES
LIST (OF TABLEii
INTRO	DDUCTION
DESC	RIPTION OF PROJECT AREA
	Environmental Setting
	Cultural Overview
SURV	EY METHODOLOGY6
INVE	NTORY RESULTS
	Archaeological Sites
	Isolated Find of Artifacts
NATIO	ONAL REGISTER OF HISTORIC PLACES EVALUATION
	AGEMENT RECOMMENDATIONS
	RENCES CITED
	NDIX A: INTERMOUNTAIN ANTIQUITIES COMPUTER
	EM (IMACS) SITE FORMS
	LIST OF FIGURES
1.	Inventory Area of Section 16, Township 9S, Range 18E on Eight Mile Flat for Inland
	Resources, Uintah County, Utah showing cultural resources
2.	Inventory Area of Section 2, Township 9S, Range 18E on Eight Mile Flat for Inland
	Resources, Uintah County, Utah showing cultural resources4
	LIOT OF TABLE
	LIST OF TABLE
1.	Cultural Resources and NRHP Assessment
1.	Cultural Neoduloes and 1411 if 755essment

INTRODUCTION

A cultural resource inventory was conducted by Montgomery Archaeological Consultants (MOAC) of T 9S, R 18E, Sections 2 and 16. The project area is located on Eightmile Flat, Uintah County, Utah. Inland Resources, Inc. proposes to develop oil/gas well locations, access roads, and pipelines within these blocks. The inventory was implemented at the request of Ms. Mandie Crozier of Inland Resources. The project occurs entirely on land administered by the School and Institutional Trust Land Administration (SITLA).

The objective of the inventory was to locate, document and evaluate any cultural resources within the project area. This project was carried out in compliance with Federal and State legislation including the Antiquities Act of 1906, the National Historic Preservation Act (NHPA) of 1966 (as amended), the National Environmental and Historic Preservation Act of 1969, the Archaeological and Historic Conservation Act of 1972, the Archaeological Resources Protection Act of 1979, and the American Indian Religious Freedom Act of 1978.

The fieldwork was conducted on March 8-13, 2004 under the direction of Keith R. Montgomery (Principal Investigator) and assisted by Mark Beeson, Mike Carlisle, and Greg Woodall. The inventory was conducted under the auspices of U.S.D.I. (FLPMA) Permit No. 04-UT-60122 and State of Utah Antiquities Project (Survey) No. U-04-MQ-0109s.

A file search for previous inventories was conducted by Marty Thomas on March 4, 2004 at the Utah State Historic Preservation Office in Salt Lake City. According to this consultation, a number of inventories have been conducted within the immediate project area. In 1979, Archeological-Environmental Research Corporation (AERC) conducted a cultural resource survey of three proposed drill locations for Mapco Corporation (Norman and Hauck 1979). The survey area included a portion of Section 16. No cultural resources were identified during the project. In 1981, Nickens and Associates performed a cultural resource inventory for the proposed Bonanza-Castle Peak-Upalco Transmission Line corridor and access roads for Deseret Generation and Transmission Co-operative (Christensen 1981). The transmission line was approximately 57 miles long, and a portion of it passed through Section 16, Township 9 South, Range 18 East. Thirty three archaeological sites and 56 isolated finds were identified during the project. One of the sites, in 1984, AERC performed cultural 42Un1174, was deemed a possible NRHP eligible site. resource inventories of two proposed well locations and access routes for Diamond Shamrock Exploration (Hauck 1984). A portion of the access route to well location 23-1 was located in Section 2, Township 9 South, Range 18 East. No sites were identified during the project, however several isolated tools and primary flakes were observed. In February 2004, MOAC performed a cultural resource inventory adjacent to the current project area that resulted in the documentation of four new archaeological sites (Wilson and Montgomery 2004a). The sites were all historic shortterm camps or trash scatters evaluated as not eligible to the NRHP. In April 2004, MOAC conducted another cultural resource inventory in the area that included Sections 9, 10, 11, 14, 15, and 23, Township 9 South, Range 18 East (Wilson and Montgomery 2004b). The inventory resulted in documentation of seventy-one new archaeological sites. Twenty-eight of the sites were evaluated as eligible to the NRHP. These include one historic site, two multi-component sites, and twenty five prehistoric sites. The prehistoric sites consist of nineteen lithic scatters and six temporary camps.

DESCRIPTION OF PROJECT AREA

The project area lies approximately 20 miles south of Roosevelt, Utah on Eightmile Flat, Uintah County, Utah. The inventory area is located in Township 9 South, Range 18 East, Section 2 and Section 16 (Figures 1 and 2). A total of 1240 acres, including 640 acres in Section 16 and 600 acres in Section 2, was inventoried on lands administered by School and Institutional Trust Land Administration (SITLA).

Environmental Setting

The project area lies within the Uinta Basin physiographic unit, a distinctly bowl-shaped geologic structure (Stokes 1986:231). The entire Uinta Basin ecosystem is within the Green River drainage, considered to be the northernmost extension of the Colorado Plateau. Topographically, this area consists of highly dissected sandstone and mudstone rock formations and broad sandy silt ridges. Recent alluvial deposits, older alluvial terrace deposits, and rock outcrops of the Upper Eocene Uinta Formation constitute the surface geology of the area. The Uinta Formation is seen as eroded outcrops formed by fluvial deposited stream laid interbedded sandstone and mudstone. This formation is known for its fossil vertebrates, including turtles, crocodilians, fish, and mammals. The elevation ranges from 5100 to 5140 feet a.s.l. Named water sources north of the project area include Pariette Draw and Castle Peak Draw. In addition, there are numerous unnamed washes in the immediate project vicinity. The project area lies within the Upper Sonoran life zone, dominated by a mixed desert shrub zone. Vegetation in the area includes shadscale, low sagebrush, mat saltbush, greasewood, rabbitbrush, snakeweed, prickly pear cactus, pincushion cactus, and bunch grasses. Modern disturbances to the landscape include oil and gas development, access roads, pipelines, and livestock grazing.

Cultural Overview

The cultural-chronological sequence represented in the area includes the Paleoindian, Archaic, Fremont, Protohistoric, and Euro-American stages. The earliest inhabitants of the region are representative of the Paleoindian stage (ca. 12,000-8,000 B.P.), characterized by the adaptation to terminal Pleistocene environments and by the exploitation of big game fauna. The presence of Paleoindian hunters in the Uinta Basin region is implied by the discovery of Clovis and Folsom fluted points (ca.12,000 B.P. - 10,000 B.P.), as well as the more recent Plano Complex lanceolate points (ca. 10,000 B.P. - 7,000 B.P.). Near the project area, a variety of Plano Complex Paleoindian projectile points have been documented, including Goshen, Alberta, and Midland styles (Hauck 1998). No sites with evidence of Folsom lithic technology have previously been documented near the project area. Spangler (1995:332) reports that there are no sealed cultural deposits in association with extinct fauna or with chronologically distinct Paleoindian artifacts in Utah. Specifically in the Uinta Basin, few Paleoindian sites have been adequately documented, and most evidence of Paleoindian exploitation of the area is restricted to isolated projectile points recovered in nonstratigraphic contexts. Copeland and Fike (1998:21) argue that many areas in Utah are conducive to the herding behavior of megafauna, and that there is a high probability that many of the sites in Utah of unknown age are Paleoindian.




Figure 1. Inventory Area of Section 16, Township 9S, Range 18E on Eight Mile Flat for Inland Resources, Uintah County, Utah showing cultural resources.




Figure 2. Inventory Area of Section 2, Township 9S, Range 18E on Eight Mile Flat for Inland Resources, Uintah County, Utah showing cultural resources.

Reed, and Chandler 1994:130). The Ute appear to have been hunters and gatherers who exploited various fauna and flora resources. According to macrobotanical and faunal data from dated components, deer, elk, pronghorn, bison, and small game were acquired (Reed 1994:191). Plant materials thought to have been exploited for food include goosefoot, grass seeds, pinyon nuts, juniper berries, squawbush berries and leaves, hackberry seeds and possibly saltbush seeds, knotweed, chokecherry, and chickweed (Reed 1994:191).

SURVEY METHODOLOGY

An intensive pedestrian survey was performed for this project which is considered 100% coverage. The two parcels were examined for cultural resources by the archaeologists walking parallel transects spaced no more than 10 m (30 ft) apart. Ground visibility was considered good. A total of 1240 acres, including 640 acres in Section 16 and 600 acres in Section 2, was inventoried on lands administered by School and Institutional Trust Land Administration (SITLA).

Cultural resources were recorded either as archaeological sites or isolated finds of artifacts. Archaeological sites are defined as spatially definable areas with ten or more artifacts and/or features. Sites were documented by the archaeologists walking transects across the site, spaced no more than 3 m (10 ft) apart and marking the locations of cultural materials with pinflags. This procedure allowed clear definition of site boundaries and artifact concentrations. At the completion of the surface inspection, a Brunton compass was employed to point-provenience diagnostic artifacts and other relevant features in reference to the site datum, a steel rebar stamped with a temporary site number. Archaeological sites were plotted on a 7.5' USGS quadrangle, photographed, and documented with site data entered on an Intermountain Antiquities Computer System (IMACS, 1990 version) inventory form (Appendix A). Isolated finds were defined as individual artifacts or light scatters of items lacking sufficient material culture to warrant IMACS forms or to derive interpretation of human behavior in a cultural and temporal context. All isolated artifacts were plotted on a 7.5' USGS map and are described in this report.

INVENTORY RESULTS

The inventory of T 9S, R 18E, Sections 2 and 16 on Eight Mile Flat for Inland Resources resulted in the identification of thirteen new archaeological sites (42Un3669 through 42Un3681) and one isolated find of artifact.

Archaeological Sites

Smithsonian Site No.: 42Un3669 Temporary Site No.: 04-37-12

Legal Description: T 9S, R 18E, Sec. 16 and 21

Jurisdiction: SITLA
NRHP Eligibility: Not Eligible

<u>Description:</u> This site is a historic temporary camp located at the top edge of a flat, broad ridge. The cultural materials at the site include glass, tin cans, a cartridge with the headstamp "30-30 WIN SuperSpeed, one battery bank with 30 'D' cells stuck together, one large battery core, one hay bail wire tie, one cast iron wood stove burner lid with a 7" diameter and the markings "GW 7R", and one metal frying pan handle. The glass consists of 69 fragments of selenium glass all representing different jars with 2" diameter screw on metal lids. Two of the jars contain trademarks: one jar has a Latchford Marble trademark on the base (1939-1957) and a diameter of 4" and the other jar had

The Archaic stage (ca. 8,000 B.P.-1,500 B.P.) is characterized by the dependence on a foraging subsistence, with peoples seasonally exploiting a wide spectrum of plant and animal species in different ecozones. The shift to an Archaic lifeway was marked by the appearance of new projectile point types, and the development of the atlatl, perhaps in response to a need to pursue smaller and faster game (Holmer 1986). In the Uinta Basin, evidence of Early Archaic presence is relatively sparse compared to the subsequent Middle and Late Archaic periods. Early Archaic (ca. 6000-3000 B.C.) sites in the Basin include sand dune sites and rockshelters primarily clustered in the lower White River drainage (Spangler 1995:373). Early Archaic projectile points recovered from Uinta Basin contexts include Pinto Series, Humboldt, Elko Series, Northern Sidenotched. Hawken Side-notched. Sudden Side-notched and Rocker Base Side-notched points. Excavated sites in the area with Early Archaic components include Deluge Shelter in Dinosaur National Monument, and open campsites along the Green River and on the Diamond Mountain Plateau (Spangler 1995:374). The Middle Archaic (ca. 3000-500 B.C.) is characterized by improved climatic conditions and an increase in human population on the northern Colorado Plateau. Several stratified Middle Archaic sites have been excavated and dozens of sites have been documented in the Uinta Basin. Middle Archaic sites in the area reflect cultural influences from the Plains, although a Great Basin and/or northern Colorado Plateau influence is represented in the continuation of the Elko Series projectile points. Subsistence data from Middle Archaic components indicate gathering and processing of plants as well as faunal exploitation (e.g., mule deer, antelope, bighorn sheep, cottontail rabbit, muskrat, prairie dog, beaver and birds). The Late Archaic period (ca. 500 B.C.-A.D. 550) in the Uinta Basin is distinguished by the continuation of Elko Series projectile points with the addition of semi-subterranean residential structures at base camps. By about A.D. 100, maize horticulture and Rose Springs arrow points had been added to the Archaic lifeway. In the Uinta Basin, the earliest evidence of Late Archaic architecture occurs at the Cockleburr Wash Site (42Un1476) where a temporary structure, probably a brush shelter, vielded a date of 316 B.C. (Tucker 1986). The structure was probably associated with seasonal procurement of wild floral resources gathered along Cliff Creek.

The Formative stage (A.D. 500-1300) is recognized in the area as the Uinta Fremont as first defined by Marwitt (1970). This stage is characterized by a reliance upon domesticated corn and squash, increasing sedentism, and in its later periods, substantial habitation structures, pottery, and bow and arrow weapon technology. Based on the evidence from Caldwell Village, Boundary Village, Deluge Shelter, Mantles Cave and others, the temporal range of the Uinta Fremont appears to be from A.D. 650 to 950. This variant is characterized by shallow, saucer-shaped pithouse structures with randomly placed postholes and off-center firepits, some of which were adobe-rimmed. Traits considered unique or predominate to the Uinta Basin include calcite-tempered pottery, two-handled wide-mouth vessels, Utah type metates, the use of gilsonite for pottery repair, settlement on tops of buttes and large-shouldered bifaces (Shields 1970).

Archaeological evidence suggests that Numic peoples appeared in east-central Utah at approximately A.D. 1100 or shortly before the disappearance of Formative-stage peoples (Reed 1994). The archaeological remains of Numic-speaking Utes consist primarily of lithic scatters with low quantities of brown ware ceramics, rock art, and occasional wickiups. The brown ware ceramics appear to be the most reliable indicator of cultural affiliation, as Desert Side-notched and Cottonwood Triangular points were manufactured by other cultural groups beside the Ute (Horn,

a Glass Container's Corporation trademark (since 1945). The tin cans at the site include three sanitary cut around medium food cans; seven hole-in-top milk cans with ice pick or knife cut openings; two shirt pocket, hinged lid tobacco tins; and one removable lid with 12 nail holes punched in it. There is one Feature at the site consisting of 30 juniper wood chips and splinters in an area with a diameter of 10 meters. The site was most likely a camp used by sheep herders between 1939-1955.

Smithsonian Site No.: 42Un3670 Temporary Site No.: 04-37-13

Legal Description: T 9S, R 18E, Sec. 16

<u>Jurisdiction:</u> SITLA <u>NRHP Eligibility:</u> Not Eligible

Description: This site is a historic temporary camp located on top of a broad flat ridge. The cultural materials at the site include one selenium glass jar with a threaded neck and the Alexander Kerr trademark on the base (since 1944); one internal friction tobacco tin (1960s); four external friction wire hinge tobacco tins (1910-1960); ten medium cut around sanitary cans; one tall cut around sanitary can with "Canco" embossed on it (1912-1921); ten knife tip cut hole-in-top milk cans with "Punch Here" embossed on them (1935-1945); two, one pound round key strip coffee cans; one, one quart oil can; one screw cap fluid can with a spout and "Canco" on the bottom (1912-1921); one pry out can lid with "Walter Baker's Breakfast Cocoa" on it; two key strip coffee can lids with "Regular Grind" embossed on them; one metal screw cap; and one sanitary can lid with "RCCanco St. Louis" on it. There are two features at the site that consist of wood piles with over one hundred juniper chips and splinters in each. The site represents a camp used by sheep herders or other ranchers in the area on multiple occasions between 1920 and 1960.

Smithsonian Site No.: 42Un3671 Temporary Site No.: 04-37-11

Legal Description: T 9S, R 18E, Sec. 16

Jurisdiction:SITLANRHP Eligibility:Not Eligible

Description: This site is a historic temporary camp located at the top edge of a low, broad ridge. The cultural materials at the site were found in two distinct loci. Locus A contained Feature A which consists of three wood chips, one rifle cartridge with "REM-UMC 25-35" on the headstamp (1911-1960), 14 sanitary food cans, eight hole-in-top milk cans, one spice can lid, one coffee can lid, one grease can, and one selenium medicine bottle with "DR. NUNN's Black Oil Healing Compound" embossed on the side and a finish that required a stopper or cork. Locus B contained Feature B which consists of six wood chips, two hay bail wire ties, two sanitary food cans, and two "Punch Here" hole-in-top milk cans (1935-1945). The site was most likely used by sheep herders on multiple occasions from 1920-1950.

Smithsonian Site No.: 42Un3672 Temporary Site No.: 04-37-10

Legal Description: T 9S, R 18E, Sec. 16

Jurisdiction:SITLANRHP Eligibility:Not Eligible

<u>Description:</u> This site is a temporary camp mixed with modern trash located on the crest of a broad, slightly rounded ridge. The cultural materials at the site include five hole-in-top milk cans with "Punch Here" embossed on the lid (1935-1945), ten medium cut- around sanitary food cans, and

modern trash and debris. There are five features at the site: Feature A is a pen or corral, Feature B is a wood pile, Feature C is a drill hole, Feature D is a brick/slag pile, and Feature E is a trash pile. The site dates from 1935 to the present based on the hole-in-top cans and modern trash. The historic aspect of the site was most likely used by sheep herders or other ranchers in the 1940s.

Smithsonian Site No.: 42Un3673 Temporary Site No.: 04-37-09

Legal Description: T 9S, R 18E, Sec. 16

<u>Jurisdiction:</u> SITLA NRHP Eligibility: Not Eligible

<u>Description:</u> This site is a historic temporary camp located on a low rounded ridgetop in the Uinta Basin. Cultural materials include three knife punched hole-in-top milk cans, one key strip meat can, one broken selenium glass jar with a Knox Glass Bottle Company of Parker trademark on the base (1930-1952) and a metal screw cap, and one wood pile remnant with coal chunks. The feature of wood and coal probably represents the remains of a wood pile while the coal is left over from a stove. The site dates around 1930-1950 based on the glass maker's mark and was most likely used on one occasion by sheep herders or other ranchers in the area.

Smithsonian Site No.: 42Un3674 Temporary Site No.: 04-37-01

Legal Description: T 9S, R 18E, Sec. 2

Jurisdiction: SITLA

NRHP Eligibility: Eligible, Criterion D

Description: This site is a prehistoric temporary camp located on a sandstone shelf ledge that rises 1-2 meters with three rock alcoves/overhangs that could be possible shelters. There are four tools at the site. Tool 1 is a possible single-handed mano manufactured from coarse-grained brown quartzite measuring 15 cm long, 8 cm wide, and 5 cm thick. This mano exhibits 2-5% polish on the convex face and has five margins. Tool 2 is a single-handed mano with eight margins manufactured from reddish brown coarse-grained quartzite measuring 13 cm long, 9 cm wide, and 6 cm thick. The mano has one ground and polished surface measuring 8 x 6 cm and one lateral, natural fracture. The distal end of the cobble exhibits minimal to moderate wear on a 2 x 2 cm flat surface. Tool 3 is a single-handed mano with nine margins manufactured from brown, mediumgrained quartzite. There is one grinding surface with minimal use wear that measures 6 x 6 cm on the convex side of the cobble. Tool 4 is a cobble core of light tan-brown opaque chert that measures 8 cm long, 5 cm wide, and 2 cm thick. Ten flakes have been removed from the core and use wear is exhibited on one small edge. The site was most likely used as a temporary camp that can not be dated since no diagnostic artifacts were present. A modern beer bottle was found on the site indicating the possibility of vandalism.

Smithsonian Site No.: 42Un3675 Temporary Site No.: 04-37-02

Legal Description: T 9S, R 18E, Sec. 2

<u>Jurisdiction:</u> SITLA <u>NRHP Eligibility:</u> Not Eligible

<u>Description:</u> This site is a prehistoric lithic scatter located on a gentle south slope of a low knoll. The cultural materials present at the site include ten pieces of debitage and one lithic tool. The

debitage includes mainly tertiary flakes with a few broken flakes, one primary flake, and one secondary flake. Material types include grey-pink opaque chert, mottled grey-tan-pink opaque chert, mottled tan-brown opaque chert, brown opaque chert, yellow-brown quartzite, and white quartzite. The lithic tool is a uniface manufactured from semi-translucent brown chert with pressure flaking on the dorsal side. There were no features present at the site.

Smithsonian Site No.: 42Un3676 Temporary Site No.: 04-37-03

Legal Description: T 9S, R 18E, Sec. 2

 Jurisdiction:
 SITLA

 NRHP Eligibility:
 Not Eligible

Description: This site is composed of two cairns located on top of a low, long, flat ridge. A collapsed/tipped cairn is located on the east end and a standing cairn is visible at the west end of this same ridge approximately 1/8th of a mile away. The collapsed cairn appears to have been approximately 35 slabs high (4-5 feet) and constructed from local flat sandstone irregular slabs. The slabs measure between 1-2" thick, 6-18" wide, and 24-30" long. There is no discernible placement pattern and the cairn has collapsed to the west off the base location. The standing cairn is 4-5 feet tall and visible at the west end of the ridgeline. There are no associated artifacts at the site.

Smithsonian Site No.: 42Un3677 Temporary Site No.: 04-37-04

Legal Description: T 9S, R 18E, Sec. 2

<u>Jurisdiction:</u> SITLA <u>NRHP Eligibility:</u> Not Eligible

<u>Description:</u> This site is a lithic scatter located along the base of a low ridge or knoll. The cultural materials at the site include 15 pieces of debitage and two lithic tools. The tools consist of a Stage 1 biface manufactured from grey-pink opaque chert and a bifacial core of grey-pink opaque chert. The debitage at the site consists mainly of primary and secondary flakes with one tertiary flake and no shatter. Material types include grey-pink opaque chert, tan opaque chert, tan-brown mottled opaque chert, grey quartzite, and cream quartzite. There were no diagnostic artifacts or features at the site which was mostly likely used as a brief lithic reduction locality.

Smithsonian Site No.: 42Un3678 Temporary Site No.: 04-37-05

Legal Description: T 9S, R 18E, Sec. 2

Jurisdiction: SITLA

NRHP Eligibility: Eligible, Criterion D

Description: This site is an Archaic temporary camp located on a slickrock and sand ridgetop. A bedrock natural water pocket in the slickrock is present, measuring 1.5 m long, 1 m wide, and 0.2 m deep. Cultural materials at the site include nine lithic tools, including two pieces of ground stone, and 20 pieces of debitage. The debitage includes mainly secondary and tertiary flakes with a few pieces of shatter and primary flakes. Material types include tan opaque chert, tan-brown mottled opaque chert, white-pink mottled opaque chert, cream opaque chert, yellow-orange quartzite, butterscotch quartzite, and cream quartzite. The tools at the site include three small cores of pink-grey opaque chert; one utilized flake with use wear on one bifacial edge; one slab grinding stone with a ground area on one side; one unknown hand stone with battering on one end and possible grinding on one face; one Elko Corner-notched projectile point base of salmon semi-translucent chert; one large side scraper with minimal use wear on one bifacial margin; and one early stage

biface of pink-grey opaque chert with a fracture on the distal end. There were no features present at the site. The Elko projectile point dates to the Archaic period and the site most likely represents a brief camp or lithic reduction locality. A modern beer can was found on the site indicating the possibility of vandalism.

Smithsonian Site No.: 42Un3679 Temporary Site No.: 04-37-06

Legal Description: T 9S, R 18E, Sec. 2

Jurisdiction: SITLA

NRHP Eligibility: Eligible, Criterion D

<u>Description:</u> This site is a prehistoric lithic scatter located in a slight depression and ephermal wash in the Uinta Basin. The cultural materials at the site include 15 pieces of debitage and two lithic tools. The debitage consists of mainly secondary flakes with a few tertiary and primary flakes. Material types include tan-brown mottled opaque chert, tan opaque chert, orange semi-translucent chert, cream opaque chert, salmon quartzite, white-pink mottled opaque chert, grey opaque chert, grey opaque chert, and brown opaque chert. The tools at the site include a core manufactured from a cream quartzite cobble with four flake scars and a utilized flake manufactured from a grey opaque chert secondary flake with use wear exhibited on one margin. There are no features present at the site. The site can not be dated since no diagnostic materials were found.

Smithsonian Site No.: 42Un3680 Temporary Site No.: 04-37-07

Legal Description: T 9S, R 18E, Sec. 2

Jurisdiction: SITLA

NRHP Eligibility: Eligible, Criterion D

Description: This site is a prehistoric temporary camp located at the top edge of a ridge overlooking a large draw. Cultural materials at the site include one lithic tool, three pieces of debitage, and a fire-cracked rock concentration. The tool at the site is a butterscotch quartzite bifacial core with numerous flake scars and 5% cortex remaining. The debitage includes two secondary flakes and one tertiary flake. Material types are cream opaque chert and tan-brown mottled opaque chert. Feature A consists of 12 reddened quartzite cobbles in a circular area with a diameter of 2 meters. Another ten reddened and cracked quartzite cobbles and fragments are located within 5 meters down slope and across the slope of the concentration. No charcoal or soil staining was noted. The site was mostly likely used as a brief temporary camp and lithic reduction locality that can not be dated since no diagnostic artifacts were observed.

Smithsonian Site No.: 42Un3681 Temporary Site No.: 04-37-08

Legal Description: T 9S, R 18E, Sec. 2


Jurisdiction: SITLA

NRHP Eligibility: Eligible, Criterion C and D

<u>Description:</u> This site is a rock art site consisting of two petroglyph panels on large detached canyon wall bedrock boulders. Panel (Feature) A faces west on a sandstone boulder and consists of several anthropomorphic and zoomorphic figures as well as a few geometric designs. The panel is faded since it was subject to weathering. Panel (Feature) B consists of two of more figures on a boulder. One of the petroglyphs is a possible snake figure and the other an anthropomorph, but it is hard to distinguish the figures since the panel is faded due to weathering. There were no associated artifacts at the site.

Isolated Find of Artifact

Isolated Find A (IF-A) is located in the SW/SE/NE of Section 2, T9S, R18E; UTM 597807E/4434899N. It is situated on a gentle ridge slope southeast of Pariette Draw, a major semi-permanent drainage. The deposition environment is a stable residual soil with a veneer of small rocks. This isolated find appears to be the base of a plano-type projectile point. It exhibits a broad concave base with rounded tangs and parallel sides. It is broken near the midsection and exhibits diagonal flake removal as well as margin retouch. The point is very similar to lanceolate points classified as Angostura Points dating ca. 9,000 to 7,000 B.P. The artifact is manufactured from a semitranslucent white chert. Measurements: L=2.5 cm (IC), W=2.0 cm, T=0.25cm.



Isolated Find A. Late Paleoindian Angostura Type Point.

NATIONAL REGISTER OF HISTORIC PLACES EVALUATION

The National Register Criteria for Evaluation of Significance and procedures for nominating cultural resources to the National Register of Historic Places (NRHP) are outlined in 36 CFR 60.4 as follows:

The quality of significance in American history, architecture, archaeology, and culture is present in districts, sites, buildings, structures, and objects of State and local importance that possess integrity of location, design, setting, material, workmanship, feeling, and association, and that they:

- a)...are associated with events that have made a significant contribution to the broad patterns of our history; or
- b)...are associated with the lives of persons significant to our past; or
- c)...embody the distinctive characteristics of a type, period, or method of construction; or that represents the work of a master, or that possess high artistic values, or that represent a significant and distinguishable entity whose components may lack individual distinction; or
- d)...have yielded or may be likely to yield information important in prehistory or history.

The inventory of T 9S, R 18E, Sections 2 and 16 on Eight Mile Flat for Inland Resources resulted in the documentation of thirteen new archaeological sites (42Un3669 through 42Un3681). Five of the sites (42Un3674, 42Un3678, 42Un3679, 42Un3680, and 42Un3681) are recommended as eligible to the NRHP (see Table 1). These consist of three prehistoric temporary camps (42Un3674, 42Un3678, and 42Un3680), a lithic scatter (42Un3679), and a rock art site (42Un3681). The prehistoric camps and lithic scatter are deemed eligible to the NRHP under Criterion D due to their potential to yield additional information on the prehistory of the area. One of the sites (42Un3674) contains three single-hand manos and a core, all located near overhangs that are potential rock shelters. Colluvial deposits cover the site area, and could obscure the presence of additional cultural materials. Another prehistoric temporary camp (42Un3680) contains a core, several flakes, and a fire-cracked rock concentration. Aeolian soils covering the site area could obscure the presence of additional cultural materials. Site 42Un3678 contains lithic debitage and nine tools, including an Elko Corner-notched projectile point base. The lithic scatter (42Un3679) contains 15 pieces of lithic debitage of a variety of material types, a core, and a utilized flake. It is located near an ephemeral wash, and alluvial soils in the area suggest the potential for buried cultural materials. The rock art site (42Un3681) is evaluated as eligible to the NRHP under Criteria C and D. It possesses high artistic values as it is one of the few rock art sites that have been identified in the immediate area, and has potential to yield information important to the prehistory of the area.

Eight of the sites are evaluated as not eligible to the NRHP (Table 1). The prehistoric site types include two lithic scatters (42Un3675 and 42Un3677). These sites lack temporal indicators and spatial patterning and occur on sediments that are unlikely to yield buried cultural materials. The remainder of the sites evaluated as not eligible to the NRHP include five historic temporary camps (42Un3669 through 42Un3673) and a site containing two cairns (42Un3676). These sites all possess a limited class of artifacts and little depth potential. They are common site types to the area, and are unlikely to contribute to the historic research domains of the area.

Table 1. Cultural Resources and NRHP Assessment

Site Number	Legal Description	Site Type	NRHP Assessment
42Un3669	T9S, R18E, S. 16 and 21	Historic Temporary Camp	Not Eligible
42Un3670	670 T9S, R18E, S. 16 Historic Temporary Camp		Not Eligible
42Un3671	T9S, R18E, S. 16	Historic Temporary Camp	Not Eligible
42Un3672	T 9S, R 18E, S. 16	Historic Temporary Camp	Not Eligible
42Un3673	T 9S, R 18E, S. 16	Historic Temporary Camp	Not Eligible
42Un3674	T 9S, R 18E, S. 2	Prehistoric Temporary Camp	Eligible, Criterion D
42Un3675	T 9S, R 18E, S. 2	Lithic Scatter	Not Eligible
42Un3676	T 9S, R 18E, S. 2	Cairns	Not Eligible
42Un3677	T 9S, R 18E, S. 2	Lithic Scatter	Not Eligible
42Un3678	T 9S, R 18E, S. 2	Prehistoric Temporary Camp	Eligible, Criterion D
42Un3679	T 9S, R 18E, S. 2	Lithic Scatter	Eligible, Criterion D
42Un3680	T 9S, R 18E, S. 2	Prehistoric Temporary Camp	Eligible, Criterion D
42Un3681	T 9S, R 18E, S. 2	Rock Art	Eligible, Criteria C & D

MANAGEMENT RECOMMENDATIONS

The inventory of T 9S, R 18E, Sections 2 and 16 on Eight Mile Flat for Inland Resources resulted in the identification of thirteen new archaeological sites (42Un3669 through 42Un3681). Five of the prehistoric sites (42Un3674, 42Un3678, 42Un3679, 42Un3680, and 42Un3681) are recommended as eligible to the NRHP under Criteria C and D. It is recommended that these sites be avoided by any future undertakings. Based on adherence to this recommendation, a determination of "no historic properties affected" pursuant to Section 106, CFR 800 is proposed for this project.

REFERENCES CITED

Christensen, D.

1981

Archaeological Survey of the Bonanza-Castle Peak-Upalco Transmission Line, Bonanza Power Plant Project 1981, Nickens and Associates, Montrose, Colorado. Report No. U-81-NH-429.

Copeland, J.M and R.E. Fike

1998

Fluted Projectile Points in Utah. In Utah Archaeology 1988, Salt Lake City.

Hauck, F.R.

1984

Cultural Resource Evaluation of Two Proposed Well Locations in the Pariette Bench Locality of Uintah County, Utah, Archeological-Environmental Research Corporation, Bountiful, Utah. Report No. U-84-AF-0205b.

Holmer, R.

1986

Projectile Points of the Intermountain West. In *Anthropology of the Desert West:* Essays in Honor of Jesse D. Jennings, edited by Carol J. Condie and Don D. Fowler, pp. 89-116. *University of Utah Anthropological Papers* No. 110. Salt Lake City.

Horn, J.C., A.D. Reed, and S.M. Chandler

1994

Grand Resource Area Class I Cultural Resource Inventory. Alpine Archaeological Consultants, Inc. Montrose. Bureau of Land Management, Moab, Utah.

Marwitt, J.P.

1970

Median Village and Fremont Culture Regional Variation. *University of Utah Anthropological Papers* No. 95. Salt Lake City.

Norman, V.G. and F.R. Hauck

1979

Archaeological Survey of Three Proposed Drill Locations and Access Roads in the Eightmile Flat Locality, Uintah County, Utah. Archeological-Environmental Research Corporation, Bountiful, Utah. Report No. U-79-AF-0328b.

Reed A.D.

1994

The Numic Occupation of Western Colorado and Eastern Utah during the Prehistoric and Protohistoric Periods. In *Across the West: Human Population Movement and the Expansion of the Numa*, edited by D.B. Madsen and D. Rhode, pp. 188-199. University of Utah Press, Salt Lake City.

Shields, W.F.

1970

The Fremont Culture in the Uinta Basin. Paper presented at the Fremont Culture Symposium, 35th Annual Meeting of the Society for American Archaeology, Mexico City.

Spangler, J.D.

1995

Paradigms and Perspectives, A Class I Overview of Cultural Resources in the Uinta Basin and Tavaputs Plateau, Volume II. Uinta Research, Salt Lake City, Utah.

Stokes, W.L.

1986 Geology of Utah. Utah Museum of Natural History, University of Utah, Salt Lake

City.

Tucker, G.C. Jr.

1986 Results of Archaeological Investigations Along the Chevron CO-2/PO-4 Pipelines

in Northeastern Utah and Northwestern Colorado. Manuscript on file, Bureau of

Land Management, Vernal, Utah.

Wilson, A. And K.R. Montgomery

2004a Cultural Resource Inventory of Inland Resources Block Survey on Eightmile Flat,

Township 9 South, Range 18 East, Sections 17, 20, 21, in Uintah County, Utah.

Montgomery Archaeological Consultants, Moab, Utah. Report No. U-04-MQ-800b.

2004b Cultural Resource Inventory of Inland Resources Block Survey on Eightmile Flat, Township 9 South, Range 18 East, Sections 9, 10, 11, 14, 15 and 23, Uintah


County, Utah. Montgomery Archaeological Consultants, Moab, Utah. Report No. U-

04-MQ-801b.

APPENDIX A: INTERMOUNTAIN ANTIQUITIES COMPUTER SYSTEM (IMACS) SITE INVENTORY FORMS 42Un3669 through 42Un3681

On File At:

Utah Division of State History Salt Lake City, Utah



INLAND PRODUCTION COMPANY CROSS SECTIONS STATE 14-2-9-18 20, STA. 2+90 1" = 50'STA. 2+22 1" = 50'EXISTING GRADE FINISHED GRADE WELL HOLE 20, 1" = 50'STA. 1+60 20, , II 1" = 50'STA. 0+00 ESTIMATED EARTHWORK QUANTITIES (No Shrink or swell adjustments have been used) (Expressed in Cubic Yards) **EXCESS** 6" TOPSOIL ITEM CUT **FILL** 2.220 Topsoil is PAD 2,220 not included in Pad Cut UNLESS OTHERWISE NOTED 640 PIT 640 ALL CUT/FILL SLOPES ARE TOTALS 2,860 2,220 640 AT 1.5:1

1" = 50'SCALE: K.G.S. SURVEYED BY: 4-7-04 J.R.S. DATE: DRAWN BY:

Tri State


Land Surveying, Inc.

180 NORTH VERNAL AVE. VERNAL, UTAH 84078 (435) 781-2501


0


INLAND PRODUCTION COMPANY


TYPICAL RIG LAYOUT
STATE 14-2-9-18





SURVEYED BY: K.G.S.	SCALE:	1" = 50'	\Tri State (435) 781-2501
DRAWN BY: J.R.S.	DATE:	4-7-04	Land Surveying, Inc. 180 NORTH VERNAL AVE. VERNAL, UTAH 84078














2-M SYSTEM

Blowout Prevention Equipment Systems





EXHIBIT C

WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVE	ED: 06/03/2004	API NO. ASSIGN	ED: 43-047-357	81
OPERATOR:	STATE 14-2-9-18 INLAND PRODUCTION (N5160) MANDIE CROZIER	PHONE NUMBER: $\frac{4}{}$	35-646-3721	
	OCATION: 02 090S 180E : 0574 FSL 1877 FWL 0574 FSL 1877 FWL	INSPECT LOCATN	BY: / /	/ Date
UINTAH		Engineering	DRD	8(3/04
8 MILE 1	FLAT NORTH (590)	Geology		
	3 - State ER: ML-48377	Surface		
SURFACE OWN	JER: ML-48377 JER: 3 - State DRMATION: GRRV THANE WELL? NO	LATITUDE: 40.0		
Plat Bond: (No. N Potas V Oil S Water (No. RDCC (Date	Shale 190-5 (B) or 190-3 or 190-13 Permit MUNICIPAL Review (Y/N)	R649-3-2. Siting: 460 F R649-3-3. Drilling Un Board Cause Eff Date: Siting:	General From Qtr/Qtr & 920' Exception it e No:	
COMMENTS: _	Huds Presite	(06-24-04)		
STIPULATION	NS: LSPACING STATEME	cut Stip	S	
	-	,		



DIVISION OF OIL, GAS AND MINING APPLICATION FOR PERMIT TO DRILL STATEMENT OF BASIS

OPERATOR:	Inland Production Company
WELL NAME & NUMBER:	
	43-047-35781
	Sec: 2 TWP: 9S RNG: 18E 574 FSL 1877 FWL
Geology/Ground Water:	
water at this location is estimated no water wells within a 10,000 f Uinta Formation. The Uinta Formostly lenticular and discontinuous	d to be at a depth of 200'. A search of Division of Water Rights records shows out radius of the center of section 2. The surface formation at this site is the mation is made up of interbedded shales and sandstones. The sandstones are ous and should not be a significant source of useable ground water. The gram should adequately protect any useable ground water and nearby wells.
Reviewer: <u>Br</u>	rad Hill Date: 07/15/04
Surface:	
concerns regarding the construct through email one week prior to to Bartlett with UDWR was also Representatives (Ed Bonner) from to DOGM and the operator for fur UDWR as a problem with this location. The operator will have spacing. This location was mo- location appears to be sand and	ed onsites with Inland for this well on June 24, 2004 to take input and address any ion and drilling of said well. Ed Bonner with SITLA was notified by telephone and the onsite visit to allow the landowner input regarding surface use. Likewise, Floyd notified to address any wildlife concerns they might have with this project m SITLA have given UDWR the authorization to provide reclamation seed mixture ture reclamation use. No critical or sensitive wildlife species were documented by project. This well was moved southeast of center and is an exception spaced to submit a letter requesting exception to the 200-foot tolerance required by 40 acres wed to keep the well pad out of and east/west sandy, drainage. Surface soil or probably has underlying sandstone ledges. If reserve pit doesn't hold water a pinkage, or if blasting is done to construct pit. (No surface water present below of upstream).
Reviewer: Der	nnis L. Ingram Date: July 6, 2004
Conditions of Approval/Appli	cation for Permit to Drill:

None.

ON-SITE PREDRILL EVALUATION Division of Oil, Gas and Mining

OPERATOR: Inland Production Company

WELL NAME & NUMBER: State #14-2-9-18

API NUMBER: 43-047-35781

LEASE: ML-48377 FIELD/UNIT: Eight Mile Flat

LOCATION: 1/4,1/4 SE/SW Sec: 2 TWP: 9 S RNG: 18 E 574 FSL 1877 FWL LEGAL WELL SITING: 460 F SEC. LINE; 460 F 1/4,1/4 LINE; 920 F ANOTHER WELL.

GPS COORD (UTM): X =0596985 E; Y =4434191 N SURFACE OWNER: SITLA

PARTICIPANTS

Dennis L. Ingram(DOGM) Brad Mecham (Inland) Floyd Barltett (UDWR)

REGIONAL/LOCAL SETTING & TOPOGRAPHY

Proposed 22 miles southeast of Myton, Utah on relatively flat bench north of Eight Mile Flat and southeast of Pariette Bench, overlooking Pariette Draw and/or wetlands, approximately 1.0 miles northeast of location. Shallow canyons and drainages brake off from the northern portion of this section—in a northeasterly fashion— and provide run off into Pariette Wash, which has standing and flowing water that moves southeast toward the river. Another drainage runs from west to east along the southern portion of this section, which collects standing water and/or has a large pond.

SURFACE USE PLAN

CURRENT SURFACE USE: Livestock grazing and wildlife, recreational

PROPOSED SURFACE DISTURBANCE: +610 of new access road with location measuring 149'x 290' with reserve pit and surface soil storage outside of described area.

LOCATION OF EXISTING WELLS WITHIN A 1 MILE RADIUS: 5-1; 1-11

LOCATION OF PRODUCTION FACILITIES AND PIPELINES: Operator has proposed to pipe all production from the wells in this section to a central battery, where separation and metering shall be done.

SOURCE OF CONSTRUCTION MATERIAL: Native cut and fill using borrowed material

ANCILLARY FACILITIES: None requested.

WASTE MANAGEMENT PLAN:

Submitted to the division with Application to Drill

ENVIRONMENTAL PARAMETERS

AFFECTED FLOODPLAINS AND/OR WETLANDS: East/west drainage just north of

location, pond up country but dry below this site.
FLORA/FAUNA: Shadscale, rabbitbrush, Globe Mallow, Indian ricegrass, threadgrass; high quality antelope range, smaller mammals and birds native to region.
SOIL TYPE AND CHARACTERISTICS: Tan, fine-grained sandy loam
SURFACE FORMATION & CHARACTERISTICS: Uinta
EROSION/SEDIMENTATION/STABILITY: minor erosion, some sedimentation, no stability problems anticipated.
PALEONTOLOGICAL POTENTIAL: None observed during onsite RESERVE PIT
CHARACTERISTICS: Proposed on southwest side of location in cut and measuring 90'x 40'x 8' deep.
LINER REQUIREMENTS (Site Ranking Form attached): 15 points
SURFACE RESTORATION/RECLAMATION PLAN
According to landowner agreement or SITLA at time of reclamation
SURFACE AGREEMENT: Yes
CULTURAL RESOURCES/ARCHAEOLOGY: Submitted to the division with Application to Drill
OTHER OBSERVATIONS/COMMENTS
Well was moved southwest of center because of east/west wash, surface sandy with potential for underlying sandstone, surface slopes slightly toward the northeast, good vegetative cover.
ATTACHMENTS
Photos of this location were taken and placed on file.
Dennis L. Ingram DOGM REPRESENTATIVE June 23, 2004 3:30 PM DATE/TIME


Evaluation Ranking Criteria and Ranking Score For Reserve and Onsite Pit Liner Requirements

Site-Specific Factors	Ranking	Site Ranking
Distance to Groundwater (feet)		
>200	0	
100 to 200	5	
75 to 100 25 to 75	10 15	
<25 or recharge area	20	0
Distance to Surf Mater (feet)		
Distance to Surf. Water (feet) >1000	0	
300 to 1000	2	
200 to 300	10	
100 to 200 < 100	15	•
< 100	20	0
Distance to Nearest Municipal		
Well (feet) >5280	0	
1320 to 5280	5	
500 to 1320	10	
<500	20	0
Distance to Other Wells (feet)		
>1320	0	
300 to 1320	10	
<300	20	0
Native Soil Type		
Low permeability	0	
Mod. permeability High permeability	10	1.0
High permeability	20	10
Fluid Type		
Air/mist	0	
Fresh Water TDS >5000 and <10000	5 10	
TDS >10000 or Oil Base Mud Fluid	15	
containing significant levels of		
hazardous constituents	20	5
Drill Cuttings		
Normal Rock	0	
Salt or detrimental	10	0
Annual Precipitation (inches)		
<10	0	
10 to 20	5	•
>20	10	0
Affected Populations		
<10 10 to 30	0 6	
30 to 50	8	
>50	10	0
Presence of Nearby Utility Conduits		
Not Present	0	
Unknown	10	
Present	15	0

____15___ (Level __II__ Sensitivity)

Sensitivity Level I = 20 or more; total containment is required.
Sensitivity Level II = 15-19; lining is discretionary.
Sensitivity Level III = below 15; no specific lining is required.

Final Score










Inland State 14-2-9-18

Casing Schematic



Well name:

Inland State 14-2-9-18

Operator:

Inland Production Company

Surface String type:

Design parameters:

Project ID:

43-047-35781

Location:

Uintah County

Environment: Minimum design factors:

Collapse

Mud weight: 8.200 ppg Design is based on evacuated pipe.

Collapse: Design factor 1.125 H2S considered? Surface temperature: No 65 °F

Bottom hole temperature: Temperature gradient: Minimum section length:

69 °F 1.40 °F/100ft 290 ft

Burst:

1.00 Design factor

Cement top:

43 ft

Burst

Max anticipated surface

No backup mud specified.

0 psi pressure: 0.436 psi/ft Internal gradient: Calculated BHP 127 psi

Tension:

Body yield:

Neutral point:

127

8 Round STC: 1.80 (J) 1.80 (J) 8 Round LTC: 1.60 (J) **Buttress:** 1.50 (J) Premium:

Tension is based on buoyed weight.

1.50 (B)

254 ft

23.31

Re subsequent strings:

Non-directional string.

Next setting depth: 6,500 ft 8.400 ppg Next mud weight:

244

Next setting BHP: Fracture mud wt: Fracture depth: Injection pressure

2,836 psi 19.250 ppg 290 ft 290 psi

39.98 J

Run Seq	Segment Length (ft) 290	Size (in) 8.625	Nominal Weight (lbs/ft) 24.00	Grade J-55	End Finish ST&C	True Vert Depth (ft) 290	Measured Depth (ft) 290	Drift Diameter (in) 7.972	Internal Capacity (ft³) 14
Run Seq	Collapse Load (psi)	Collapse Strength (psi)	Collapse Design Factor	Burst Load (psi)	Burst Strength (psi)	Burst Design Factor	Tension Load (Kips)	Tension Strength (Kips)	Tension Design Factor

2950

Prepared

by:

Clinton Dworshak Utah Div. of Oil & Mining

1370

11.090

Phone: 801-538-5280 FAX: 801-359-3940

Date: July 30,2004 Salt Lake City, Utah

1

124

Collapse is based on a vertical depth of 290 ft, a mud weight of 8.2 ppg The casing is considered to be evacuated for collapse purposes. Collapse strength is based on the Westcott, Dunlop & Kemler method of biaxial correction for tension.

Burst strength is not adjusted for tension.

Inland State 14-2-9-18 Well name:

Operator: **Inland Production Company**

Production String type:

Project ID: 43-047-35781

No

65 °F

Uintah County Location:

Minimum design factors: **Environment:** Design parameters: H2S considered?

Collapse: Collapse Design factor 1.125 Surface temperature: 8.400 ppg Mud weight:

156 °F Bottom hole temperature: Design is based on evacuated pipe. 1.40 °F/100ft Temperature gradient: 300 ft Minimum section length:

Burst: 625 ft Cement top: Design factor 1.00

Burst

Max anticipated surface

pressure: 0 psi Non-directional string. 0.436 psi/ft **Tension:** Internal gradient: Calculated BHP 2,836 psi 8 Round STC: 1.80 (J)

1.80 (J) 8 Round LTC: 1.60 (J) No backup mud specified. **Buttress:**

1.50 (J) Premium: 1.50 (B) Body yield:

> Tension is based on air weight. 5,674 ft Neutral point:

Run Seq	Segment Length (ft)	Size (in)	Nominal Weight (Ibs/ft)	Grade	End Finish	True Vert Depth (ft)	Measured Depth (ft)	Drift Diameter (in)	Internal Capacity (ft³)
1	6500 ~	5.5	15.50	J-55	LT&C	6500	6500	4.825	203.8
Run Seq	Collapse Load (psi)	Collapse Strength (psi)	Collapse Design Factor	Burst Load (psi)	Burst Strength (psi)	Burst Design Factor	Tension Load (Kips)	Tension Strength (Kips)	Tension Design Factor
1	2836	4040	1.424	2836	4810	1.70	101	217	2.15 J

Clinton Dworshak Prepared Utah Div. of Oil & Mining Phone: 801-538-5280 FAX: 801-359-3940

Date: July 30,2004 Salt Lake City, Utah

Remarks:

Collapse is based on a vertical depth of 6500 ft, a mud weight of 8.4 ppg The casing is considered to be evacuated for collapse purposes. Collapse strength is based on the Westcott, Dunlop & Kemler method of biaxial correction for tension.

Burst strength is not adjusted for tension.

From:

Ed Bonner

To:

Whitney, Diana

Date:

7/14/2004 10:34:16 AM

Subject:

Well Clearance

The following wells have been given cultural resource clearance by the Trust Lands Cultural Resources Group:

Inland Production Company

State 1-2-9-18

State 2-2-9-18

State 3-2-9-18

State 4-2-9-18

State 5-2-9-18

State 6-2-9-18

State 7-2-9-18

State 8-2-9-18

State 9-2-9-18

State 10-2-9-18

State 12-2-9-18

State 13-2-9-18

√State 14-2-9-18

State 15-2-9-18

State 16-2-9-18

If you have any questions regarding this matter please give me a call.

CC:

Garrison, LaVonne; Hill, Brad; Hunt, Gil



State of Utah

Department of Natural Resources

ROBERT L. MORGAN Executive Director

Division of Oil, Gas & Mining

LOWELL P. BRAXTON
Division Director

OLENE S. WALKER
Governor

GAYLE F. McKEACHNIE
Lieutenant Governor

August 3, 2004

Inland Production Company Rt. #3, Box 3630 Myton, UT 84052

Re: State 14-2-9-18 Well, 574' FSL, 1877' FWL, SE SW, Sec. 2, T. 9 South, R. 18 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-35781.

Sincerely,

John R. Baza Associate Director

pab Enclosures

cc: Uintah County Assessor

SITLA



Operator:	Inland Production Company				
Well Name & Number	State 14	1-2-9-18			
API Number:	43-047-35781				
Lease:	ML-48	377			
Location: SE SW	Sec. 2	T. 9 South	R. <u>18 East</u>		

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

The operator is required to notify the Division of Oil, Gas and Mining of the following actions during drilling of this well:

- 24 hours prior to cementing or testing casing
- 24 hours prior to testing blowout prevention equipment
- 24 hours prior to spudding the well
- within 24 hours of any emergency changes made to the approved drilling program
- prior to commencing operations to plug and abandon the well

The following are Division of Oil, Gas and Mining contacts and their work telephone numbers (please leave a voice mail message if the person is not available to take the call):

- Dan Jarvis at (801) 538-5338
- Carol Daniels at (801) 538-5284 (spud)

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. Compliance with the State of Utah Antiquities Act forbids disturbance of archeological, historical, or paleontological remains. Should archeological, historical or paleontological August 3. 2994remains be encountered during your operations, you are required to immediately suspend all operations and immediately inform the Trust Lands Administration and the Division of State History of the discovery of such remains.
- 5. Compliance with the Conditions of Approval/Application for Permit to Drill outlined in the Statement of Basis. (Copy Attached)

Page 2 API # 43-047-35781 August 3, 2004

- 6. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.
- 7. Surface casing shall be cemented to the surface.



Office of the Secretary of State

The undersigned, as Secretary of State of Texas, does hereby certify that the attached is a true and correct copy of each document on file in this office as described below:

Newfield Production Company Filing Number: 41530400

Articles of Amendment

September 02, 2004

In testimony whereof, I have hereunto signed my name officially and caused to be impressed hereon the Seal of State at my office in Austin, Texas on September 10, 2004.





Secretary of State

ARTICLES OF AMENDMENT TO THE ARTICLES OF INCORPORATION OF INLAND PRODUCTION COMPANY

In the Office of the Secretary of State of Texas

SEP 02 2004

Corporations Section

Pursuant to the provisions of Article 4.04 of the Texas Business Corporation Act (the "TBCA"), the undersigned corporation adopts the following articles of amendment to the articles of incorporation:

ARTICLE 1 - Name

The name of the corporation is Inland Production Company.

ARTICLE 2 - Amended Name

The following amendment to the Articles of Incorporation was approved by the Board of Directors and adopted by the shareholders of the corporation on August 27, 2004.

The amendment alters or changes Article One of the Articles of Incorporation to change the name of the corporation so that, as amended, Article One shall read in its entirety as follows:

"ARTICLE ONE - The name of the corporation is Newfield Production Company."

ARTICLE 3 - Effective Date of Filing

This document will become effective upon filing.

The holder of all of the shares outstanding and entitled to vote on said amendment has signed a consent in writing pursuant to Article 9.10 of the TBCA, adopting said amendment, and any written notice required has been given.

IN WITNESS WHEREOF, the undersigned corporation has executed these Articles of Amendment as of the 1st day of September, 2004.

INLAND RESOURCES INC.

Susan G. Riggs, Treasurer

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

005

Change of Operator (Well Sold)

ROUTING

1. GLH 2. CDW

3. FILE

Designation of Agent/Operator

X Operator Name Change

Merger

The operator of the well(s) listed below	9/1/2004				7				
FROM: (Old Operator):			· · · · · · · · · · · · · · · · · · ·	TO: (New Operator):				7	
N5160-Inland Production Company				N2695-Newfie		on Company	у		ŀ
Route 3 Box 3630					Box 3630	- '			
Myton, UT 84052				Myton,	UT 84052				
Phone: 1-(435) 646-3721				Phone: 1-(435)	646-3721				_
CA	A No.			Unit:					
WELL(S)									
NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	1
FEDERAL 6-11-9-17	11	090S	170E	4304735769	1,10	Federal	OW	APD	K
STATE 1-2-9-18	02			4304735773		State	ow	APD	K
STATE 2-2-9-18	02	090S	180E	4304735774	Ī	State	ow	APD	K
STATE 3-2-9-18	02	090S	180E	4304735775		State	ow	APD	K
STATE 4-2-9-18	02	090S	180E	4304735776	1	State	ow	APD	K
STATE 5-2-9-18	02	090S	180E	4304735777	14389	State	OW	P	K
STATE 6-2-9-18	02	090S	180E	4304735778		State	ow	APD	K
STATE 16-2-9-18	02	090S	180E	4304735779		State	ow	APD	K
STATE 15-2-9-18	02	090S	180E	4304735780		State	ow	APD	K
STATE 14-2-9-18	02	090S	180E	4304735781		State	GW	APD	K
STATE 13-2-9-18	02	090S	180E	4304735782		State	ow	APD	K
STATE 12-2-9-18	02	090S	180E	4304735783		State	ow	APD	K
STATE 10-2-9-18	02	090S	180E	4304735784		State	ow	APD	K
STATE 9-2-9-18	02	090S	180E	4304735785		State	ow	APD	K
STATE 8-2-9-18	02	090S	180E	4304735786		State	ow	APD	K
FEDERAL 9-9-9-18	09	090S	180E	4304735764		Federal	ow	APD	K
FEDERAL 7-9-9-18	09	090S	180E	4304735765		Federal	ow	APD	K
FEDERAL 5-9-9-18	09	090S	180E	4304735766		Federal	ow	APD	K
FEDERAL 3-9-9-18	09	090S	180E	4304735767		Federal	ow	APD	K
FEDERAL 1-9-9-18	09	090S	180E	4304735768		Federal	ow	APD	K
									丁

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

(R649-8-10) Sundry or legal documentation was received from the FORMER operator on:
 (R649-8-10) Sundry or legal documentation was received from the NEW operator on:
 9/15/2004

3. The new company was checked on the Department of Commerce, Division of Corporations Database on:

2/23/2005

4. Is the new operator registered in the State of Utah:

YES Business Number:

755627-0143

5. If NO, the operator was contacted contacted on:

6a. (R649-9-2)Waste Management Plan has been received on:	IN PLACE	
6b. Inspections of LA PA state/fee well sites complete on:	waived	
	DIA 1	
7. Federal and Indian Lease Wells: The BLM and or th		inge,
or operator change for all wells listed on Federal or Indian lease	es on: BLM BIA	
8. Federal and Indian Units:		
The BLM or BIA has approved the successor of unit operator	for wells listed on: n/a	
9. Federal and Indian Communization Agreements		
The BLM or BIA has approved the operator for all wells liste	d within a CA on:na/	
10. Underground Injection Control ("UIC") The	Division has approved UIC Form 5, Transfer of A	uthority to
Inject, for the enhanced/secondary recovery unit/project for the	water disposal well(s) listed on: 2/23/200	05
• /		
THE A STANSFORM		
DATA ENTRY:	2/28/2005	
1. Changes entered in the Oil and Gas Database on:	2/20/2003	
2. Changes have been entered on the Monthly Operator Change	Spread Sheet on: 2/28/2005	
3. Bond information entered in RBDMS on:	2/28/2005	
4. Fee/State wells attached to bond in RBDMS on:	2/28/2005	
5. Injection Projects to new operator in RBDMS on:	2/28/2005	
6. Receipt of Acceptance of Drilling Procedures for APD/New or	: waived	
TENERAL WITH A (C) POND MEDICATION.		
FEDERAL WELL(S) BOND VERIFICATION:	UT 0056	
1. Federal well(s) covered by Bond Number:	01 0030	
INDIAN WELL(S) BOND VERIFICATION:		
1. Indian well(s) covered by Bond Number:	61BSBDH2912	
FEE & STATE WELL(S) BOND VERIFICATION:	11 D. ANGELER CIDEDDUO10	
1. (R649-3-1) The NEW operator of any fee well(s) listed covered	d by Bond Number 61BSBDH2919	
2. The FORMER operator has requested a release of liability from	n their bond on: n/a*	
The Division sent response by letter on:	n/a	
•		
LEASE INTEREST OWNER NOTIFICATION:		
3. (R649-2-10) The FORMER operator of the fee wells has been		on
of their responsibility to notify all interest owners of this chang	e on: <u>n/a</u>	
COMMENTS:		
*Bond rider changed operator name from Inland Production Comp	my to Newfield Production Company - received 2	2/23/05

STATE OF UTAH

DI	VISION OF OIL, GAS, AND MINING	3	5. LEASE DESIGNATION AND SERIAL NO.
DI	VISION OF OIL, GAS, AND MINING	ML-48377	
SUNDRY	NOTICES AND REPORTS O	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBAL NAME
• •	rill new wells, deepen existing wells, or to reenter plugge PPLICATION FOR PERMIT TO DRILL OR DEEPEN form for	N/A	
OIL GAS WELL OTHE	R X	7. UNIT AGREEMENT NAME N/A	
NAME OF OPERATOR NEWFIELD P	PRODUCTION COMPANY	8. WELL NAME and NUMBER STATE 14-2-9-18	
ADDRESS AND TELEPHONE Rt. 3 Box 3630 435-646-3721	NUMBER N. Myton Utah 84052		9 API NUMBER 43-047-35781
LOCATION OF WELL			10 FIELD AND POOL, OR WILDCAT
Footages	574 FSL 1877 FWL		EIGHT MILE FLAT NORTH
QQ, SEC, T, R, M:	SE/SW Section 2, T9S R18E		COUNTY UINTAH STATE UTAH
1. CHECK APPRO	PRIATE BOXES TO INDICATE NATURE OF NO	TICE, REPORT OR OTHE	ER DATA
	OF INTENT:	1	ENT REPORT OF:
ABANDON (Subr	nit in Duplicate) NEW CONSTRUCTION	ABANDON*	it Original Form Only) NEW CONSTRUCTION
REPAIR CASING	PULL OR ALTER CASING	REPAIR CASING	G PULL OR ALTER CASING
CHANGE OF PLANS	RECOMPLETE	CHANGE OF PL	ANS
CONVERT TO INJECTION	REPERFORATE	CONVERT TO I	NJECTION REPERFORATE
FRACTURE TREAT OR ACIDIZE	VENT OR FLARE	FRACTURE TREAT	T OR ACIDIZE VENT OR FLARE
MULTIPLE COMPLETION	WATER SHUT OFF	OTHER	
X OTHER Permit Extens	ion	DATE WORK COMPI	LETED
		1 .	ple Completion and Recompletions to different
		reservoirs on WELL Co	OMPLETION OR RECOMPLETION REPORT AND
-		1	by a cement verification report.
	MPLETED OPERATIONS. (Clearly state all pertinent pth for all markers and zones pertinent to this work.		ates. If well is directionally drilled, give subsurface locations
		tend the Permit to	o Drill this well for one year. The original
	3/3/04 (expiration 8/3/05).		i de la companya de l Esta de la companya
			ENTINO OPERATOR
			8-3-05
	1		C#10
NAME & SIGNATURE Mandie	anchilreges TITLE	Regulatory Special	list DATE 7/2672005
(This space for State use only)	CIOZIGI CONTRACTOR CON		
4/94	* See Instructions On	Reverse Side	
71 27	- see minimized on	and the same	

Approved by the Utah Division of Oil, Gas and Mining

RECEIVED AUG 0 1 2005

DIV. OF OIL, GAS & MINING



Application for Permit to Drill Request for Permit Extension Validation

Validation
(this form should accompany the Sundry Notice requesting permit extension)

API: 43-047-35781 Well Name: State 14-2-9-18 Location: SE/SW Section 2, T9S R18E Company Permit Issued to: Newfield Production Company Date Original Permit Issued: 8/3/2004
The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.
Following is a checklist of some items related to the application, which should be verified.
f located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes□No□ ೧A
Have any wells been drilled in the vicinity of the proposed well which would affect he spacing or siting requirements for this location? Yes ☐ No ☑
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□No☑
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes□No ☑
Has the approved source of water for drilling changed? Yes□No☑
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑
s bonding still in place, which covers this proposed well? Yes ☑No ☐
Mandie Crozies 7/28/05 Signature Date
Fitle: Regulatory Specialist
Representing: Newfield Production Company
RECEIVED
AUG 0 1 2005

DIV. OF OIL, GAS & MINING

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

Name of Company:	NEWFIELD I	PRODUCTION COMPANY
Well Name:	STATE 14-2-9	9-18
Api No: 43-047	-35781 Lease Typ	e:STATE
Section 02 Townsh	ip <u>09S </u>	_CountyUINTAH
Drilling Contractor	NDSI	RIG # <u>NS#1</u>
SPUDDED:		
Date	07/30/06	
Time	10:30 AM	
How	DRY	
Drilling will Comn	nence:	
Reported by	TROY ZUFEIT	
Telephone #	(435) 823-6013	
Date 07/31/2006	Signed CH	HD

NOTE: Use COMMENT section to employ why each Action Code was selected.

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING
ENTITY ACTION FORM -FORM
ENTITY ACTION FORM -FORM

OPERATOR: NEWFIELD PRODUCTION COMPANY
ADDRESS: RT. 3 BOX 3539

MYTON, UT 84052

OPERATOR ACCT. NO.

N2695

	CURRENT	MEN' ATT NUMBER PRELL NAME WELL ECCATION			6FUD	EFFECTIVE					
CODE	ENTERY NO.	ENTRY NO.	AN BIODWOOL		00	sc	17	RG	COUNTY	DATE	DATE
	99999	15549	43-013-32900	ASHLEY FEDERAL 4-26-9-15	NWINW	26	98	15E	DUCHESNE	07/28/06	8/3/06
WELL 1C	DIMMENTS: ^	0 0 1									•
	, ,	neru								· 	
ACTION	CARRIENT	HEW	API NUMBER	WELL NAME	<u> </u>	· w	ELL LOCATI	OH		SPUD	EFFECTIVE
CODE	ENTITY NO.	EMITTY INO.			90	SC	TΡ	RQ	COUNTY	DATE	DATE
A	99999	15550	43-047-35781	STATE 14-2-9-18	SEJSW	2	98	18E	HATHIU	07/30/06	8/3/06
	G	ERV									
							14514			SPUD	EFFECTAE
ACTION	CURRENT	NEW	AM HUMBER	WELL NAME	QQ	SC	TP	RG	COUNTY	DATE	
CODE	99999 99999	15551	43-047-35780	STATE 15-2-9-18	SW/SE	2	95	18E	UINTAH	08/01/06	8/3/06
			79-071-00100	01/1/2 10 2 0 10	100000		1	1			
	G1	er/									
ACTION	CURRENT	MEW	APINUMBER	WELL NAME				POCYLLON		SPUD	EFFECTME
CODE	EMINTY NO.	ENTHICY NO.			00	sc	TP	RG	COUNTY	DATE	DATE
		1				<u> </u>	1	1			<u> </u>
				The same			WE I	LOCATION		QU92	EFFECTIME
CUCCE	CURRENT ENTITY NO.	ENTITY NO.	API NUMBER	WELL NAME	00	SC	1F	RG	COUNTY	DATE	DATE
- COLDE	DR 131 1 100/.	CHILLIAN.				_			1		
1											
WELL S	COMMENTS:										
MELL S		NEW	API NURGIER	WELL MANE				LOCATION		SPU0	SFECIME
		NEW ENTITY NO.	API NURGIER	WELL DAME	90	sc	WELL	LOCATION RG	COUNTY	SPUD DARE	SF/ECTIME DATE
ACTION	CURRIENT		API NURGIER	WELL MANE	90	sc.			COUNTY		1
ACTION CODE	CURRIENT		API NUMBER	WELL MANE	90	sc.			COUNTY		1
ACTION CODE	CURRENT ENTITY NO. COMMENTS: CODES (See facts Establish over each Add now well to ou		well only) with wells		RECE		ТР		COUNTY		1

STATE OF UTAH

		5. LEASE DESIGNATION AND SERIAL NUMBER:		
	DIVISION OF OIL, GAS AND	MINING		
SUNDRY	NOTICES AND REPO	RTS ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill	I new wells, significantly deepen existing wells bel laterals. Use APPLICATION FOR PERMIT TO	ow current bottom-	hole depth, reenter plugged	7. UNIT or CA AGREEMENT NAME:
TVPE OF WELL		8. WELL NAME and NUMBER:		
OIL WELL	GAS WELL OTHER			STATE 14-2-9-18
2. NAME OF OPERATOR:				9. API NUMBER:
NEWFIELD PRODUCTION COM	PANY		PHONE NUMBER	4304735781 10. FIELD AND POOL, OR WILDCAT:
3. ADDRESS OF OPERATOR:	y Myton STATE UT	ZIP 84052	435.646.3721	MONUMENT BUTTE
Route 3 Box 3630 CIT 4. LOCATION OF WELL:	y Myton STATE UT	ZIF 84032	455.040.5721	
FOOTAGES AT SURFACE:				COUNTY: UINTAH
OTR/OTR. SECTION. TOWNSHIP. RANGE. !	MERIDIAN: SWSE, 2, T9S, R18E			STATE: UT
CHECK APPROP	PRIATE BOXES TO INDICATE	E NATURE	OF NOTICE, REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION			PE OF ACTION	
	ACIDIZE	DEEPEN		REPERFORATE CURRENT FORMATION
NOTICE OF INTENT (Submit in Duplicate)	ALTER CASING	FRACTURE	TREAT	SIDETRACK TO REPAIR WELL
	CASING REPAIR	NEW CONST	TRUCTION	TEMPORARITLY ABANDON
Approximate date work will	I 二	OPERATOR		TUBING REPAIR
	CHANGE TO PREVIOUS PLANS			VENT OR FLAIR
	CHANGE TUBING	☐ PLUG AND		
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACI		WATER DISPOSAL
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTIO	ON (START/STOP)	WATER SHUT-OFF
Date of Work Completion:	COMMINGLE PRODUCING FORMATIONS	RECLAMA:	TION OF WELL SITE	OTHER: - Spud Notice
08/06/2006	CONVERT WELL TYPE	RECOMPLE	ETE - DIFFERENT FORMATION	
On 7/30/06 MIRLINDSLNS	ent with 160 sks of class "G" w/ 3%	of 12 1/4" ho	ole with air mist. TIH V	V/ 7 Jt's 8 5/8" J-55 24 # csgn. Set @
NAME (PLEASE PRINT) Don Bastian			TITLE_Drilling Foreman	
SIGNATURE Dow Base	ino		DATE 08/06/2006	

(This space for State use only)

RECEIVED AUG 0 8 2006

NEWFIELD PRODUCTION COMPANY - CASING & CEMENT REPORT

			8 5/8	CASING SET	AT	321.89			
LAST CASIN	IG <u>8 5/8"</u>	SET A	T 321.89'		OPERATOR	R	NewField	Production	Company
DATUM	12' KB			<u></u>	WELL		State 14-2	-9-18	
DATUM TO	CUT OFF C	ASING _			FIELD/PRO	SPECT _	Monumen	t Butte	
DATUM TO	BRADENHE	AD FLANGE			CONTRACT	OR & RIG#		NDSI NS#1	
TD DRILLER	320	LOGGE	R						
HOLE SIZE	12 1/4								
LOG OF CA	SING STRIN	IG:							
PIECES	OD	ITEM - I	MAKE - DESCI	RIPTION	WT/FT	GRD	THREAD	CONDT	LENGTH
		Shoe	Joint 44.55'						
		WHI - 92 cs	g head				8rd	Α	0.95
7	8 5/8"	Maverick ST	&C csg		24#	J-55	8rd	Α	310.04
			GUIDE	shoe			8rd	Α	0.9
CASING INVENTORY BAL. FEET			FEET	JTS	TOTAL LEN	GTH OF ST	RING		311.89
TOTAL LENGTH OF STRING			311.89	7	LESS CUT OFF PIECE				2
LESS NON	CSG. ITEMS	3	1.85		PLUS DATUM TO T/CUT OFF CSG				12
PLUS FULL	JTS. LEFT	OUT	0		CASING SET DEPTH			321.89	
	TOTAL		310.04	7	_ן				
TOTAL CSG	. DEL. (W/C	THRDS)	305.44	7	COMPAR	RE			
TIMING			1ST STAGE						
BEGIN RUN	CSG.	Spud	7/30/2006	10:30AM	GOOD CIRC THRU JOB Yes				
CSG. IN HO	LE		7/31/2006	1:30PM	Bbls CMT C	IRC TO SUF	RFACE	2 bbls	
BEGIN CIRC	2		8//6/06	10:51 AM	RECIPROCATED PIPE FORTHRU			FT STROKE	
BEGIN PUM	P CMT		8/6/2006	11:00 AM			_	N/A	
BEGIN DSP	L. CMT		8/6/2006	11:11 AM	BUMPED P	LUG TO _		135	PSI
PLUG DOW	N		8/6/2006	11:17 AM	<u> </u>				
CEMENT U	SED			CEMENT CO	MPANY-	B. J.			· · · · · · · · · · · · · · · · · · ·
STAGE	# SX			CEMENT TYPE	PE & ADDITIN	/ES			
1	160	Class "G" w	/ 2% CaCL2 +	1/4#/sk Cello-F	lake mixed @	15.8 ppg 1	.17 cf/sk yiel	d	
CENTRAL 17	ER & SCRA	TCHER PLACE	CEMENT			SHOW MAI	KE & SPACII	NG	
			ond & third for	3					
OCH III AIIZEI	o - iviladic i	51, 100 5000		-					
			·	·					
								· · · · · · · · · · · · · · · · · · ·	

DATE <u>8/6/2006</u>

COMPANY REPRESENTATIVE Don Bastian

STATE OF UTAH

(This space for State use only)

	SOURCES MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: ML-48377	
SUNDRY	NOTICES AND REPO	RTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to dri	Il new wells, significantly deepen existing wells beloat laterals. Use APPLICATION FOR PERMIT TO D	ow current bottom-hole depth, reenter plugged ORILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:
1. TWO OF WELL			8. WELL NAME and NUMBER:
OIL WELL	GAS WELL OTHER		STATE 14-2-9-18
2. NAME OF OPERATOR:			9. API NUMBER:
NEWFIELD PRODUCTION COM	PANY		4304735781 10. FIELD AND POOL, OR WILDCAT:
3. ADDRESS OF OPERATOR:	T. Mater	PHONE NUMBER ZIP 84052 435.646.3721	MONUMENT BUTTE
Route 3 Box 3630 CIT 4. LOCATION OF WELL:	ry Myton STATE UT	ZIP 64032 433.040.3721	MONONENT BOTTE
FOOTAGES AT SURFACE:			COUNTY: UINTAH
OTR/OTR. SECTION. TOWNSHIP. RANGE.	MERIDIAN: SWSE, 2, T9S, R18E		STATE: UT
11. CHECK APPROF	PRIATE BOXES TO INDICATE		ORT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
NOTICE OF INTENT (Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will	CASING REPAIR	NEW CONSTRUCTION	TEMPORARITLY ABANDON
Approximate date work will	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR
11/13/2006	I =	PLUG AND ABANDON	VENT OR FLAIR
-	CHANGE TUBING	=	WATER DISPOSAL
SUBSEOUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BACK	=
Date of Work Completion:	CHANGE WELL STATUS	PRODUCTION (START/STOP)	WATER SHUT-OFF
	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	X OTHER: - Monthly Status Report
	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR CO	OMPLETED OPERATIONS. Clearly show all	l pertinent details including dates, depths, v	volumes, etc.
Operation Suspended			
NAME (PLEASE PRINT) Kathy Chapma	n	TITLE Office Manager	
	Cather Shas	11/12/2004	
SIGNATURE	way magn	DATE 11/13/2006	

NOV 1 4 2006

Carlotte and the second

FORM 3160-5 (September 2001)

UNITED STATES DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0135 Expires January 31,2004

5. Lease Serial No.

Do not use t	NOTICES AND REPORTHIS form for proposals to diell. Use Form 3160-3 (APD)	rill or to re-ent	er an	UTAH STATE 6. If Indian, Allot	ML-48377 tee or Tribe Name.
10. 10. 10. 10. 10. 10. 10. 10. 10. 10. 10.				7. If Unit or CA/A	greement, Name and/or
1. Type of Well Oil Well Gas Well	Other			8. Well Name and	l No
2. Name of Operator	_ Out		· · · · · · · · · · · · · · · · · · ·	STATE 14-2-	
NEWFIELD PRODUCTION CO		l Di (t		9. API Well No.	
3a. Address Route 3 Box 3630 Myton, UT 84052	ا	b. Phone (incl 435.646.3721	ude are code)	4304735781	l, or Exploratory Area
	Sec., T., R., M., or Survey Description			MONUMENT	
				11. County or Par	ish, State
SWSE Section 2 T9S R18E				UINTAH, UT	
12. CHECK	APPROPRIATE BOX(ES)	TO INIDICAT	TE NATURE O	F NOTICE, OR OT	HER DATA
TYPE OF SUBMISSION		.,	TYPE OF ACT	ION	
✓ Notice of Intent ☐ Subsequent Report ☐ Final Abandonment	Acidize Alter Casing Casing Repair Change Plans Convert to	Deepen Fracture Treat New Construct Plug & Aband Plug Back	Recl	luction(Start/Resume) lamation complete luporarily Abandon er Disposal	Water Shut-Off Well Integrity Other Monthly Status Report
inspection.) Operations Suspended					
I hereby certify that the foregoing is correct (Printed/ Typed)	s true and	Title			
Lana Nebeker	(Product Date	ion Clerk		
Signature Ann	Il. Srekes	01/18/2	007		
	11 . 12 A. 12 . Q. 15 1 Ville		3 . 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	gag garang ili.	
	<u> </u>	BERGER STEEL CONTINUES	<u> </u>		
Approved by			Title	Dat	е
	ned. Approval of this notice does not wan quitable title to those rights in the subject duct operations thereon		Office		
Title 18 U.S.C. Section 1001 and Title 4	3 U.S.C. Section 1212, make it a crime for statements or representations as to any r	or any person knowin	gly and willfully to ma	ake to any department or ag	CERVED
Overes and range, requiring and mandatem	WALLEST OF THE PROPERTY OF TO BUT I				

(Instructions on reverse)

JAN 2 Z 2007

FORM 3160-5 (September 2001)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0135 Expires January 31,2004

5. Lease Serial No.

SUNDRY	NOTICES AND REPOR	UTAH STATE ML-48377			
Do not use ti abandoned we	his form for proposals to e ell. Use Form 3160-3 (API	drill or to re-enter an D) for such proposals.			tee or Tribe Name.
				7. If Unit or CA/A	Agreement, Name and/or
1. Type of Well	Other			8. Well Name and	i Na
Oil Well Gas Well 2. Name of Operator	- Other			STATE 14-2-	
NEWFIELD PRODUCTION CC)MPANY			9. API Well No.	710
3a. Address Route 3 Box 3630		3b. Phone (include are	code)	4304735781	
Myton, UT 84052		435.646.3721		10. Field and Poo	l, or Exploratory Area
4. Location of Well (Footage, S	Sec., T., R., M., or Survey Descript	tion)		MONUMENT	
				11. County or Par	rish, State
SWSE Section 2 T9S R18E				UINTAH, UT	
12. CHECK	APPROPRIATE BOX(ES	S) TO INIDICATE NA	TURE OF NO	OTICE, OR OT	THER DATA
TYPE OF SUBMISSION		ТҮРЕ	OF ACTION		
	☐ Acidize	☐ Deepen	Production	(Start/Resume)	☐ Water Shut-Off
Notice of Intent	Alter Casing	Fracture Treat	Reclamation	on	☐ Well Integrity
Subsequent Report	Casing Repair	New Construction	Recomplet	te	☑ Other
	Change Plans	Plug & Abandon	Temporari	ly Abandon	Monthly Status Report
Final Abandonment	Convert to	Plug Back	Water Dis	posal	
Operations Suspended					
I hereby certify that the foregoing is correct (Printed/ Typed) Lana Nebekal Signature	s true and	Title Production Cler Date 02/05/2007	k		
	10118 11301012				

certify that the applicant holds legal or equitable title to those rights in the subject lease
which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious and fraudulent statements or representations as to any matter within its jurisdiction

Title

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or

STATE OF UTAH

	esources D MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: UTAH STATE ML-48377	
SUNDRY	Y NOTICES AND REPO	ORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to dr	rill new wells, significantly deepen existing wells be al laterals. Use APPLICATION FOR PERMIT TO	elow current bottom-hole depth, reenter plugged	7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL: OIL WELL			8. WELL NAME and NUMBER: STATE 14-2-9-18
2. NAME OF OPERATOR:			9. API NUMBER:
NEWFIELD PRODUCTION COM	<u>IPANY</u>		4304735781
3. ADDRESS OF OPERATOR:		PHONE NUMBER	10. FIELD AND POOL, OR WILDCAT:
Route 3 Box 3630 Cr. 4. LOCATION OF WELL:	TY Myton STATE UT	ZIP 84052 435.646.3721	MONUMENT BUTTE
FOOTAGES AT SURFACE:			COUNTY: UINTAH
OTR/OTR. SECTION. TOWNSHIP. RANGE.	MERIDIAN: SWSE, 2, T9S, R18E		STATE: UT
II. CHECK APPROI	PRIATE BOXES TO INDICATE	E NATURE OF NOTICE, REP	ORT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	-
[]	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
X NOTICE OF INTENT (Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will	CASING REPAIR	New construction	TEMPORARITLY ABANDON
	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR
03/09/2007	CHANGE TUBING	PLUG AND ABANDON	Vent or flair
			=
SUBSEOUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUGBACK	WATER DISPOSAL
Date of Work Completion:	CHANGE WELL STATUS	PRODUCTION (START/STOP)	WATER SHUT-OFF
Date of Work Completion	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	OTHER: - Monthly Status Report
	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	I
12. DESCRIBE PROPOSED OR CO	OMPLETED OPERATIONS. Clearly show a	all pertinent details including dates, depths,	volumes, etc.
NAME (PLEASE PRINT) Lana Nebeker	A A I	TITLE Production Clerk	
	(La La)	03/09/2007	

(This space for State use only)

RECEIVED MAR 1 2 2007

STATE OF UTAH

	5. LEASE DESIGNATION AND SERIAL NUMBER: UTAH STATE ML-48377		
SUNDRY	Y NOTICES AND REPO	ORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to dr	ill new wells, significantly deepen existing wells be	elow current bottom-hole depth, reenter plugged	7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL: OIL WELL	al laterals. Use APPLICATION FOR PERMIT TO GAS WELL OTHER	DRILL form for such proposals.	8. WELL NAME and NUMBER: STATE 14-2-9-18
2. NAME OF OPERATOR:			9. API NUMBER:
NEWFIELD PRODUCTION CON	4PANY		4304735781
3. ADDRESS OF OPERATOR: Route 3 Box 3630	TY Myton STATE UT	PHONE NUMBER ZIP 84052 435.646.3721	10. FIELD AND POOL, OR WILDCAT: MONUMENT BUTTE
4. LOCATION OF WELL: FOOTAGES AT SURFACE: 574 FSL 18	877 FWL		COUNTY: UINTAH
OTR/OTR. SECTION. TOWNSHIP. RANGE.	MERIDIAN: SWSE, 2, T9S, R18E		STATE: UT
11. CHECK APPROL	PRIATE BOXES TO INDICATE	E NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
X NOTICE OF INTENT	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	☐ ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will	CASING REPAIR	NEW CONSTRUCTION	TEMPORARITLY ABANDON
04/05/2007	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR
	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLAIR
SUBSEOUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL
Date of Work Completion:	CHANGE WELL STATUS	PRODUCTION (START/STOP)	WATER SHUT-OFF
	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	X OTHER: - Monthly Status Report
	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR CO Operations Suspended	MPLETED OPERATIONS. Clearly show a	ll pertinent details including dates, depths, vo	olumes, etc.
NAME (PLEASE PRINT) Lana Nebeker		TITLE Production Clerk	
SIGNATURE MA	Lebelu	DATE 04/05/2007	

(This space for State use only)

RECEIVED APR 1 0 2007

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES 5. LEASE DESIGNATION AND SERIAL NUMBER: DIVISION OF OIL, GAS AND MINING **UTAH STATE ML-48377** 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: SUNDRY NOTICES AND REPORTS ON WELLS 7. UNIT or CA AGREEMENT NAME: Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. 1. TYPE OF WELL: 8. WELL NAME and NUMBER: OIL WELL GAS WELL **OTHER** STATE 14-2-9-18 2. NAME OF OPERATOR: 9. API NUMBER NEWFIELD PRODUCTION COMPANY 4304735781 3. ADDRESS OF OPERATOR PHONE NUMBER 10. FIELD AND POOL, OR WILDCAT: Route 3 Box 3630 crry Myton STATE UT ZIP 84052 435.646.3721 MONUMENT BUTTE 4. LOCATION OF WELL: FOOTAGES AT SURFACE: 574 FSL 1877 FWL COUNTY: UINTAH OTR/OTR. SECTION. TOWNSHIP. RANGE. MERIDIAN: SWSE, 2, T9S, R18E STATE: UT CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 11. TYPE OF SUBMISSION TYPE OF ACTION ACIDIZE DEEPEN REPERFORATE CURRENT FORMATION NOTICE OF INTENT ALTER CASING FRACTURE TREAT SIDETRACK TO REPAIR WELL (Submit in Duplicate) CASING REPAIR NEW CONSTRUCTION TEMPORARITLY ABANDON Approximate date work will CHANGE TO PREVIOUS PLANS OPERATOR CHANGE **TUBING REPAIR** 05/08/2007 ☐ CHANGE TUBING PLUG AND ABANDON VENT OR FLAIR ☐ SUBSEOUENT REPORT CHANGE WELL NAME PLUG BACK WATER DISPOSAL (Submit Original Form Only) ☐ CHANGE WELL STATUS PRODUCTION (START/STOP) WATER SHUT-OFF Date of Work Completion: COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE X OTHER: - Monthly Status Report CONVERT WELL TYPE **RECOMPLETE - DIFFERENT FORMATION** 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. **Operations Suspended**

TITLE Production Clerk Jentri Park NAME (PLEASE PRINT) 05/08/2007 SIGNATURE

(This space for State

RECEIVED

MAY 0 9 2007

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES 5. LEASE DESIGNATION AND SERIAL NUMBER: DIVISION OF OIL, GAS AND MINING **UTAH STATE ML-48377** 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: SUNDRY NOTICES AND REPORTS ON WELLS 7. UNIT or CA AGREEMENT NAME: Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. 8. WELL NAME and NUMBER: I. TYPE OF WELL: OIL WELL GAS WELL OTHER STATE 14-2-9-18 9. API NUMBER: 2. NAME OF OPERATOR 4304735781 NEWFIELD PRODUCTION COMPANY 10. FIELD AND POOL, OR WILDCAT: 3. ADDRESS OF OPERATOR: PHONE NUMBER 435.646.3721 MONUMENT BUTTE ZIP 84052 Route 3 Box 3630 CITY Myton STATE UT 4. LOCATION OF WELL: COUNTY: UINTAH FOOTAGES AT SURFACE: 574 FSL 1877 FWL UT OTR/OTR. SECTION. TOWNSHIP. RANGE. MERIDIAN: SWSE, 2, T9S, R18E STATE: CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF ACTION TYPE OF SUBMISSION REPERFORATE CURRENT FORMATION ACIDIZE DEEPEN ■ NOTICE OF INTENT SIDETRACK TO REPAIR WELL FRACTURE TREAT ALTER CASING (Submit in Duplicate) NEW CONSTRUCTION TEMPORARITLY ABANDON CASING REPAIR Approximate date work will TUBING REPAIR OPERATOR CHANGE CHANGE TO PREVIOUS PLANS VENT OR FLAIR PLUG AND ABANDON CHANGE TUBING WATER DISPOSAL PLUG BACK CHANGE WELL NAME SUBSEOUENT REPORT (Submit Original Form Only) PRODUCTION (START/STOP) WATER SHUT-OFF CHANGE WELL STATUS Date of Work Completion: COMMINGLE PRODUCING FORMATIONS OTHER: - Monthly Status Report RECLAMATION OF WELL SITE 06/04/2007 RECOMPLETE - DIFFERENT FORMATION CONVERT WELL TYPE 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Operations Suspended RECEIVED

JUN 0 5 2007

DIV. OF OIL, GAS & MINING

NAME (PLEASE PRINT) Jentri Park	TITLE Production Clerk
SIGNATURE MINICIPAL CONTRACTOR OF THE SIGNATURE	DATE 06/04/2007
- pro- pro-	
(This space for State use only)	

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES 5. LEASE DESIGNATION AND SERIAL NUMBER: DIVISION OF OIL, GAS AND MINING **UTAH STATE ML-48377** 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: SUNDRY NOTICES AND REPORTS ON WELLS 7. UNIT or CA AGREEMENT NAME: Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. 8. WELL NAME and NUMBER: 1. TYPE OF WELL OIL WELL GAS WELL OTHER STATE 14-2-9-18 9. API NUMBER 2. NAME OF OPERATOR: 4304735781 NEWFIELD PRODUCTION COMPANY 10. FIELD AND POOL, OR WILDCAT: PHONE NUMBER 3. ADDRESS OF OPERATOR: STATE UT ZIP 84052 435.646.3721 MONUMENT BUTTE Route 3 Box 3630 CITY Myton 4. LOCATION OF WELL: COUNTY: UINTAH FOOTAGES AT SURFACE: 574 FSL 1877 FWL STATE: UT OTR/OTR. SECTION. TOWNSHIP. RANGE. MERIDIAN: SWSE, 2, T9S, R18E CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF ACTION TYPE OF SUBMISSION DEEPEN REPERFORATE CURRENT FORMATION ACIDIZE ■ NOTICE OF INTENT ALTER CASING FRACTURE TREAT SIDETRACK TO REPAIR WELL (Submit in Duplicate) NEW CONSTRUCTION ☐ TEMPORARITLY ABANDON CASING REPAIR Approximate date work will OPERATOR CHANGE TUBING REPAIR CHANGE TO PREVIOUS PLANS VENT OR FLAIR PLUG AND ABANDON CHANGE TUBING WATER DISPOSAL PLUGBACK CHANGE WELL NAME (Submit Original Form Only) WATER SHUT-OFF CHANGE WELL STATUS PRODUCTION (START/STOP) Date of Work Completion: OTHER: - Monthly Status Report COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE

RECOMPLETE - DIFFERENT FORMATION

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

CONVERT WELL TYPE

Operations Suspended

07/03/2007

NAME (PLEASE PRINT) Jentri Park		ттье_ Production Clerk
SIGNATURE	mmy m	DATE 07/03/2007
This space for State use only)		RECEIVED

JUL 0 5 2007

NAME (PLEASE PRINT) Jentri Park

SIGNATURE

(This space for State use only

DEPARTMENT OF NATURAL RESOURCES 5. LEASE DESIGNATION AND SERIAL NUMBER: DIVISION OF OIL, GAS AND MINING **UTAH STATE ML-48377** 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: SUNDRY NOTICES AND REPORTS ON WELLS 7. UNIT or CA AGREEMENT NAME: Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. 8. WELL NAME and NUMBER: 1. TYPE OF WELL: GAS WELL OIL WELL OTHER STATE 14-2-9-18 9. API NUMBER: 2. NAME OF OPERATOR 4304735781 **NEWFIELD PRODUCTION COMPANY** 10. FIELD AND POOL, OR WILDCAT: PHONE NUMBER 3. ADDRESS OF OPERATOR: 435.646.3721 MONUMENT BUTTE STATE UT ZIP 84052 Route 3 Box 3630 CITY Myton 4. LOCATION OF WELL COUNTY: UINTAH FOOTAGES AT SURFACE: 574 FSL 1877 FWL STATE: UT OTR/OTR. SECTION. TOWNSHIP. RANGE. MERIDIAN: SWSE, 2, T9S, R18E CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF ACTION TYPE OF SUBMISSION DEEPEN REPERFORATE CURRENT FORMATION ACIDIZE ■ NOTICE OF INTENT FRACTURE TREAT SIDETRACK TO REPAIR WELL ALTER CASING (Submit in Duplicate) NEW CONSTRUCTION TEMPORARITLY ABANDON CASING REPAIR Approximate date work will OPERATOR CHANGE TUBING REPAIR CHANGE TO PREVIOUS PLANS PLUG AND ABANDON VENT OR FLAIR CHANGE TUBING WATER DISPOSAL PLUG BACK SUBSEQUENT REPORT CHANGE WELL NAME (Submit Original Form Only) WATER SHUT-OFF CHANGE WELL STATUS PRODUCTION (START/STOP) Date of Work Completion: COMMINGLE PRODUCING FORMATIONS OTHER: - Monthly Status Report RECLAMATION OF WELL SITE 08/03/2007 CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. **Operations Suspended**

RECEIVED AUG 07 2007

TITLE Production Clerk

08/03/2007

DATE

1. TYPE OF WELL:

2. NAME OF OPERATOR:

3. ADDRESS OF OPERATOR:

Route 3 Box 3630

4. LOCATION OF WELL:

☐ NOTICE OF INTENT

	DEPARTMENT OF NATURAL R DIVISION OF OIL, GAS AN			5. LEASE DESIGNATION AND SERIAL NUMBER: UTAH STATE ML-48377
SUNDR	Y NOTICES AND REPO	ORTS ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to d	trill new wells, significantly deepen existing wells be	elow current bottom-	nole depth, reenter plugged	7. UNIT or CA AGREEMENT NAME:
TYPE OF WELL: OIL WELL				8. WELL NAME and NUMBER: STATE 14-2-9-18
NAME OF OPERATOR:				9. API NUMBER:
NEWFIELD PRODUCTION COM	MPANY			4304735781
ADDRESS OF OPERATOR:			PHONE NUMBER	10. FIELD AND POOL, OR WILDCAT:
	ITY Myton STATE UT	ZIP 84052	435.646.3721	MONUMENT BUTTE
LOCATION OF WELL: FOOTAGES AT SURFACE: 574 FSL 1	877 FWL			COUNTY: UINTAH
OTR/OTR. SECTION. TOWNSHIP. RANGE	E. MERIDIAN: SWSE, 2, T9S, R18E			STATE: UT
CHECK APPRO	PRIATE BOXES TO INDICATI	E NATURE (OF NOTICE, REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION		TY	PE OF ACTION	
-	ACIDIZE	DEEPEN		REPERFORATE CURRENT FORMATION
NOTICE OF INTENT (Submit in Duplicate)	ALTER CASING	FRACTURE T	REAT	SIDETRACK TO REPAIR WELL
,	CASING REPAIR	NEW CONSTI		TEMPORARITLY ABANDON
Approximate date work will		=		
	CHANGE TO PREVIOUS PLANS			TUBING REPAIR
	L CHANGE TUBING	BING LUG AND ABANDON		VENT OR FLAIR
SUBSEQUENT REPORT	CHANGE WELL NAME	AME PLUG BACK		WATER DISPOSAL
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION (START/STOP)		WATER SHUT-OFF
Date of Work Completion:	COMMINGLE PRODUCING FORMATIONS	RODUCING FORMATIONS RECLAMATION OF WELL SITE		X OTHER: - Monthly Status Report
09/05/2007	CONVERT WELL TYPE	ONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION		***************************************
				
	OMPLETED OPERATIONS. Clearly show a	all pertinent details	including dates, depths,	volumes, etc.
Operations Suspended				

	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR
	CHANGE TUBING	PLUG AND ABANDON	■ VENT OR FLAIR
	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION (START/STOP)	WATER SHUT-OFF
Date of Work Completion:	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	X OTHER: - Monthly Status Report
09/05/2007	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	N
12. DESCRIBE PROPOSED OR CO	MPLETED OPERATIONS. Clearly show	v all pertinent details including dates, depths	s, volumes, etc.
Operations Suspended			
, ,			
		n. 1 - 2 - 21 - 1	
NAME (PLEASE PRINT) Jentri Park	N h	TITLE Production Clerk	
SIGNATURE	!/	DATE 09/05/2007	
	A		
(This space for State use only)		RECEIVED SEP 1 0 2007	
		RECEIVE	
		CEP 1 0 2007	
_		2E1 ,	10
		DIV. OF OIL, GAS & MINI	NG
		UIN OF OIL, or	

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES 5. LEASE DESIGNATION AND SERIAL NUMBER: DIVISION OF OIL, GAS AND MINING **UTAH STATE ML-48377** 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: SUNDRY NOTICES AND REPORTS ON WELLS 7. UNIT or CA AGREEMENT NAME: Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. 8. WELL NAME and NUMBER: 1. TYPE OF WELL: OIL WELL GAS WELL OTHER STATE 14-2-9-18 9. API NUMBER: 2. NAME OF OPERATOR: 4304735781 NEWFIELD PRODUCTION COMPANY 10. FIELD AND POOL, OR WILDCAT: 3. ADDRESS OF OPERATOR PHONE NUMBER ZIP 84052 435.646.3721 MONUMENT BUTTE Route 3 Box 3630 STATE UT CITY Myton 4. LOCATION OF WELL: COUNTY: UINTAH FOOTAGES AT SURFACE: 574 FSL 1877 FWL OTR/OTR. SECTION. TOWNSHIP. RANGE. MERIDIAN: SWSE, 2, T9S, R18E STATE: UT CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION ACIDIZE DEEPEN REPERFORATE CURRENT FORMATION ■ NOTICE OF INTENT FRACTURE TREAT SIDETRACK TO REPAIR WELL ALTER CASING (Submit in Duplicate) ■ NEW CONSTRUCTION TEMPORARITLY ABANDON CASING REPAIR Approximate date work will CHANGE TO PREVIOUS PLANS OPERATOR CHANGE TUBING REPAIR CHANGE TUBING PLUG AND ABANDON VENT OR FLAIR PLUG BACK WATER DISPOSAL SUBSEQUENT REPORT CHANGE WELL NAME (Submit Original Form Only) PRODUCTION (START/STOP) WATER SHUT-OFF ☐ CHANGE WELL STATUS Date of Work Completion: COMMINGLE PRODUCING FORMATIONS OTHER: - Monthly Status Report RECLAMATION OF WELL SITE 10/05/2007 **RECOMPLETE - DIFFERENT FORMATION** CONVERT WELL TYPE 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. **Operations Suspended**

NAME (PLEASE PRINT) Jenty Park

SIGNATURE

(This space for State use or

TITLE Production Clerk

10/05/2007

DATE

OCT 1 2 2007

DEPARTMENT OF NATURAL RI	ESOURCES	C LEAGE DESIGNATION AND SERVA MEDICAL
DIVISION OF OIL, GAS ANI	D MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: UTAH STATE ML-48377
SUNDRY NOTICES AND REPO	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for proposals to drill new wells, significantly deepen existing wells be wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO		7. UNIT or CA AGREEMENT NAME:
OIL WELL GAS WELL OTHER		8. WELL NAME and NUMBER: STATE 14-2-9-18
2. NAME OF OPERATOR:		9. API NUMBER:
NEWFIELD PRODUCTION COMPANY		4304735781
3. ADDRESS OF OPERATOR: Route 3 Box 3630 CITY Myton STATE UT	PHONE NUMBER 2IP 84052 435.646.3721	10. FIELD AND POOL, OR WILDCAT:
Route 3 Box 3630 CITY Myton STATE UT 4. LOCATION OF WELL:	ZIP 84052 435.646.3721	MONUMENT BUTTE
FOOTAGES AT SURFACE: 574 FSL 1877 FWL		COUNTY: UINTAH
OTR/OTR. SECTION. TOWNSHIP. RANGE. MERIDIAN: SWSE, 2, T9S, R18E		STATE: UT
CHECK APPROPRIATE BOXES TO INDICATE	E NATURE OF NOTICE, REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
NOTICE OF INTENT (Submit in Duplicate) ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will CASING REPAIR	NEW CONSTRUCTION	TEMPORARITLY ABANDON
CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR
CHANGE TUBING	PLUG AND ABANDON	VENT OR FLAIR
X SUBSEOUENT REPORT ☐ CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL
(Submit Original Form Only) CHANGE WELL STATUS	PRODUCTION (START/STOP)	WATER SHUT-OFF
Date of Work Completion: COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	X OTHER: - Monthly Status Report
11/05/2007 CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	S. Strain mounty states report
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show a Operations Suspended		volumes, etc.
Lutri Dad	Dundriation Clade	
NAME (PLEASE PRINT) Jentri Park SIGNATURE MMMM	DATE 11/05/2007	
1 4/2 4		

RECEIVED

NOV 0 9 2007

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING				5. LEASE DESIGNATION AND SERIAL NUMBER: UTAH STATE ML-48377
SUNDRY NOTICES AND REPORTS ON WELLS				6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.				7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL: OIL WELL		DIGDE TOTAL TOT SE	on proposats.	8. WELL NAME and NUMBER: STATE 14-2-9-18
2. NAME OF OPERATOR:				9. API NUMBER:
NEWFIELD PRODUCTION COM	IPANY			4304735781
3. ADDRESS OF OPERATOR:			PHONE NUMBER	10. FIELD AND POOL, OR WILDCAT:
Route 3 Box 3630 CIT	Y Myton STATE UT	ZIP 84052	435.646.3721	MONUMENT BUTTE
4. LOCATION OF WELL:				
FOOTAGES AT SURFACE: 574 FSL 18	77 FWL			COUNTY: UINTAH
OTR/OTR. SECTION. TOWNSHIP. RANGE.	MERIDIAN: SWSE, 2, T9S, R18E			STATE: UT
II. CHECK APPROF	PRIATE BOXES TO INDICATE	NATURE	OF NOTICE, REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION		TY	PE OF ACTION	
Nomer or symmetry	ACIDIZE	DEEPEN		REPERFORATE CURRENT FORMATION
NOTICE OF INTENT (Submit in Duplicate)	ALTER CASING	FRACTURE	ГКЕАТ	SIDETRACK TO REPAIR WELL
Approximate date work will	CASING REPAIR	NEW CONST	RUCTION	TEMPORARITLY ABANDON
Approximate date work with	CHANGE TO PREVIOUS PLANS	OPERATOR		TUBING REPAIR
	I <u>=</u>	=		
	CHANGE TUBING	PLUG AND		VENT OR FLAIR
SUBSEOUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BACK		WATER DISPOSAL
Date of Work Completion:	CHANGE WELL STATUS	PRODUCTIO	N (START/STOP)	WATER SHUT-OFF
Date of Work Completion.	COMMINGLE PRODUCING FORMATIONS	RECLAMAT	ION OF WELL SITE	X OTHER: - Monthly Status Report
01/17/2008	CONVERT WELL TYPE	RECOMPLE*	TE - DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.				
Operation Suspended	,	•	0 / 1 /	,
Operation ouspended				
			<u> </u>	
NAME (PLEASE PRINT) Kathy Chapmar	1		TITLE Office Manager	
SIGNATURE	det Cham		DATE 01/17/2008	
SIGNATURE	- July pro-		DATE	

(This space for State use only)

PECEIVED
JAN 18 2008

	DEPARTMENT OF NATURAL R			5. LEASE DESIGNATION AND SERIAL NUMBER:
DIVISION OF OIL, GAS AND MINING				UTAH STATE ML-48377 6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
SUNDRY NOTICES AND REPORTS ON WELLS				A ACREMENT NAME.
	ill new wells, significantly deepen existing wells be tal laterals. Use APPLICATION FOR PERMIT TO			7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL: OIL WELL	GAS WELL OTHER			8. WELL NAME and NUMBER: STATE 14-2-9-18
2. NAME OF OPERATOR:				9. API NUMBER:
NEWFIELD PRODUCTION COM	MPANY			4304735781
3. ADDRESS OF OPERATOR:			PHONE NUMBER	10. FIELD AND POOL, OR WILDCAT:
Route 3 Box 3630 Cr 4. LOCATION OF WELL:	TY Myton STATE UT	ZIP 84052	435.646.3721	MONUMENT BUTTE
FOOTAGES AT SURFACE: 574 FSL 18	877 FWL			COUNTY: UINTAH
OTR/OTR. SECTION. TOWNSHIP. RANGE.	MERIDIAN: SWSE, 2, T9S, R18E			STATE: UT
II. CHECK APPRO	PRIATE BOXES TO INDICATI	E NATURE	OF NOTICE, REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION		TY	PE OF ACTION	
■ NOTICE OF INTENT	ACIDIZE	DEEPEN		REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	☐ ALTER CASING	FRACTURE	TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will	CASING REPAIR	NEW CONST	TRUCTION	TEMPORARITLY ABANDON
	CHANGE TO PREVIOUS PLANS	OPERATOR	CHANGE	TUBING REPAIR
	CHANGE TUBING	PLUG AND	ABANDON	■ VENT OR FLAIR
X SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK	:	WATER DISPOSAL
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTIO	ON (START/STOP)	WATER SHUT-OFF
Date of Work Completion:	COMMINGLE PRODUCING FORMATIONS	RECLAMAT	ION OF WELL SITE	X OTHER: - Monthly Status Report
02/06/2008	CONVERT WELL TYPE	RECOMPLE	TE - DIFFERENT FORMATION	
	MPLETED OPERATIONS. Clearly show a activity for the month of January 200		s including dates, depths, v	volumes, etc.
NAME (PLEASE PRINT) Kathy Chapmar	1	1	ITTLE Office Manager	
	they Shuse			
SIGNATURE SIGNATURE	he Muse		DATE 02/06/2008	

(This space for State use only)

RECEIVED FEB 0 8 2008

(This space for State use only)

	DEPARTMENT OF NATURAL RI DIVISION OF OIL, GAS ANI		5. LEASE DESIGNATION AND SERIAL NUMBER: UTAH STATE ML-48377
SUNDRY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
	ill new wells, significantly deepen existing wells be al laterals. Use APPLICATION FOR PERMIT TO		7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL: OIL WELL	GAS WELL OTHER		8. WELL NAME and NUMBER: STATE 14-2-9-18
2. NAME OF OPERATOR:			9. API NUMBER:
NEWFIELD PRODUCTION COM	IPANY		4304735781
3. ADDRESS OF OPERATOR:		PHONE NUMBER	10. FIELD AND POOL, OR WILDCAT:
Route 3 Box 3630 CIT	ry Myton state UT	ZIP 84052 435.646.3721	MONUMENT BUTTE
4. LOCATION OF WELL:		-	
FOOTAGES AT SURFACE: 574 FSL 18	377 FWL		COUNTY: UINTAH
OTR/OTR. SECTION. TOWNSHIP. RANGE.	MERIDIAN: SWSE, 2, T9S, R18E		STATE: UT
11. CHECK APPROP	PRIATE BOXES TO INDICATE	E NATURE OF NOTICE, REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
NOTICE OF INTENT (Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
	CASING REPAIR	NEW CONSTRUCTION	TEMPORARITLY ABANDON
Approximate date work will	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR
		=	
p====q	CHANGE TUBING	L PLUG AND ABANDON	VENT OR FLAIR
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION (START/STOP)	WATER SHUT-OFF
Date of Work Completion:	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	X OTHER: - Monthly Status Report
03/04/2008	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	
10. DESCRIPE PROPOSED OF GO	The state of the s		
	MPLETED OPERATIONS. Clearly show a	iii pertinent details including dates, depths, v	olumes, etc.
Operations Suspended			
NAME (PLEASE PRINT) Jentri Park	()	TITLE Production Clerk	
(1	IIILE - 1-3ddelion Cloth	· · · · · · · · · · · · · · · · · · ·
SIGNATURE IMM	1 Mil	DATE 03/04/2008	

RECEIVED MAR 0 6 2008

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES 5. LEASE DESIGNATION AND SERIAL NUMBER: DIVISION OF OIL, GAS AND MINING **UTAH STATE ML-48377** 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: SUNDRY NOTICES AND REPORTS ON WELLS 7. UNIT or CA AGREEMENT NAME Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals 8. WELL NAME and NUMBER: 1. TYPE OF WELL: OIL WELL GAS WELL OTHER STATE 14-2-9-18 9. API NUMBER: 2. NAME OF OPERATOR: 4304735781 NEWFIELD PRODUCTION COMPANY 3. ADDRESS OF OPERATOR: 10. FIELD AND POOL, OR WILDCAT: PHONE NUMBER Route 3 Box 3630 STATE UT ZIP 84052 MONUMENT BUTTE crry Myton 435.646.3721 4. LOCATION OF WELL: COUNTY: UINTAH FOOTAGES AT SURFACE: 574 FSL 1877 FWL OTR/OTR. SECTION. TOWNSHIP. RANGE. MERIDIAN: SWSE, 2, T9S, R18E STATE: UT CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION DEEPEN REPERFORATE CURRENT FORMATION ACIDIZE ■ NOTICE OF INTENT ALTER CASING FRACTURE TREAT SIDETRACK TO REPAIR WELL (Submit in Duplicate) CASING REPAIR NEW CONSTRUCTION TEMPORARITLY ABANDON Approximate date work will OPERATOR CHANGE CHANGE TO PREVIOUS PLANS TUBING REPAIR CHANGE TUBING PLUG AND ABANDON VENT OR FLAIR SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK WATER DISPOSAL (Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/STOP) WATER SHUT-OFF Date of Work Completion: COMMINGLE PRODUCING FORMATIONS OTHER: - Operations suspended RECLAMATION OF WELL SITE 04/04/2008 CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Operations Suspended.

(This space for State use only)

SIGNATURE

NAME (PLEASE PRINT) Jentri Park

RECEIVED
APR 0 7 2008

TITLE Production Clerk

04/04/2008

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES 5. LEASE DESIGNATION AND SERIAL NUMBER: DIVISION OF OIL, GAS AND MINING **UTAH STATE ML-48377** 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: SUNDRY NOTICES AND REPORTS ON WELLS 7. UNIT or CA AGREEMENT NAME: Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. I. TYPE OF WELL: 8. WELL NAME and NUMBER: OIL WELL GAS WELL **OTHER** STATE 14-2-9-18 2. NAME OF OPERATOR: 9. API NUMBER: NEWFIELD PRODUCTION COMPANY 4304735781 3 ADDRESS OF OPERATOR PHONE NUMBER 10. FIELD AND POOL, OR WILDCAT: Route 3 Box 3630 CITY Myton STATE UT ZIP 84052 435.646.3721 MONUMENT BUTTE 4 LOCATION OF WELL: FOOTAGES AT SURFACE: 574 FSL 1877 FWL COUNTY: UINTAH OTR/OTR. SECTION. TOWNSHIP. RANGE. MERIDIAN: STATE: UT SWSE, 2, T9S, R18E CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION ACIDIZE DEEPEN REPERFORATE CURRENT FORMATION ■ NOTICE OF INTENT ALTER CASING FRACTURE TREAT SIDETRACK TO REPAIR WELL (Submit in Duplicate) CASING REPAIR NEW CONSTRUCTION TEMPORARITLY ABANDON Approximate date work will CHANGE TO PREVIOUS PLANS OPERATOR CHANGE TUBING REPAIR CHANGE TUBING PLUG AND ABANDON VENT OR FLAIR SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK WATER DISPOSAL (Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/STOP) WATER SHUT-OFF Date of Work Completion: COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE X OTHER: - Operations suspended 05/06/2008 CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Operations Suspended.

NAME (PLEASE PRINT) Jentri Park	TITLE Production Clerk	
SIGNATURE M	DATE 05/06/2008	

(This space for State use only)

RECEIVED
MAY 1 3 2008

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES 5. LEASE DESIGNATION AND SERIAL NUMBER: DIVISION OF OIL, GAS AND MINING UTAH STATE ML-48377 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: SUNDRY NOTICES AND REPORTS ON WELLS 7. UNIT or CA AGREEMENT NAME: Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. 1. TYPE OF WELL: 8. WELL NAME and NUMBER: OIL WELL GAS WELL OTHER STATE 14-2-9-18 2. NAME OF OPERATOR 9. API NUMBER: NEWFIELD PRODUCTION COMPANY 4304735781 3. ADDRESS OF OPERATOR: PHONE NUMBER 10. FIELD AND POOL, OR WILDCAT: Route 3 Box 3630 CITY Myton STATE UT ZIP 84052 435.646.3721 MONUMENT BUTTE 4. LOCATION OF WELL: FOOTAGES AT SURFACE: 574 FSL 1877 FWL COUNTY: UINTAH OTR/OTR. SECTION. TOWNSHIP. RANGE. MERIDIAN: SWSE, 2, T9S, R18E STATE: UT CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION DEEPEN ACIDIZE REPERFORATE CURRENT FORMATION ■ NOTICE OF INTENT ☐ ALTER CASING FRACTURE TREAT SIDETRACK TO REPAIR WELL NEW CONSTRUCTION CASING REPAIR TEMPORARITLY ABANDON Approximate date work will CHANGE TO PREVIOUS PLANS OPERATOR CHANGE TUBING REPAIR CHANGE TUBING PLUG AND ABANDON □ VENT OR FLAIR CHANGE WELL NAME PLUG BACK WATER DISPOSAL SUBSEQUENT REPORT (Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/STOP) WATER SHUT-OFF Date of Work Completion: COMMINGLE PRODUCING FORMATIONS X OTHER: - Operations suspended RECLAMATION OF WELL SITE 06/04/2008 CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Operations Suspended. NAME (PLEASE PRINT) Jentri Parl TITLE Production Clerk 06/04/2008 DATE SIGNATURE (This space for State use only) RECEIVED

DIV. OF OIL, GAS & ASSESSION

JUN 0 5 2003

	5. LEASE DESIGNATION AND SERIAL NUMBER: UTAH STATE ML-48377		
SUNDRY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
	ill new wells, significantly deepen existing wells bal laterals. Use APPLICATION FOR PERMIT TO		plugged 7. UNIT or CA AGREEMENT NAME:
I. TYPE OF WELL: OIL WELL		O Date of the proposation	8. WELL NAME and NUMBER: STATE 14-2-9-18
2. NAME OF OPERATOR:			9. API NUMBER:
NEWFIELD PRODUCTION COM	IPANY		4304735781
3. ADDRESS OF OPERATOR:		PHONE NUMBER	10. FIELD AND POOL, OR WILDCAT:
Route 3 Box 3630	CITY Myton STATE UT	ZIP 84052 435.646.3721	MONUMENT BUTTE
4. LOCATION OF WELL; FOOTAGES AT SURFACE: 574 FSL 18	377 FWL		COUNTY: UINTAH
OTR/OTR. SECTION. TOWNSHIP. RANGE.	MERIDIAN: SWSE, 2, T9S, R18E		STATE: UT
11. CHECK APPROI	PRIATE BOXES TO INDICAT	E NATURE OF NOTICE	, REPORT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTI	ON
	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
NOTICE OF INTENT (Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
, ,	CASING REPAIR	NEW CONSTRUCTION	TEMPORARITLY ABANDON
Approximate date work will		=	=
<u> </u>	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	L TUBING REPAIR
_	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLAIR
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION (START/STOP)	WATER SHUT-OFF
Date of Work Completion:	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	OTHER: - Operations suspended
07/03/2008	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FOR	RMATION
12. DESCRIBE PROPOSED OR CO	OMPLETED OPERATIONS. Clearly show	all pertinent details including dates	, depths, volumes, etc.
NAME (PLEASE PRINT) Sentri Park		TITLE Production	
SIGNATURE ////////////////////////////////////		DATE 07/03/20	

RECEIVED
JUL 1 4 2008

	DEPARTMENT OF NATURAL	DECULIDATE		
	5. LEASE DESIGNATION AND SERIAL NUMBER: UTAH STATE ML-48377			
SUNDRY NOTICES AND REPORTS ON WELLS				6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	frill new wells, significantly deepen existing well			7. UNIT or CA AGREEMENT NAME:
wells, or to drill horizon	ntal laterals. Use APPLICATION FOR PERMIT	TO DRILL form for such	n proposals.	
I. TYPE OF WELL: OIL WELL	GAS WELL OTHER			8. WELL NAME and NUMBER: STATE 14-2-9-18
2. NAME OF OPERATOR:		***************************************		9. API NUMBER:
NEWFIELD PRODUCTION CO	MPANY			4304735781
3. ADDRESS OF OPERATOR:	The second secon		PHONE NUMBER	10. FIELD AND POOL, OR WILDCAT:
Route 3 Box 3630 4. LOCATION OF WELL:	CITY Myton STATE UT	ZIP 84052	435.646.3721	MONUMENT BUTTE
FOOTAGES AT SURFACE: 574 FSL 1	877 FWL			COUNTY: UINTAH
OTR/OTR. SECTION. TOWNSHIP. RANGE	E. MERIDIAN: SWSE, 2, T9S, R18E			STATE: UT
11. CHECK APPRO	PRIATE BOXES TO INDICA	TE NATURE O	F NOTICE, REPC	ORT, OR OTHER DATA
TYPE OF SUBMISSION			E OF ACTION	
	ACIDIZE	DEEPEN		REPERFORATE CURRENT FORMATION
NOTICE OF INTENT (Submit in Duplicate)	ALTER CASING	FRACTURE TR	EAT	SIDETRACK TO REPAIR WELL
Approximate date work will	CASING REPAIR	NEW CONSTRU	JCTION	TEMPORARITLY ABANDON
	CHANGE TO PREVIOUS PLANS	OPERATOR CH		TUBING REPAIR
	CHANGE TUBING	PLUG AND AB		VENT OR FLAIR
SUBSEQUENT REPORT	CHANGE WELL NAME	☐ PLUGBACK		WATER DISPOSAL
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION	(START/STOP)	WATER SHUT-OFF
Date of Work Completion:	COMMINGLE PRODUCING FORMATIONS		•	OTHER: - Operations suspended
08/06/2008	CONVERT WELL TYPE	RECLAMATION OF WELL SITE RECOMPLETE - DIFFERENT FORMATION		OTTEN: Operations suspended
12 DESCRIBE PROPOSED OR CO				•
Operations Suspended.	OMPLETED OPERATIONS. Clearly show	w all pertinent details i	ncluding dates, depths, vo	olumes, etc.
Operations obspended.				
NAME (PLEASE PRINT) Jentri Park	1. 1	ТТТ	LE Production Clerk	
010114897			DE 08/06/2008	
SIGNATURE	1" 111	DA	[E 00/00/2000	
This space for State use only)				
· · · · · · · · · · · · · · · · · · ·				

DIV. OF OIL, GAS & MINING

RECEIVED

AUG 18 2008



State of Utah DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

September 2, 2008

CERTIFIED MAIL NO.: 7004 2510 0004 1824 6121

Mr. Mike Guinn Newfield Production Company Route 3 Box 3630 Myton, UT 84052 43 047 35781 State 14-2-9-18 95 18E 2

Re: Extended Shut-in and Temporarily Abandoned Well Requirements for Wells on Fee or State Leases

Dear Mr. Guinn:

As of July 2008, Newfield Production Company (Newfield) has two (2) Fee Lease Wells and twenty (20) State Mineral Lease Wells (see attachment A) in non-compliance with the requirements for extended shut-in or temporarily abandoned (SI/TA) status. Wells SI/TA beyond twelve (12) consecutive months require the filing of a Sundry Notice in accordance with R649-3-36-1 for Utah Division of Oil, Gas & Mining ("Division") approval. Wells with five (5) years non-activity or non-productivity shall be plugged, unless the Division grants approval for extended shut-in time upon a showing of good cause by the operator (R649-3-36-1.3.3).

Several wells on the attached list have been denied for extended SI/TA. There has been only one response since these denials were issued. In a sundry notice signed and dated February 17, 2005, Newfield stated they "intend to Plug and Abandon the well (State 16-2 API# 43-013-30552) upon signature approval, the procedure will begin." Based on this report, the Division granted SI/TA extension for this well until September 1, 2005. More than sufficient time has passed to accomplish the P&A on this well. To date, the Division has not received a sundry to P&A this well. Please address this matter promptly by including required documents for this and all wells listed on Attachment A.

For extended SI/TA consideration the operator shall provide the Division with the following:

- 1. Reasons for SI/TA of the well (R649-3-36-1.1).
- 2. The length of time the well is expected to be SI/TA (R649-3-36-1.2), and



3. An explanation and supporting data if necessary, for showing the well has integrity, meaning that the casing, cement, equipment condition, static fluid level, pressure, existence or absence of Underground Sources of Drinking Water and other factors do not make the well a risk to public health and safety or the environment (R649-3-36-1.3).

Submitting the information suggested below may help show well integrity and may help qualify your well for extended SI/TA. Note: As of July 1, 2003, wells in violation of the SI/TA rule R649-3-36 may be subject to full cost bonding (R649-3-1-4.2, 4.3).

- 1. Wellbore diagram, and
- 2. Copy of recent casing pressure test, and
- 3. Current pressures on the wellbore (tubing pressure, casing pressure, and casing/casing annuli pressure) showing wellbore has integrity, and
- 4. Fluid level in the wellbore, and
- 5. An explanation of how the submitted information proves integrity.

If the required information is not received within 30 days of the date of this notice, further actions will be initiated. If you have any questions concerning this matter, please contact me at (801) 538-5281.

Sincerely,

Dustin K. Doucet Petroleum Engineer

JP/js Enclosure

cc: Jim Davis, SITLA
Wells File
Compliance File

ATTACHMENT A

	Well Name	API	Lease Type	Years Inactive
1	State 16-2	43-013-30552	Sate	27 Years 4 Months
2	Wells Draw ST 7-36	43-013-30934	ML-21835	3 Years 4 Months
3	Ashley ST	43-013-32574	ML-43538	1 Year 4 Months
4	Dugout Creek ST	43-007-31022	ML-48660	3 Years 0 Months
5	Dugout Creek 22-16	43-007-31023	ML-48599	2 Years 8 Months
6	NGC ST 33-32	43-047-31116	ML-22058	1 Year 2 Months
7	Gulf State 36-13	43-047-31345	ML-22057	2 Years 0 Months
8	Gulf State 36-12	43-047-31864	ML-22057	1 Year 0 Months
9	Gulf State 36-22	43-047-31892	ML-22057	1 Year 5 Months
10	State 31-32	43-047-32500	State	1 Year 7 Months
11	UTD State 36-M	43-047-32581	State	3 Years 11 Months
12	Sundance ST 3-32	43-047-32741	ML-22058	1 Year 2 Months
13	Castle Draw 1-2-9-17	43-047-32843	State	4 Years 0 Months
14	Castle Draw 9-2-9-17	43-047-33238	State	1 Year 0 Months
15	Sundance 9-32-8-18	43-047-34460	State	4 Years 7 Months
16	Sundance 16-32-8-18	43-047-34466	State	4 Years 6 Months
17	State 15-2-9-18	43-047-35780	ML-48377	1 Year 11 Months
18	State 14-2-9-18	43-047-35781	ML-48377	2 Years 0 Months
19	State 13-2-9-18	43-047-35782	ML-48377	1 Year 11 Months
20	State 12-2-9-18	43-047-35783	ML-48377	2 Years 0 Months
21	Rex Lamb 34-2	43-047-31692	Fee	1 Year 11 Months
22	Anna Belle 31-2-J	43-047-31698	Fee	1 Year 4 Months

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES 5. LEASE DESIGNATION AND SERIAL NUMBER: DIVISION OF OIL, GAS AND MINING UTAH STATE ML-48377 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: SUNDRY NOTICES AND REPORTS ON WELLS 7. UNIT or CA AGREEMENT NAME: Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. 8. WELL NAME and NUMBER: I. TYPE OF WELL: OIL WELL GAS WELL OTHER STATE 14-2-9-18 2. NAME OF OPERATOR: 9. API NUMBER: NEWFIELD PRODUCTION COMPANY 4304735781 3. ADDRESS OF OPERATOR: 10. FIELD AND POOL, OR WILDCAT: PHONE NUMBER Route 3 Box 3630 STATE UT ZIP 84052 435.646.3721 MONUMENT BUTTE CITY Myton 4. LOCATION OF WELL: FOOTAGES AT SURFACE: 574 FSL 1877 FWL COUNTY: UINTAH OTR/OTR. SECTION. TOWNSHIP. RANGE. MERIDIAN: SWSE, 2, T9S, R18E STATE: UT CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION ACIDIZE DEEPEN REPERFORATE CURRENT FORMATION ■ NOTICE OF INTENT ALTER CASING FRACTURE TREAT SIDETRACK TO REPAIR WELL (Submit in Duplicate) CASING REPAIR NEW CONSTRUCTION TEMPORARITLY ABANDON Approximate date work will CHANGE TO PREVIOUS PLANS OPERATOR CHANGE TUBING REPAIR CHANGE TUBING PLUG AND ABANDON VENT OR FLAIR SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK WATER DISPOSAL (Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/STOP) WATER SHUT-OFF Date of Work Completion: COMMINGLE PRODUCING FORMATIONS X OTHER: - Operations suspended RECLAMATION OF WELL SITE 09/05/2008 CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Operations Suspended.

TITLE Production Clerk NAME (PLEASE PRINT) Jentri Park 09/05/2008 SIGNATURE

(This space for State use only)

RECEIVED SEP 1 5 2008

DEPARTMENT OF NATURAL RESOURCES 5. LEASE DESIGNATION AND SERIAL NUMBER: DIVISION OF OIL, GAS AND MINING UTAH STATE ML-48377 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: SUNDRY NOTICES AND REPORTS ON WELLS 7. UNIT or CA AGREEMENT NAME: Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. 8. WELL NAME and NUMBER: 1. TYPE OF WELL: OIL WELL X GAS WELL OTHER STATE 14-2-9-18 9. API NUMBER: 2. NAME OF OPERATOR: 4304735781 NEWFIELD PRODUCTION COMPANY 10. FIELD AND POOL, OR WILDCAT: 3. ADDRESS OF OPERATOR: PHONE NUMBER Route 3 Box 3630 CITY Myton STATE UT ZIP 84052 435.646.3721 MONUMENT BUTTE 4 LOCATION OF WELL: FOOTAGES AT SURFACE: 574 FSL 1877 FWL COUNTY: UINTAH OTR/OTR. SECTION. TOWNSHIP. RANGE. MERIDIAN: SWSE, 2, T9S, R18E STATE: UT CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION DEEPEN REPERFORATE CURRENT FORMATION ACIDIZE ■ NOTICE OF INTENT ALTER CASING FRACTURE TREAT SIDETRACK TO REPAIR WELL CASING REPAIR NEW CONSTRUCTION TEMPORARITLY ABANDON Approximate date work will OPERATOR CHANGE TUBING REPAIR CHANGE TO PREVIOUS PLANS CHANGE TUBING PLUG AND ABANDON VENT OR FLAIR WATER DISPOSAL PLUG BACK SUBSEQUENT REPORT CHANGE WELL NAME (Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/STOP) WATER SHUT-OFF Date of Work Completion: OTHER: - Operations suspended COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE 10/07/2008 CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Operations Suspended.

0	^	
	//	
NAME (PLEASE PRINT) Jentri Park	11.	TITLE Production Clerk
SIGNATURE		DATE10/07/2008

(This space for State use only)

RECEIVED

OCT 2 1 2008

	DEPARTMENT OF NATURAL R DIVISION OF OIL, GAS AN			5. LEASE DESIGNATION AND SERIAL NUMBER: UTAH STATE ML-48377
SUNDRY	Y NOTICES AND REPO	ORTS ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	rill new wells, significantly deepen existing wells be tal laterals. Use APPLICATION FOR PERMIT TO			d 7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL: OIL WELL	GAS WELL OTHER			8. WELL NAME and NUMBER: STATE 14-2-9-18
2. NAME OF OPERATOR: NEWFIELD PRODUCTION COM-	MPANY			9. API NUMBER: 4304735781
3. ADDRESS OF OPERATOR:			PHONE NUMBER	10. FIELD AND POOL, OR WILDCAT:
Route 3 Box 3630	CITY Myton STATE UT	ZIP 84052	435.646.3721	MONUMENT BUTTE
4. LOCATION OF WELL: FOOTAGES AT SURFACE: 574 FSL 1	877 FWL			COUNTY: UINTAH
OTR/OTR, SECTION, TOWNSHIP, RANGE	MERIDIAN: SWSE, 2, T9S, R18E			STATE: UT
11. CHECK APPRO	PRIATE BOXES TO INDICAT	E NATURE	OF NOTICE, RE	PORT, OR OTHER DATA
TYPE OF SUBMISSION		TY	TE OF ACTION	
	ACIDIZE	DEEPEN		REPERFORATE CURRENT FORMATION
NOTICE OF INTENT (Submit in Duplicate)	ALTER CASING	FRACTURE	TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will	CASING REPAIR	NEW CONST	RUCTION	TEMPORARITLY ABANDON
	CHANGE TO PREVIOUS PLANS	OPERATOR	CHANGE	TUBING REPAIR
	CHANGE TUBING	PLUG AND	ABANDON	VENT OR FLAIR
	CHANGE WELL NAME	PLUGBACK		WATER DISPOSAL
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTIO	ON (START/STOP)	WATER SHUT-OFF
Date of Work Completion:	COMMINGLE PRODUCING FORMATIONS	=	ION OF WELL SITE	OTHER: - Operations suspended
11/05/2008	CONVERT WELL TYPE	=	TE - DIFFERENT FORMATIO	
12. DESCRIBE PROPOSED OR CO Operations Suspended.	OMPLETED OPERATIONS. Clearly show a	all pertinent detail	s including dates, depth	as, volumes, etc.
,				

NAME (PLEASE PRINT) Jentri Park		TITLE Production Clerk	
Med IIII	The same of the sa		_
SIGNATURE //////////		DATE 11/05/2008	

This space for State use only)

RECEIVED NOV 1 3 2008

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES 5. LEASE DESIGNATION AND SERIAL NUMBER: DIVISION OF OIL, GAS AND MINING UTAH STATE ML-48377 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: SUNDRY NOTICES AND REPORTS ON WELLS 7. UNIT or CA AGREEMENT NAME: Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. 8. WELL NAME and NUMBER: 1. TYPE OF WELL: OIL WELL |X GAS WELL OTHER STATE 14-2-9-18 2. NAME OF OPERATOR: 9. API NUMBER: **NEWFIELD PRODUCTION COMPANY** 4304735781 3. ADDRESS OF OPERATOR: 10. FIELD AND POOL, OR WILDCAT: PHONE NUMBER Route 3 Box 3630 MONUMENT BUTTE STATE UT ZIP 84052 435.646.3721 CITY Myton 4. LOCATION OF WELL: FOOTAGES AT SURFACE: 574 FSL 1877 FWL COUNTY: UINTAH OTR/OTR. SECTION. TOWNSHIP. RANGE. MERIDIAN: SWSE, 2, T9S, R18E STATE: UT CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION DEEPEN ACIDIZE REPERFORATE CURRENT FORMATION ■ NOTICE OF INTENT ALTER CASING FRACTURE TREAT SIDETRACK TO REPAIR WELL CASING REPAIR NEW CONSTRUCTION TEMPORARITLY ABANDON Approximate date work will CHANGE TO PREVIOUS PLANS OPERATOR CHANGE TUBING REPAIR CHANGE TUBING PLUG AND ABANDON VENT OR FLAIR SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK WATER DISPOSAL (Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/STOP) WATER SHUT-OFF Date of Work Completion: COMMINGLE PRODUCING FORMATIONS X OTHER: - Operations suspended RECLAMATION OF WELL SITE 12/05/2008 CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Operations Suspended. NAME (PLEASE PRINT) Jentri Park TITLE Production Clerk 12/05/2008 SIGNATURE (This space for State use only) **RECEIVED**

DEC 17 2008

DIV. OF OIL, GAS & MINING

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES 5. LEASE DESIGNATION AND SERIAL NUMBER: DIVISION OF OIL, GAS AND MINING **UTAH STATE ML-48377** 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: SUNDRY NOTICES AND REPORTS ON WELLS 7. UNIT or CA AGREEMENT NAME: Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals 8. WELL NAME and NUMBER: 1. TYPE OF WELL: OIL WELL GAS WELL OTHER STATE 14-2-9-18 2. NAME OF OPERATOR: 9. API NUMBER: 4304735781 NEWFIELD PRODUCTION COMPANY 3. ADDRESS OF OPERATOR: 10. FIELD AND POOL, OR WILDCAT: PHONE NUMBER Route 3 Box 3630 CITY Myton ZIP 84052 435.646.3721 MONUMENT BUTTE STATE UT 4. LOCATION OF WELL: FOOTAGES AT SURFACE: 574 FSL 1877 FWL COUNTY: UINTAH OTR/OTR. SECTION. TOWNSHIP. RANGE. MERIDIAN: SWSE, 2, T9S, R18E STATE: UT CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION ACIDIZE DEEPEN REPERFORATE CURRENT FORMATION ☐ NOTICE OF INTENT ALTER CASING FRACTURE TREAT SIDETRACK TO REPAIR WELL (Submit in Duplicate) CASING REPAIR ■ NEW CONSTRUCTION TEMPORARITLY ABANDON Approximate date work will CHANGE TO PREVIOUS PLANS OPERATOR CHANGE TUBING REPAIR CHANGE TUBING PLUG AND ABANDON VENT OR FLAIR CHANGE WELL NAME PLUG BACK WATER DISPOSAL SUBSEQUENT REPORT (Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/STOP) WATER SHUT-OFF Date of Work Completion: COMMINGLE PRODUCING FORMATIONS X OTHER: - Operations suspended RECLAMATION OF WELL SITE 01/07/2009 CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Operations Suspended.

NAME (PLEASE PRINT) Jentri Park

SIGNATURE

DATE 01/07/2009

(This space for State use only)

RECEIVED

JAN 2 1 2009

DEPARTMENT OF NATURAL RESOURCES 5. LEASE DESIGNATION AND SERIAL NUMBER: DIVISION OF OIL, GAS AND MINING **UTAH STATE ML-48377** 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: SUNDRY NOTICES AND REPORTS ON WELLS 7. UNIT or CA AGREEMENT NAME: Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. 8. WELL NAME and NUMBER: 1. TYPE OF WELL: OIL WELL GAS WELL OTHER STATE 14-2-9-18 9. API NUMBER: 2. NAME OF OPERATOR: 4304735781 NEWFIELD PRODUCTION COMPANY 3. ADDRESS OF OPERATOR: 10. FIELD AND POOL, OR WILDCAT: PHONE NUMBER Route 3 Box 3630 STATE UT ZIP 84052 MONUMENT BUTTE CITY Myton 435.646.3721 4. LOCATION OF WELL; FOOTAGES AT SURFACE: 574 FSL 1877 FWL COUNTY: UINTAH OTR/OTR. SECTION. TOWNSHIP. RANGE. MERIDIAN: SWSE, 2, T9S, R18E STATE: UT CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION ACIDIZE DEEPEN REPERFORATE CURRENT FORMATION ■ NOTICE OF INTENT ALTER CASING FRACTURE TREAT SIDETRACK TO REPAIR WELL (Submit in Duplicate) CASING REPAIR ■ NEW CONSTRUCTION TEMPORARITLY ABANDON Approximate date work will CHANGE TO PREVIOUS PLANS OPERATOR CHANGE TUBING REPAIR CHANGE TUBING PLUG AND ABANDON VENT OR FLAIR CHANGE WELL NAME PLUG BACK WATER DISPOSAL SUBSEQUENT REPORT (Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/STOP) WATER SHUT-OFF

RECLAMATION OF WELL SITE

RECOMPLETE - DIFFERENT FORMATION

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Operations Suspended.

COMMINGLE PRODUCING FORMATIONS

CONVERT WELL TYPE

i i i i i i i i i i i i i i i i i i i		
Jantri Dark	1/1	TITLE Production Clerk
NAME (PLEASE PRINT) Jentri Park	1//	TITLE_Production Clerk
SIGNATURE	M	DATE02/09/2009


(This space for State use only)

Date of Work Completion:

02/09/2009

RECEIVED
FEB 1 0 2009

X OTHER: - Operations suspended



State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

February 24, 2009

CERTIFIED MAIL NO.: 7005 0390 0000 7507 4221

Mr. Mike Guinn Newfield Production Company Route 3, Box 3630 Myton, UT 84052 43 047 35781 State 4-2-9-18 95 18E 2

Subject: SECOND NOTICE: Extended Shut-in and Temporarily Abandoned Well

Requirements for Wells on Fee or State Leases

Dear Mr. Guinn:

As of January 2009, Newfield Production Company ("Newfield") has thirteen (13) State Mineral Lease Wells (see attachment A) in non-compliance with the requirements for extended shut-in or temporarily abandoned (SI/TA) status. Wells SI/TA beyond twelve (12) consecutive months require the filing of a Sundry Notice in accordance with R649-3-36-1 for Utah Division of Oil, Gas & Mining ("Division") approval. Wells with five (5) years non-activity or non-productivity shall be plugged, unless the Division grants approval for extended shut-in time upon a showing of good cause by the operator (R649-3-36-1.3.3).

Several wells on the attached list have been denied for extended SI/TA. Previously in a sundry notice signed and dated February 17, 2005, Newfield stated they "intend to Plug and Abandon the well (State 16-2 API# 43-013-30552)... upon signature approval, the procedure will begin." Based on this report, the Division granted SI/TA extension for this well until September 1, 2005. Ample time has passed to plug this well. To date, the Division has not received a sundry to perform proposed work on this well. Also, in September 2008 the Division sent a notice via certified mail addressing the non-compliance issues on the above listed wells. Specific information was requested per R-649-3-36. No such correspondence has been received from Newfield. Please address this matter promptly by including required documents for all wells listed on Attachment A.



Page 2 Newfield Production Company February 24, 2009

For extended SI/TA consideration the operator shall provide the Division with the following:

- 1. Reasons for SI/TA of the well (R649-3-36-1.1).
- 2. The length of time the well is expected to be SI/TA (R649-3-36-1.2), and
- 3. An explanation and supporting data if necessary, for showing the well has integrity, meaning that the easing, cement, equipment condition, static fluid level, pressure, existence or absence of Underground Sources of Drinking Water and other factors do not make the well a risk to public health and safety or the environment (R649-3-36-1.3).

Submitting the information suggested below may help show well integrity and may help qualify your well for extended SI/TA. Note: As of July 1, 2003, wells in violation of the SI/TA rule R649-3-36 may be subject to full cost bonding (R649-3-1-4.2, 4.3).

- 1. Wellbore diagram, and
- 2. Copy of recent casing pressure test, and
- 3. Current pressures on the wellbore (tubing pressure, casing pressure, and casing/casing annuli pressure) showing wellbore has integrity, and
- 4. Fluid level in the wellbore, and
- 5. An explanation of how the submitted information proves integrity.

If the required information is not received within 30 days of the date of this notice, a notice of violation will be issued. If you have any questions concerning this matter, please contact me at (801) 538-5281.

Sincerely,

Dustin K. Doucet Petroleum Engineer

DKD/JP/JS Enclosure

cc: Jim Davis, SITLA Wells File

Compliance File

N:\O&G Reviewed Docs\ChronFile\PetroleumEngineer\SITA

ATTACHMENT A

	Well Name	API	Lease Type	Years Inactive
1	State 16-2	43-013-30552	Sate	36 Years 9 Months
2	Dugout Creek ST	43-007-31022	ML-48660	3 Years 6 Months
3	Dugout Creek 22-16	43-007-31023	ML-48599	3 Years 2 Months
4	Gulf State 36-22	43-047-31892	ML-22057	1 Year 11 Months
5	State 31-32	43-047-32500	State	2 Years 1 Month
6	UTD State 36-M	43-047-32581	State	4 Years 5 Months
7	Castle Draw 1-2-9-17	43-047-32843	State	4 Years 6 Months
8	Sundance 9-32-8-18	43-047-34460	State	5 Years 1 Month
9	Sundance 16-32-8-18	43-047-34466	State	5 Years
10	State 15-2-9-18	43-047-35780	ML-48377	2 Years 5 Months
11	State 14-2-9-18	43-047-35781	ML-48377	2 Years 6 Months
12	State 13-2-9-18	43-047-35782	ML-48377	2 Years 5 Months
13	State 12-2-9-18	43-047-35783	ML-48377	2 Years 6 Months

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES 5. LEASE DESIGNATION AND SERIAL NUMBER: DIVISION OF OIL, GAS AND MINING **UTAH STATE ML-48377** 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: SUNDRY NOTICES AND REPORTS ON WELLS 7. UNIT or CA AGREEMENT NAME: Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. 1. TYPE OF WELL: 8. WELL NAME and NUMBER: OIL WELL 🔽 GAS WELL 🔲 OTHER STATE 14-2-9-18 9. API NUMBER: 2. NAME OF OPERATOR: 4304735781 NEWFIELD PRODUCTION COMPANY 3. ADDRESS OF OPERATOR: 10. FIELD AND POOL, OR WILDCAT: PHONE NUMBER Route 3 Box 3630 STATE UT ZIP 84052 435.646.3721 MONUMENT BUTTE CITY Myton 4. LOCATION OF WELL: COUNTY: UINTAH FOOTAGES AT SURFACE: 574 FSL 1877 FWL OTR/OTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SWSE, 2, T9S, R18E STATE: UT CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION ACIDIZE DEEPEN REPERFORATE CURRENT FORMATION ■ NOTICE OF INTENT FRACTURE TREAT SIDETRACK TO REPAIR WELL ALTER CASING (Submit in Duplicate) CASING REPAIR NEW CONSTRUCTION TEMPORARITLY ABANDON Approximate date work will OPERATOR CHANGE TUBING REPAIR CHANGE TO PREVIOUS PLANS PLUG AND ABANDON VENT OR FLAIR CHANGE TUBING SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK WATER DISPOSAL (Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/STOP) WATER SHUT-OFF Date of Work Completion: COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE OTHER: - Operations suspended 03/09/2009 CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Operations Suspended.

	Λ		
NAME (PLEASE PRINT) Jentri Park		TITLE Production Clerk	
SIGNATURE		DATE 03/09/2009	

(This space for State use only)

RECEIVED
MAR 1 1 2009

	DEPARTMENT OF NATE OF U.S. DIVISION OF OIL, C	TURAL RESOU			5. LEASE DESIGNATION AND SERIAL NUMBER:
SUNDRY NOTICES AND REPORTS ON WELLS					UTAH STATE ML-48377 6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to dr	ill new wells, significantly deepen exi	sting wells below curr	rent bottom-l	nole depth, reenter plugged	7. UNIT or CA AGREEMENT NAME:
1 TYPE OF WELL.	al laterals. Use APPLICATION FOR	PERMIT TO DRILL	form for suc	h proposals.	8. WELL NAME and NUMBER:
OIL WELL	GAS WELL OT	HER			STATE 14-2-9-18
2. NAME OF OPERATOR:					9. API NUMBER:
NEWFIELD PRODUCTION COM 3. ADDRESS OF OPERATOR:	IPANY			PHONE NUMBER	4304735781 10. FIELD AND POOL, OR WILDCAT:
Route 3 Box 3630	CITY Myton STAT	E UT ZIP 8	34052	435.646.3721	MONUMENT BUTTE
4. LOCATION OF WELL:					
FOOTAGES AT SURFACE: 574 FSL 18	377 FWL				COUNTY: UINTAH
OTR/OTR. SECTION. TOWNSHIP, RANGE.	MERIDIAN: SWSE, 2, T9S, R18	E			STATE: UT
	PRIATE BOXES TO IN	DICATE NA			ORT, OR OTHER DATA
TYPE OF SUBMISSION			TY.	PE OF ACTION	
■ NOTICE OF INTENT	ACIDIZE	=	DEEPEN		REPERFORATE CURRENT FORMATION .
(Submit in Duplicate)	ALTER CASING	□ F	FRACTURE T	REAT	SIDETRACK TO REPAIR WELL
Approximate date work will	CASING REPAIR		NEW CONSTE	RUCTION	TEMPORARITLY ABANDON
	CHANGE TO PREVIOUS PLANS	□ ·	OPERATOR C	HANGE	TUBING REPAIR
	CHANGE TUBING	<u> </u>	PLUG AND A	BANDON	VENT OR FLAIR
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	<u></u> '	PLUG BACK		WATER DISPOSAL
Date of Work Completion:	CHANGE WELL STATUS	□ ¹	PRODUCTIO	N (START/STOP)	WATER SHUT-OFF
	COMMINGLE PRODUCING FOR	MATIONS 1	RECLAMATI	ON OF WELL SITE	X OTHER: - Operations suspended
04/08/2009	CONVERT WELL TYPE		RECOMPLET	E - DIFFERENT FORMATION	
Operations Suspended.					
NAME (PLEASE PRINT) Jentri Park SIGNATURE	WIL			Production Clerk 04/08/2009	
(This space for State use only)					RECEIVED APR 2 0 2009

DIV. OF OIL, GAS & MINING

	DEPARTMENT OF NATURAL F DIVISION OF OIL, GAS AN		5. LEASE DESIGNATION AND SERIAL NUMBER: UTAH STATE ML-48377
SUNDR	Y NOTICES AND REPO	ORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	drill new wells, significantly deepen existing wells but at laterals. Use APPLICATION FOR PERMIT TO		7. UNIT or CA AGREEMENT NAME:
TYPE OF WELL: OIL WELI	GAS WELL OTHER		8. WELL NAME and NUMBER: STATE 14-2-9-18
NAME OF OPERATOR: NEWFIELD PRODUCTION CO	MPANY		9. API NUMBER: 4304735781
ADDRESS OF OPERATOR: Route 3 Box 3630	CITY Myton STATE UT	PHONE NUMBER ZIP 84052 435,646,3721	10. FIELD AND POOL, OR WILDCAT:
LOCATION OF WELL:		Zir 04032 433,040,3721	MONUMENT BUTTE
FOOTAGES AT SURFACE: 574 FSL	1877 FWL		COUNTY: UINTAH
OTR/OTR, SECTION, TOWNSHIP, RANG	E. MERIDIAN: SWSE, 2, T9S, R18E		STATE: UT
CHECK APPRO	PRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REF	PORT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
NOTICE OF INTENT	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will	CASING REPAIR	NEW CONSTRUCTION	TEMPORARITLY ABANDON
	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR
	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLAIR
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION (START/STOP)	WATER SHUT-OFF
Date of Work Completion:	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	X OTHER: - Operations suspended
05/06/2009	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	
. DESCRIBE PROPOSED OR C Operations Suspended.	OMPLETED OPERATIONS. Clearly show	all pertinent details including dates, depths	s, volumes, etc.
	$\overline{}$		
ME (PLEASE PRINT) Jents Park	111	TITLE Production Clerk	

(This space for State use only

SIGNATURE

RECEIVED MAY 18 2009

DATE 05/06/2009



March 12, 2009

Mr. Dustin Doucet Department of Natural Resources Division of Oil, Gas & Mining 1594 West North Temple, Suite 1210 Salt Lake City, Utah 84116 13 047 35781 State 14-2-9-18 15 18E 2

Re: Shut-In & Temporarily Abandoned Well Requirements Request dated February 24, 2009.

Dear Mr. Doucet:

In response to your letters dated February 24, 2009, I have attached a spreadsheet with the plan for sundry action towards the wells listed in your letters. (I have also included your original documents in the attachments).

The completed sundries will be processed and submitted to your office by March 24th, 2009, as requested in your letters. Please note several of the wells have already been put back on production.

If you have any questions concerning this matter, please contact Tom Walker at 303-383-4114 or Susan Linder at 303-382-4443.

Sincerely,

Tom Walker

Operations Engineer

RECEIVED MAR 2 3 2009

DIV. OF OIL, GAS & MINING

1st Letter				
API number	Well name/number	Lease/CA#	Status	Comments
43-013-31094	State 16-2N-9-16	ML-16532	Р	Workover complete - back on Production Feb 20, 2009
43-013-32574	Ashley St 10-2-9-15	ML-43538	SI	Schedule cement job and put back on production.
43-047-31345	Gulf State 36-13-8-18	ML-22057	SI	
40-047-01040	Oun otate 30-13-8-16	IVIL-22051	31	Schedule re-completion and put back on production
43-047-31350	Gulf State 36-11-8-18	ML-22057	Р	Currently producing - sundry sent in on 10/22/08 - recomplete put back on prod.
43-047-31482	HSB State 36-1-6-21	ML-33225	PGW	Currently in producing status
43-047-31698	Anna Belle 31-2-J-6-21	Fee	Р	Currently in producing Status
				Workover for Tubing Leak Dec 10, 2008. Well went back on production Feb 2009.
				Review for production enhancement/possible acid
				stimulation workover.
43-047-31864	Gulf State 36-12-8-18	NAL 22057	01	Wall has been added to
45-047-51004	Guil State 30-12-0-16	ML-22057	SI	Well has been put on schedule for re-completion work
43-047-32741	Sundance State 3-32	MI 20050	0	Currently producing. Well was placed back on
70-041-32/41	Junuance State 3-32	ML-22058	P	production 9-24-08
43-047-3323 8	Castle Draw 9-2-9-17	MI AFFE	C.I	Sundry sent in 2/27/09 by Eric Sundberg from producer
43-047-33256	Castle Diaw 9-2-9-17	ML-45555	SI	to Injection well
2nd notice				
API number	Well name/number	Lease/CA#	Status	Comments
***************************************				Prepare sundry with P&A date and procedures. P&A to
43-013-30552	State 16-2-9-17	State	TA	be completed by July 2009
43-007-31022	Dugout Creek State 14-2	ML-48660	SI-Gas	Prepare Sundry to change status from SI to TA
				Do not want to P&A wells. Currently uneconomical to
				produce
43-007-31023	Dugout Creek State 22-16	ML-48599	SI-Gas	Prepare Sundry to change status from SI to TA
				Do not want to P&A wells. Currently uneconomical to produce
43-047-31892	Gulf State 36-22	ML-22057	C1	Sobodulo no constata de la constata del constata de la constata de la constata de
		IVIL22057	SI	Schedule re-completion and put back on production
43-047-32500	State 31-32-8-18	State	SI	Schedule re-completion and put back on production
				Prepare Sundry for TA-well is important to water flood
43-047-32581	UTD State 36-M	State	SI	program
43-047-32843	Castle Draw 1-2-9-17	State	SI	Prepare Sundry for workover-Acid job planned for well.
43-047-34460	Sundance 9-32-8-18	State	woc	Well is currently at day 15 completion stage
43-047-34466	Sundance 16-32-8-18	State	woc	Prepare Sundry to TA well (Drilled, cased, never perfd)
				Suspended operations-prepare sundry to TA well.
43-047-35783	State 12-2-9-18	ML-48377	so	(Drilled 320'- surface casing only)
				Suspended operations-prepare sundry to TA well.
43-047-35782	State 13-2-9-18	ML-48377	so	(Drilled 320'- surface casing only)
				Suspended operations-prepare sundry to TA well.
43-047-35781	State 14-2-9-18	ML-48377		(Drilled 320'- surface casing only)
42 047 25700	Ct-t- 4F 0 0 40			Suspended operations-prepare sundry to TA well.
43-047-35/80	State 15-2-9-18	ML-48377	so	(Drilled 320'- surface casing only)
	7011			

	STATE OF UTAH DEPARTMENT OF NATURAL R			
	5. LEASE DESIGNATION AND SERIAL NUMBER: UTAH STATE ML-48377			
SUNDRY	NOTICES AND REPO	ORTS ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	ill new wells, significantly deepen existing wells be at laterals. Use APPLICATION FOR PERMIT TO			7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL: OIL WELL	GAS WELL OTHER			8. WELL NAME and NUMBER: STATE 14-2-9-18
2. NAME OF OPERATOR:				9. API NUMBER:
NEWFIELD PRODUCTION COM	<u>IPANY</u>			4304735781
3. ADDRESS OF OPERATOR: PHONE NUMBER				10. FIELD AND POOL, OR WILDCAT:
Route 3 Box 3630 CITY Myton STATE UT ZIP 84052 435.646.3721				MONUMENT BUTTE
4. LOCATION OF WELL: FOOTAGES AT SURFACE: 574 FSL 18	377 FWL			COUNTY: UINTAH
OTR/OTR, SECTION, TOWNSHIP, RANGE,	MERIDIAN: SWSE, 2, T9S, R18E			STATE: UT
11. CHECK APPROI	PRIATE BOXES TO INDICATI	E NATURE	OF NOTICE, REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION		T	YPE OF ACTION	
□ NOTICE OF INTENT	ACIDIZE	DEEPEN		REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTURE	TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will	CASING REPAIR	NEW CONS	TRUCTION	TEMPORARITLY ABANDON
	CHANGE TO PREVIOUS PLANS	OPERATOR	CHANGE	TUBING REPAIR
	CHANGE TUBING	☐ PLUG AND	ABANDON	VENT OR FLAIR
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BAC	K	WATER DISPOSAL
(Submit Original Form Only)	☐ CHANGE WELL STATUS	PRODUCTI	ON (START/STOP)	WATER SHUT-OFF
Date of Work Completion:	COMMINGLE PRODUCING FORMATIONS	RECLAMA*	TION OF WELL SITE	X OTHER: - Operations suspended

RECOMPLETE - DIFFERENT FORMATION

12.	DESCRIBE PROPOSED OR COMPLETED OPERATIONS.	Clearly show all pertinent details including dates, depths, volumes,	etc.
	Operations Suspended.		

CONVERT WELL TYPE

NAME (PLEASE PRINT) Jentri Park

SIGNATURE

DATE 06/11/2009

(This space for State use only)

06/11/2009

RECEIVED JUN 2 2 2009

DEPARTMENT OF NATURAL RES DIVISION OF OIL, GAS AND	5. LEASE DESIGNATION AND SERIAL NUMBER: UTAH STATE ML-48377	
SUNDRY NOTICES AND REPORT	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
		7. UNIT or CA AGREEMENT NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells belo wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO D		
. TYPE OF WELL: OIL WELL GAS WELL OTHER		8. WELL NAME and NUMBER: STATE 14-2-9-18
. NAME OF OPERATOR:	9. API NUMBER:	
NEWFIELD PRODUCTION COMPANY		4304735781
. ADDRESS OF OPERATOR: Route 3 Box 3630 CITY Myton STATE UT	PHONE NUMBER 21P 84052 435.646.3721	10. FIELD AND POOL, OR WILDCAT: MONUMENT BUTTE
. LOCATION OF WELL:		
FOOTAGES AT SURFACE: 574 FSL 1877 FWL		COUNTY: UINTAH
OTR/OTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SESTIV, 2, T9S, R18E		STATE: UT
CON , 4, 100, 110		
CHECK APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
X NOTICE OF INTENT	DEEPEN	REPERFORATE CURRENT FORMATION
(Submit in Duplicate) ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will CASING REPAIR	NEW CONSTRUCTION	TEMPORARITLY ABANDON
CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR
CHANGE TUBING	PLUG AND ABANDON	VENT OR FLAIR
SUBSEOUENT REPORT CHANGE WELL NAME (Submit Original Form Only)	PLUG BACK	WATER DISPOSAL
Date of Work Completion:	PRODUCTION (START/STOP)	WATER SHUT-OFF
COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	X OTHER: - extend current OS Status
CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all		
Newfield Production Company request to extend the current stat	us of "Operations Suspended" on	the subject well.
Please see attachment for detailed information supporting this re	equest.	
Please contact Paul Weddle - Production/Completions Engineer	at 303-383-4117 if you need addit	tional information.
	AANIA	CHT TO ODEDATOR
	COPTS	ENT TO OPERATOR
	Date: _	7.7.2009
	Initials:	K 5
	•	- Charles - Char
NAME (PLEASE PRINT) Susan Linder	TITLE Operations Tech	
Suyan Tendel	DATE 06/26/2009	
SIGNATURE SUMMINISTRATE OF A TE	DATE 00/20/2009	
his space for State use only) APPROVED BY THE STATE APPROVED BY THE STATE		
of UTAH DIVISION OF	DEOEN	
OF UTAH DIVISION OIL, GAS, AND MINING	RECEIV	Eυ
DATE: + 11 10 4 F		009
BY: JSY W	1/10 - Contraved	anonitoring required
* Extension Valid thru T	DIV. OF OIL, GAS &	MINING

June 26, 2009

Attachment to Sundry Notice and reports on wells.

State 14-2-9-18

Newfield Production Company request to extend the current status of "Operations Suspended" on the State 14-2-9-18, SESW Sec 2-T9S-R18E Uintah Co Utah.

This well currently has a surface casing set to a depth of 321.89' cemented to surface. The 8-5/8" casing has shoe joint @ 44.55' & WHI-92 csg head. There is a cap on 8-5/8" casing with pressure monitoring valve, it does not have any pressure on it at this time. In our view as a prudent operator there is no harm being done by leaving this well in its current status until we have enough offset production data to determine if the economics support the drilling of this well. The offset well that is producing, State 8-2-9-18, was recompleted in additional zones and put on production April 9, 2009. We would like to request that we are able to watch this well through the remainder of 2009 so that we can confidently assess the potential reserves and economics before we either drill or P&A this well.

Please contact Paul Weddle - Production/Completions Engineer at 303-383-4117 if you need additional information.

Do not use this form for proposals to dr	tal laterals. Use APPLICATIO	expen existing wells be ON FOR PERMIT TO	low current botto	m-hole depth, reenter plugged	IF INDIAN, ALLOTTEE OR TRIBE NAME: 7. UNIT or CA AGREEMENT NAME:
wells, or to drill horizont 1. TYPE OF WELL: OIL WELL 2. NAME OF OPERATOR:	tal laterals. Use APPLICATIO	ON FOR PERMIT TO			7. UNIT or CA AGREEMENT NAME:
OIL WELL 2 NAME OF OPERATOR:	GAS WELL 🗆			· · · · · · · · · · · · · · · · · · ·	
A CONTRACTOR OF THE CONTRACTOR		OTHER			8. WELL NAME and NUMBER: STATE 14-2-9-18
				f	9. API NUMBER:
3. ADDRESS OF OPERATOR:	APANY			PHONE NUMBER	4304735781 10. FIELD AND POOL, OR WILDCAT:
Route 3 Box 3630	crry Myton	STATE UT	zip 84052	435.646.3721	MONUMENT BUTTE
4. LOCATION OF WELL: FOOTAGES AT SURFACE: 574 FSL 18	877 FWL				COUNTY: UINTAH
OTR/OTR. SECTION. TOWNSHIP, RANGE,	MERIDIAN: SESW, 2, T	98, R18E			STATE: UT
11. CHECK APPROI	PRIATE BOXES T	TO INDICATE	NATURE	OF NOTICE, REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION			Т	YPE OF ACTION	
☐ NOTICE OF INTENT	ACIDIZE	'	DEEPEN		REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING		FRACTUR	S TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will	CASING REPAIR		=	STRUCTION	TEMPORARITLY ABANDON
	CHANGE TO PREVIOU	S PLANS	=	R CHANGE	TUBING REPAIR
F=	CHANGE TUBING	1	=	O ABANDÓN	U VENT OR FLAIR
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME		PLUG BAC		WATER DISPOSAL
Date of Work Completion:	CHANGE WELL STATE			ION (START/STOP)	WATER SHUT-OFF
07/09/2009	CONVERT WELL TYPE		=	ATION OF WELL SITE ETE - DIFFERENT FORMATION	OTHER: - Operations suspended
12 DESCRIPE PROPOSED OF CO					
DESCRIBE PROPOSED OR CO Operations Suspended.	MIFEETED OFERATION	No. Clearly show a	n perment dea	its including dates, depuis, v	volumes, etc.
			•		
and the second s					
	:				
					RECEIVED
		A Company of the Comp			JUL 2 2 2009
					DIV. OF OIL GAS & MARINE
					DIV. OF OIL, GAS & MINING
1					DIV. OF OIL, GAS & MINING
NAMB (PLEASE PRINT) JEDUT PARK				TITLE Production Clerk	DIV. OF OIL, GAS & MINING

	5. LEASE DESIGNATION AND SERIAL NUMBER: UTAH STATE ML-48377							
SUNDRY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:							
Do not use this form for proposals to dr wells, or to drill horizont	7. UNIT or CA AGREEMENT NAME:							
1. TYPE OF WELL: OIL WELL	8. WELL NAME and NUMBER: STATE 14-2-9-18							
2. NAME OF OPERATOR:	9. API NUMBER:							
NEWFIELD PRODUCTION CON	4304735781							
3. ADDRESS OF OPERATOR:		PHONE NUMBER	10. FIELD AND POOL, OR WILDCAT:					
Route 3 Box 3630	CITY Myton STATE UT	ZIP 84052 435.646.3721	MONUMENT BUTTE					
4. LOCATION OF WELL: FOOTAGES AT SURFACE: 574 FSL 1	COUNTY: UINTAH							
OTR/OTR, SECTION, TOWNSHIP, RANGE	STATE: UT							
CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA								
TYPE OF SUBMISSION								
	ACIDIZE DEEPEN		REPERFORATE CURRENT FORMATION					
NOTICE OF INTENT (Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL					
•	CASING REPAIR	NEW CONSTRUCTION	TEMPORARITLY ABANDON					
Approximate date work will		_	=					
	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR					
	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLAIR					
X SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL					
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION (START/STOP)	WATER SHUT-OFF					
Date of Work Completion:	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	X OTHER: - Operations suspended					
08/17/2009		RECOMPLETE - DIFFERENT FORMATION						
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.								
Operations Suspended.								
NAME (PLEASE PRINT) Jentri Park		TITLE_ Production Clerk						
/ 1/1/								
SIGNATURE DATE 08/17/2009								
(This space for state use only)								
			The second secon					
	RECEIVED							

AUG 2 4 2009 DIV. OF OIL, GAS & MINING

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING				5. LEASE DESIGNATION AND SERIAL NUMBER: UTAH STATE ML-48377			
SUNDRY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:						
Do not use this form for proposals to dri wells, or to drill horizonts	7. UNIT or CA AGREEMENT NAME:						
1. TYPE OF WELL: OIL WELL	8. WELL NAME and NUMBER: STATE 14-2-9-18						
2. NAME OF OPERATOR:	9. API NUMBER:						
NEWFIELD PRODUCTION COM	4304735781						
3. ADDRESS OF OPERATOR:	No.	04052	PHONE NUMBER	10. FIELD AND POOL, OR WILDCAT:			
Route 3 Box 3630 4. LOCATION OF WELL:	CITY Myton STATE UT	ZIP 84052	435.646.3721	MONUMENT BUTTE			
FOOTAGES AT SURFACE: 574 FSL 18	COUNTY: UINTAH						
OTR/OTR. SECTION, TOWNSHIP, RANGE.	STATE: UT						
CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA							
TYPE OF SUBMISSION		TY	PE OF ACTION				
	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION				
NOTICE OF INTENT (Submit in Duplicate)	ALTER CASING	FRACTURE	REAT	SIDETRACK TO REPAIR WELL			
Approximate date work will	CASING REPAIR	NEW CONSTRUCTION		TEMPORARITLY ABANDON			
Approximate date work with	CHANGE TO PREVIOUS PLANS	OPERATOR O	CHANGE	TUBING REPAIR			
	CHANGE TUBING	PLUG AND A		VENT OR FLAIR			
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK		WATER DISPOSAL			
(Submit Original Form Only)	CHANGE WELL STATUS	_	N (START/STOP)	WATER SHUT-OFF			
Date of Work Completion:	COMMINGLE PRODUCING FORMATIONS		ON OF WELL SITE	TOTHER: - Operations suspended			
09/08/2009		_					
		ONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION					
12. DESCRIBE PROPOSED OR CO	MPLETED OPERATIONS. Clearly show	v all pertinent details	s including dates, depths	, volumes, etc.			
Operations Suspended.							
_							
\bigwedge							
NAME (PLEASE PRINTY Jentri Park TITLE Production Clerk							
NAME (PLEASE PRINTY JENTITI PATK TITLE Production CIEFK							
SIGNATURE //							
(This space for State use only)							

RECEIVED SEP 0 9 2009

	5. LEASE DESIGNATION AND SERIAL NUMBER: UTAH STATE ML-48377							
SUNDRY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:							
	Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.							
1. TYPE OF WELL: OIL WELL	8. WELL NAME and NUMBER:							
OIL WELL D	STATE 14-2-9-18							
2. NAME OF OPERATOR:			9. API NUMBER:					
NEWFIELD PRODUCTION COM 3. ADDRESS OF OPERATOR:	PANY	PHONE NUMBER	4304735781 10. FIELD AND POOL, OR WILDCAT:					
Route 3 Box 3630	CITY Myton STATE UT	ZIP 84052 435.646.3721	MONUMENT BUTTE					
4. LOCATION OF WELL:								
FOOTAGES AT SURFACE: 574 FSL 18	77 FWL		COUNTY: UINTAH					
OTR/OTR. SECTION. TOWNSHIP. RANGE.	MERIDIAN: SESW, 2, T9S, R18E		STATE: UT					
	PRIATE BOXES TO INDICATE		PORT, OR OTHER DATA					
TYPE OF SUBMISSION		TYPE OF ACTION						
MOTIOT OF DIFFERE	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION					
NOTICE OF INTENT (Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL					
Approximate date work will	CASING REPAIR	NEW CONSTRUCTION	TEMPORARITLY ABANDON					
	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR					
	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLAIR					
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL					
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION (START/STOP)	WATER SHUT-OFF					
Date of Work Completion:	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	OTHER: - Operations suspended					
10/07/2009	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATIC	- · · ·					
12. DESCRIBE PROPOSED OR CO	OMPLETED OPERATIONS. Clearly show all	Il pertinent details including dates, depth	s, volumes, etc.					
Operations Suspended.								
NAME (PLEASE PRINT) Lucy Chavez-N	Vaunoto	TITLE Production Tec	h					
~ 0 \sim	0 69	10/07/2000						
SIGNATURE	Jay-10pm	DATE 10/07/2009						

(This space for State use only)

RECEIVED

OCT 13 2009



DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

5. LEASE DESIGNATION AND SERIAL NUMBER
UTAH STATE ML-48377

	DIVIDION OF OIL, OND IN		UTAH STATE ML-483//
SUNDRY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for proposals to dr wells, or to drill horizont	ill new wells, significantly deepen existing wells b al laterals. Use APPLICATION FOR PERMIT TO	elow current bottom-hole depth, reenter plugged O DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:
I. TYPE OF WELL: OIL WELL		· · · · · · · · · · · · · · · · · · ·	8. WELL NAME and NUMBER:
OIL WELL	GAS WELL OTHER		STATE 14-2-9-18
2. NAME OF OPERATOR:	9. API NUMBER:		
NEWFIELD PRODUCTION COM	4304735781		
3. ADDRESS OF OPERATOR:	10. FIELD AND POOL, OR WILDCAT:		
Route 3 Box 3630 4. LOCATION OF WELL:	MONUMENT BUTTE		
FOOTAGES AT SURFACE: 574 FSL 1	877 FWL		COUNTY: UINTAH
OTR/OTR. SECTION. TOWNSHIP. RANGE	MERIDIAN: SESW, 2, T9S, R18E		STATE: UT
IL CHECK APPRO	PRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REP	ORT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
C versor or purely	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
NOTICE OF INTENT (Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will	CASING REPAIR	NEW CONSTRUCTION	TEMPORARITLY ABANDON
Approximate date work will	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR
-	1= .		<u> </u>
	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLAIR
SUBSEOUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL
	CHANGE WELL STATUS	PRODUCTION (START/STOP)	WATER SHUT-OFF
Date of Work Completion:	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	OTHER: - Operations suspended
11/03/2009	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	
	OMPLETED OPERATIONS. Clearly show	all pertinent details including dates, depths,	volumes, etc.
Operations Suspended.			
	•		•
		_ ,	
NAME (PLEASE PRINT) Lucy Chavez-	Naupoto	TITLE Production Tech	
SIGNATURE Ship of	20 -1/5 000	DATE 11/03/2009	
SIGNATURE C	and thought	DATE17/03/2009	

(This space for State use only)

RECEIVED

NOV 0.4 2009

DIV. OF OIL, GAS & MINING

		EASE DESIGNATION AND SERIAL NUMBER: AH STATE ML-48377			
SUNDRY	6. II	FINDIAN, ALLOTTEE OR TRIBE NAME:			
Do not use this form for proposals to dr wells, or to drill horizont	7. UNIT OF CA AGREEMENT NAME: GMBU (
1. TYPE OF WELL: OIL WELL	8. WELL NAME and NUMBER: STATE 14-2-9-18				
2. NAME OF OPERATOR:			· ·	9. A	PI NUMBER;
NEWFIELD PRODUCTION COM	MPANY			430)4735781
3. ADDRESS OF OPERATOR:			PHONE NUMBER	10. 1	FIELD AND POOL, OR WILDCAT:
Route 3 Box 3630	CITY Myton STATE UT	ZIP 84052	435.646.3721	MC	DNUMENT BUTTE
4. LOCATION OF WELL: FOOTAGES AT SURFACE: 574 FSL 19	877 FWL			CO	UNTY: UINTAH
OTR/OTR. SECTION. TOWNSHIP. RANGE	MERIDIAN: SESW, 2, T9S, R18E			STA	ATE: UT
II. CHECK APPRO	PRIATE BOXES TO INDICAT	E NATURE (OF NOTICE, REPC	RT,	OR OTHER DATA
TYPE OF SUBMISSION		TY	PE OF ACTION		
☐ NOTICE OF INTENT	ACIDIZE	DEEPEN			REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	L ALTER CASING	FRACTURE T	REAT	느	SIDETRACK TO REPAIR WELL
Approximate date work will	CASING REPAIR	NEW CONST	RUCTION		TEMPORARITLY ABANDON
	CHANGE TO PREVIOUS PLANS	OPERATOR C	CHANGE		TUBING REPAIR
	CHANGE TUBING	PLUG AND A	BANDON		VENT OR FLAIR
■ SUBSEQUENT REPORT	CHANGE WELL NAME	☐ PLUG BACK			WATER DISPOSAL
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION	N (START/STOP)		WATER SHUT-OFF
Date of Work Completion:	COMMINGLE PRODUCING FORMATIONS	RECLAMATI	ON OF WELL SITE	X	OTHER: - Operations suspended
12/10/2009	CONVERT WELL TYPE	RECOMPLET	E - DIFFERENT FORMATION		
12. DESCRIBE PROPOSED OR CO	OMPLETED OPERATIONS. Clearly show a	all pertinent details	s including dates, depths, v	olum	es, etc.
Operations Suspended.					
			REC		IVED
			DEC	1	4 2009
			DIV. OF OI	L, G/	as & Mining

TITLE Administrative Assistant

DATE___12/10/2009

(This space for State use only)

NAME (PLEASE PRINT) Lucy Chavez-Naupoto

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

5. LEASE DESIGNATION AND SERIAL NUMBER:
UTAH STATE ML-48377

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

SUNDRY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
Do not use this form for proposals to dri wells, or to drill horizonta	ill new wells, significantly deepen existing wells be al laterals. Use APPLICATION FOR PERMIT TO	clow current bottom-hole depth, reenter plugged DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME: GMBU	
1. TYPE OF WELL: OIL WELL	GAS WELL OTHER		8. WELL NAME and NUMBER:	
	GAS WELL OTHER		STATE 14-2-9-18	
2. NAME OF OPERATOR:			9. API NUMBER:	
NEWFIELD PRODUCTION COM 3. ADDRESS OF OPERATOR:	IPANY		4304735781	
Route 3 Box 3630	come Markey and LUD	PHONE NUMBER	10. FIELD AND POOL, OR WILDCAT:	
4 LOCATION OF WELL:	CITY Myton STATE UT	ZIP 84052 435.646.3721	MONUMENT BUTTE	
FOOTAGES AT SURFACE: 574 FSL 18	77 FWL		COUNTY: UINTAH	
OTR/OTR. SECTION. TOWNSHIP, RANGE.	MERIDIAN: SESW, 2, T9S, R18E		STATE: UT	
	PRIATE BOXES TO INDICATE	E NATURE OF NOTICE, REPO	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION	
NOTICE OF INTENT (Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL	
Approximate date work will	CASING REPAIR	NEW CONSTRUCTION	TEMPORARITLY ABANDON	
Approximate date work win	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE		
· ·		=	☐ TUBING REPAIR	
	CHANGE TUBING	PLUG AND ABANDON	☐ VENT OR FLAIR	
SUBSEOUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL	
Date of Work Completion:	CHANGE WELL STATUS	PRODUCTION (START/STOP)	WATER SHUT-OFF	
2 mo or Work Completion.	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	X OTHER: - Operations suspended	
01/05/2010	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION		
12. DESCRIBE PROPOSED OR CO Operations Suspended.	MPLETED OPERATIONS. Clearly show a	Il pertinent details including dates, depths, vo	olumes, etc.	
NAME (PLEASE PRINT) Lucy Chavez-N	aunoto	TITLE Administrative Assi	stant	
MAINTE (PLEASE PRINT)		TITLE Administrative Assi	stant	
SIGNATURE POET CO	-1900	DATE 01/05/2010		

(This space for State use only)

RECEIVED
JAN 1 1 2010

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES 5. LEASE DESIGNATION AND SERIAL NUMBER: DIVISION OF OIL, GAS AND MINING UTAH STATE ML-48377 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: SUNDRY NOTICES AND REPORTS ON WELLS 7. UNIT or CA AGREEMENT NAME: Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. **GMBU** 1. TYPE OF WELL: 8. WELL NAME and NUMBER: OIL WELL GAS WELL OTHER STATE 14-2-9-18 2. NAME OF OPERATOR: 9. API NUMBER NEWFIELD PRODUCTION COMPANY 4304735781 3. ADDRESS OF OPERATOR: 10. FIELD AND POOL, OR WILDCAT: PHONE NUMBER Route 3 Box 3630 CITY Myton STATE UT ZIP 84052 435.646,3721 MONUMENT BUTTE 4. LOCATION OF WELL: FOOTAGES AT SURFACE: 574 FSL 1877 FWL COUNTY: UINTAH OTR/OTR. SECTION. TOWNSHIP. RANGE. MERIDIAN: SESW, 2, T9S, R18E STATE: UT CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION ACIDIZE DEEPEN REPERFORATE CURRENT FORMATION ■ NOTICE OF INTENT ☐ ALTER CASING FRACTURE TREAT (Submit in Duplicate) SIDETRACK TO REPAIR WELL CASING REPAIR NEW CONSTRUCTION Approximate date work will TEMPORARITLY ABANDON CHANGE TO PREVIOUS PLANS OPERATOR CHANGE TUBING REPAIR CHANGE TUBING PLUG AND ABANDON VENT OR FLAIR CHANGE WELL NAME SUBSEOUENT REPORT PLUG BACK WATER DISPOSAL (Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/STOP) WATER SHUT-OFF Date of Work Completion: COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE X OTHER: - Operations suspended 02/08/2010 CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Operations Suspended.

NAME (PLEASE PRINT) Lucy Chavez-Naupoto	_ TITLE_	Administrative Assistant
SIGNATURE Surg - Kgpro	DATE_	02/08/2010

(This space for State use only)

RECEIVED FEB 1 1 2010

DIV. OF OIL, GAS & MINING

	5. LEASE DESIGNATION AND SERIAL NUMBER: UTAH STATE ML-48377			
SUNDRY	NOTICES AND REPO	ORTS ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
o not use this form for proposals to dr wells, or to drill horizont	7. UNIT of CA AGREEMENT NAME: GMBU			
PE OF WELL: OIL WELL	8. WELL NAME and NUMBER: STATE 14-2-9-18			
AME OF OPERATOR:	CD A NINZ			9. API NUMBER: 4304735781
EWFIELD PRODUCTION COM DDRESS OF OPERATOR: Dute 3 Box 3630	CITY Myton STATE UT	ZIP 84052	PHONE NUMBER 435.646.3721	10. FIELD AND POOL, OR WILDCAT: MONUMENT BUTTE
CATION OF WELL: OOTAGES AT SURFACE: 574 FSL 1	377 FWL			COUNTY: UINTAH
TO COME OF CHICAGO TO COME TO COME	MEDIDIAN. CECH 2 TOC DICE			STATE: UT
FR/OTR. SECTION. TOWNSHIP. RANGE	MERIDIAN: SESW, 2, T9S, R18E			STATE. UT
	PRIATE BOXES TO INDICAT	E NATURE	OF NOTICE, RE	<u> </u>
CHECK APPRO			OF NOTICE, RE	
CHECK APPRO			YPE OF ACTION	· · · · · · · · · · · · · · · · · · ·
CHECK APPRO	PRIATE BOXES TO INDICAT	T DEEPEN	YPE OF ACTION	PORT, OR OTHER DATA REPERFORATE CURRENT FORMATION
CHECK APPRO YPE OF SUBMISSION NOTICE OF INTENT (Submit in Duplicate)	PRIATE BOXES TO INDICAT ACIDIZE	DEEPEN FRACTURE NEW CONS OPERATOR	YPE OF ACTION TREAT TRUCTION	PORT, OR OTHER DATA REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL
CHECK APPRO YPE OF SUBMISSION NOTICE OF INTENT (Submit in Duplicate)	PRIATE BOXES TO INDICAT ACIDIZE ALTER CASING CASING REPAIR CHANGE TO PREVIOUS PLANS CHANGE TUBING CHANGE WELL NAME	DEEPEN FRACTURE NEW CONS OPERATOR PLUG AND	YPE OF ACTION TREAT TRUCTION CHANGE ABANDON K	PORT, OR OTHER DATA REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARITLY ABANDON TUBING REPAIR VENT OR FLAIR WATER DISPOSAL
CHECK APPRO YPE OF SUBMISSION NOTICE OF INTENT (Submit in Duplicate) Approximate date work will SUBSEOUENT REPORT	PRIATE BOXES TO INDICAT ACIDIZE ALTER CASING CASING REPAIR CHANGE TO PREVIOUS PLANS CHANGE TUBING	DEEPEN FRACTURE NEW CONS OPERATOR PLUG AND PLUG BAC	TREAT TRUCTION CHANGE ABANDON K ON (START/STOP)	PORT, OR OTHER DATA REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARITLY ABANDON TUBING REPAIR VENT OR FLAIR
CHECK APPRO YPE OF SUBMISSION NOTICE OF INTENT (Submit in Duplicate) Approximate date work will SUBSEOUENT REPORT (Submit Original Form Only)	PRIATE BOXES TO INDICAT ACIDIZE ALTER CASING CASING REPAIR CHANGE TO PREVIOUS PLANS CHANGE TUBING CHANGE WELL NAME CHANGE WELL STATUS	DEEPEN FRACTURE NEW CONS OPERATOR PLUG AND PLUG BAC PRODUCTI RECLAMA	YPE OF ACTION TREAT TRUCTION CHANGE ABANDON K	PORT, OR OTHER DATA REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARITLY ABANDON TUBING REPAIR VENT OR FLAIR WATER DISPOSAL WATER SHUT-OFF OTHER: - Operations suspended



DIV. OF OIL, GAS & MINING

NAME (PLEASE PRINT) Lucy Chavez-Naupoto	TITLE Administrative Assistant
SIGNATURE ACCUMENTATION OF MARKET	DATE04/01/2010

(This space for State use only)

1. TYPE OF WELL:

2. NAME OF OPERATOR:

3. ADDRESS OF OPERATOR:

Route 3 Box 3630

4. LOCATION OF WELL:

☐ NOTICE OF INTENT

SUBSEQUENT REPORT

FORM 3160-5 (August 2007) SUNDF Do not use abandoned	FORM APPROVED OMB No. 1004-0137 Expires: July 31,2010 5. Lease Serial No. UTAH STATE ML-48377 6. If Indian, Allottee or Tribe Name.				
1. Type of Well Oil Well Gas Well	N TRIPLICATE - Othe	r Instructions on page 2		7. If Unit or CA/ GMBU 8. Well Name an	'Agreement, Name and/or
2. Name of Operator NEWFIELD PRODUCTION C 3a. Address Route 3 Box 3630 Myton, UT 84052 4. Location of Well (Footage, 574 FSL 1877 FWL SESW Section 2 T9S R18E	code)	STATE 14-2-9-18 9. API Well No. 4304735781 10. Field and Pool, or Exploratory Area MONUMENT BUTTE 11. County or Parish, State UINTAH, UT			
12. CHECK	K APPROPRIATE BOX	(ES) TO INIDICATE NA TYPE	TURE OF NO		THER DATA
Notice of Intent Subsequent Report Final Abandonment 13. Describe Proposed or Completed Opproposal is to deepen directionally of Bond under which the work will be of the involved operations. If the oppinal Abandonment Notices shall be inspection.) Operations Suspended.	performed or provide the Bond No. eration results in a multiple comple filed only after all requirements, in	Deepen Fracture Treat New Construction Plug & Abandon Plug Back details, including estimated starting of surface locations and measured and tron file with BLM/BIA. Required suftion or recompletion in a new intervacluding reclamation, have been comp	Production Reclamatic Recomplet Temporari Water Displate of any propose rue vertical depths of basequent reports sh	te ly Abandon posal d work and approxim of all pertinent marke all be filed within 30	ers and zones. Attach the days following completion

RECEIVED APR 27 2010

DIV. OF OIL, GAS & MINING

I hereby certify that the foregoing is true and correct (Printed/ Typed)	Title Administrative Assistant							
Lucy Chavez-Naupoto								
Signature	Date							
	04/01/2010							
THIS SPACE FOR FED	DERAL OR STATE OFFICE USE							
Anna								
Approved by	Title Date							
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office							
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious and fraudulent statements or representations as to any matter within its jurisdiction								
Instructions on page 2)								

Tammy Webb

From:

Shane A. Fenn

Sent:

Thursday, April 15, 2010 6:52 AM

To:

Tammy Webb

-

Follow Up Flag: Follow up

Flag Status:

Red

I have another missing sign it is the 14-2-9-18

DEPARTMENT OF NATURAL RESOURCES 5. LEASE DESIGNATION AND SERIAL NUMBER: DIVISION OF OIL, GAS AND MINING UTAH STATE ML-48377 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: SUNDRY NOTICES AND REPORTS ON WELLS 7. UNIT or CA AGREEMENT NAME: Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged **GMBU** wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. 8. WELL NAME and NUMBER: I. TYPE OF WELL: OIL WELL GAS WELL 🔲 OTHER STATE 14-2-9-18 2. NAME OF OPERATOR: 9. API NUMBER: NEWFIELD PRODUCTION COMPANY 4304735781 3. ADDRESS OF OPERATOR: 10. FIELD AND POOL, OR WILDCAT: PHONE NUMBER Route 3 Box 3630 CITY Myton STATE UT ZIP 84052 435.646,3721 GREATER MB UNIT 4. LOCATION OF WELL: FOOTAGES AT SURFACE: 574 FSL 1877 FWL COUNTY: UINTAH OTR/OTR. SECTION. TOWNSHIP. RANGE. MERIDIAN: SESW, 2, T9S, R18E STATE: UT CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION DEEPEN ACIDIZE REPERFORATE CURRENT FORMATION ☐ NOTICE OF INTENT FRACTURE TREAT ALTER CASING SIDETRACK TO REPAIR WELL (Submit in Duplicate) CASING REPAIR NEW CONSTRUCTION TEMPORARITLY ABANDON Approximate date work will CHANGE TO PREVIOUS PLANS OPERATOR CHANGE TUBING REPAIR CHANGE TUBING PLUG AND ABANDON VENT OR FLAIR X CHANGE WELL NAME PLUG BACK WATER DISPOSAL SUBSEOUENT REPORT (Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/STOP) WATER SHUT-OFF Date of Work Completion: COMMINGLE PRODUCING FORMATIONS X OTHER: - Weekly Status Report RECLAMATION OF WELL SITE 04/22/2010 CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. The above subject well was completed on 04-22-10, attached is a daily completion status report.

(This space for State use only)

SIGNATURE

NAME (PLEASE PRINT) Lucy Chavez-Naupoto

RECEIVED
APR 27 2010

TITLE Administrative Assistant

Daily Activity Report

Format For Sundry STATE 14-2-9-18 2/1/2010 To 6/30/2010

4/13/2010 Day: 1

Completion

Rigless on 4/13/2010 - RU Perforators LLC. Run CBL & perforate 1st stage. SIWFN w/ 141 BWTR. - NU frac head & Cameron BOP's. RU Hot oiler & test casing, frac head, frac valves & BOP to 4500 psi. RU WLT w/ mast & pack off tool. Run CBL under pressure. WLTD was 5892' w/ TOC @ 240'. RIH w/ 3 1/8" ported guns & perforate CP2 sds @ 5481- 87' w/ (11 gram, .36"EH, 16.82¿ pen. 120°) 3 spf for total of 18 shots. RD WLT & Hot Oiler. SIFN w/ 141 bbls BWTR.

Daily Cost: \$0

Cumulative Cost: \$10,894

4/19/2010 Day: 2

Completion

Rigless on 4/19/2010 - Frac well. - Frac well @ detailed. EWTR 1518. MIRUSU NC #2. Flow well for 4 hrs to recover 576 bbls. ND BOP. Break out frac head. MU wellhead. NU BOP. Spot pipe racks. SDFN EWTR 942

Daily Cost: \$0

Cumulative Cost: \$78,167

4/20/2010 Day: 3

Completion

NC #2 on 4/20/2010 - P/U Tbg, Drill Out Plg & PBTD, Start Swabing - 5:30 AM To 6:00 AM C/Trvl, 6:00 AM OWU, P/U & TIH W/- Bit & Sub, 137- Jts Tbg To Plg #1 @ 4297', R/U RBS Pwr Swvl, R/U Rig Pmp, Drill On Plg For 45 Min, P/U 26- Jts Tbg To Plg #2 @ 5114', Drill On Plg For 38 Min, P/U 26- Jts Tbg To PBTD @ 5933', 40' Of Fill On PBTD, Circ Well Clean For 1 Hr, Gained Est. 15 Bbls Wtr On The Day, POOH W/- 5 Jts Tbg, R/U Sandline, Swab Back 70 Bbls Of Fluid, CSDFN @ 6:30 PM, 6:30 To 7:00 PM C/Trvl.

Daily Cost: \$0

Cumulative Cost: \$131,753

4/21/2010 Day: 4

Completion

NC #2 on 4/21/2010 - Finish Swabing, Round Trip Tbg, Set TA, - 5:30 AM To 6:00 AM C/Trvl, 6:00 AM OWU, Swab Approx. 70 Bbls Wtr, R/D Sandline, P/U 5 Jts Tbg, Tag PBTD @ 5933', Circ. Well Bore Clean for 1 Hr, L/D 19- Jts Tbg, POOH W/- 176- Jts Tbg, Bit Sub & Bit, TIH W/- NC, 2- Jts Tbg, SN, 1- Jt Tbg, TA, 173- Jts Tbg, CSDFN @ 5:30 PM, 5:30 To 6:00 PM C/Trvl.

Daily Cost: \$0

Cumulative Cost: \$139,334

4/22/2010 Day: 5

Completion

NC #2 on 4/22/2010 - Set TA, R/D BOPS, R/U Wellhead, X - Over For Rods, TIH W/- Rod String, PWOP - 5:30 AM To 6:00 AM C/Trvl, 6:00 AM OWU, Set TA In 18,000 Lbs Tension, R/D Weatherford BOPS, R/U Wellhead, X - Over For Rods, P/U Stroke Test W/- Central Hydraulics 2 1/2 x 1 1/2 x 16 x 20' RHAC Rod Pmp (Max STL 182"), TIH W/- Pmp, 6- 1 1/2" x 25' Wt Bars, 20- 3/4" Guided Rods, 93- 3/4" Plian Rods, 99- 3/4" Guided Rods, 1- 6', 1- 2' x 3/4"

Ponys Subs, 1 1/2" x 26' Polished Rod, Tbg Standing Full, Test To 800 Psi, Good Test, R/D NC #2, PWOP @ 1:00 PM, 96" STL, 4 SPM. FINAL REPORT **Finalized**

Daily Cost: \$0

Cumulative Cost: \$159,791

Pertinent Files: Go to File List

Form 3160-4 (August 2007)

*(See instructions and spaces for additional data on page 2)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: July 31, 2010

	W	ELL (COMF	LETIC	N OR R	ECOMPLE	TION	REPORT	AND L	OG				ease Ser 48377	ial No.	
la. Type of	Well	Z/O	il Well	, H.	Gas Well	Dry Deepen D	Other	Back Diff	f. Resvr.				6. If	Indian,	Allottee or T	ribe Name
o. Type or	Completion		ther:						,				7. U GMI		A Agreemen	t Name and No.
2. Name of NEWFIELI	Operator D EXPLOR	RATIO	N CON	/PANY											ne and Well 2-9-18	No.
3. Address	1401 17TH S				CO 80202			3a. Phone (435)646		ıde area	code)			FI Well 047-35		
						ance with Feder	ral requi						10.	ield and	Pool or Ex	ploratory
At surfac	€ 574' FSI	L & 18	77' FW	'L (SE/S	W) SEC.	2, T9S, R18E	=						11 9	Sec. T	R M on B	lock and
				`	,	,								Survey o	r Area SEC.	2, T9S, R18E
At top pro	d. interval r	eported	below										1	•	or Parish	13. State
At total de	pth 5960'	· 	1.					16 5 6	11.6	1/00/06				TAH	··· (DE DVI	UT CL)*
14. Date Sp 07/30/200	udded 6		1	Date T 4/02/20				16. Date Com ☐ D & A	✓ R	eady to	Prod.		485	1' GL 4	ns (DF, RKI 863' KB	B, K1, GL)*
18. Total De	epth: MD TVI)'		19. Plu	g Back T.D.;	MD 59	933'	[2	20. Dep	th Brid	ge Plug		MD TVD		
21. Type El						y of each) UTRON,GR,	.CALIPE	ER, CMT BO			s DST r	un?	∠ N	。 🗀	Yes (Submit	report)
23. Casing									-			Survey?		<u> </u>	Yes (Submit	сору)
Hole Size	Size/Gra	nde	Wt. (#/fi	:) T	op (MD)	Bottom (MI) St	age Cementer Depth		of Sks. of Ceme		Slurry ' (BBI		Cem	ent Top*	Amount Pulled
12-1/4"	8-5/8" J-		24#	0		322'			160 CL					0.401		
7-7/8"	5-1/2" J-	55 1	15.5#	0	<u> </u>	5958'		· · · · · · · · · · · · · · · · · · ·	300 PF					240'		
·			,-						100 00							
!																
24. Tubing	Record			l		<u> </u>			L							
Size	Depth S	Set (MD		cker Dep		Size	De	pth Set (MD)	Packer 1	Depth (N	(D)	Size		Dept	h Set (MD)	Packer Depth (MD)
2-7/8" 25. Produci	EOT@	<u> </u>	Į IA (@ 5448			26.	Perforation								L
A) Green I	Formation	1		T	op	Bottom	548	Perforated In 31-5487' CP:			Siz .36"	e	No. I	loles	18	Perf. Status
B) Green I							-	36-5039' B2	<u>-</u>		.36"		3		57	
C) Green I							422	23-4229' GB	6		.36"		3		18	
D) Green i				0		···					.36"		3			
27. Acid, Fi	Depth Interv		Cement	Squeeze	, etc.				Amount a	ınd Type	e of Ma	terial				
5481-5487						20/40 sand i							·			
4936-5039 4223-4229						s 20/40 sand 20/40 sand i										
7220-7220	<u></u>			1 rac w	20100#3	20/40 54/14 1		bio or aignar	<u></u>							
28. Producti			Tes		Oil	Gas	Water	Oil Gra	vity	Gas		Produ	iction N	lethod		
Date First Produced	1	Hours Tested		duction	BBL	MCF	BBL	Corr. A		Grav	ity/				6' x 20' RH	IAC Pump
	5-5-10	24		<u> </u>	22	0	7									
	Tbg. Press. Flwg.	Csg. Press.	24 I Rat		Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio		4	Status	ING				
	SI		-	→												
28a, Produc					L	15	L.	640		- la		h 1		f-41 d		
Date First Produced	Test Date	Hours Tested	Tes Pro	t duction	Oil BBL	Gas MCF	Water BBL	Oil Gra Corr. A		Gas Grav	vity	Produ	iction M	Domai		
			-	→												
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 l Rat		Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio		Well	Status			RI	ECEI	VED
	SI		_	→										.11	JN n 1	2010

20h Drod	uction - Inte	rual C										
Date First Produced		Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Grav Corr. Al		Gas Gravity	Production Method		
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio		Well Status			
	<u>L</u>	L		<u> </u>								
28c. Prod Date First Produced		Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Grav Corr. Al		Gas Gravity	Production Method		
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio		Well Status			
29. Dispo	sition of Gas	(Solid, u	sed for fuel, ve	nted, etc.			<u>, </u>					
USED FOR												
30. Sumn	nary of Poro	us Zones	(Include Aqui	ifers):					31. Formation	on (Log) Markers		
Show a includi	ng depth int	zones of erval teste	porosity and c d, cushion use	ontents thed, time to	ereof: Cored ol open, flow	intervals and al ing and shut-in	ll drill-stem t pressures an	tests, id	GEOLOGI	CAL MARKERS		
]										Тор
For	nation	Тор	Bottom		Des	criptions, Conte	ents, etc.			Name	М	eas. Depth
							· · · · · ·		GARDEN GU GARDEN GU		3723' 3886'	
									GARDEN GU POINT 3	LCH 2	3994' 4252'	
									X MRKR Y MRKR		4470' 4502'	
									DOUGALS CI BI CARBONA		4635' 4875'	
				į					B LIMESTON CASTLE PEA		5042' 5421'	
									BASAL CARB	ONATE	5817'	
							·					
52. Audit	ionai rematk	S (IIICIUGE	plugging pro	esquite).								
33. Indica	ite which ite	ms have b	een attached b	y placing	a check in the	e appropriate bo	oxes:					
		_	(1 full set req] Geologic Repo] Core Analysis		DST Repo	ort rilling Daily A	☐ Directional Survey Activity		
										ecords (see attached instruction	ns)*	
			icy Chavez-				Title A	dministrat	ive Assistan			
S	ignature	Kur	100	71	130		Date 05	5/20/2010				
Title 18 U false, ficti	S.C. Section	n 1001 and dulent stat	d Title 43 U.S ements or rep	.C. Sectio	n 1212, make ns as to any n	it a crime for a	nny person kr s jurisdiction.	nowingly ar	d willfully to	make to any department or age	ency of the Un	ted States any
(Continue	d on page 3)						 -				(For	m 3160-4, page 2)

Daily Activity Report

Format For Sundry STATE 14-2-9-18 2/1/2010 To 6/30/2010

STATE 14-2-9-18

Waiting on Cement

Date: 3/29/2010

Ross #29 at 320. Days Since Spud - Spud well 7/30/2006 @ 10:30 AM with NDSI NS # 1. Drilled out to 320' of 12 1/4" hole. PU & run 7 jt - returned 5 bbls of cement to reserve pit. - of 8 5/8" casing set at 321.89'/KB - Notify State via email. - Cement w/160 sacks class G w/2% CaCl+1/4# sk cello floake. Mixed at 15.8 ppg and 1.17 cf/sk yield. R

Daily Cost: \$0

Cumulative Cost: \$45,617

STATE 14-2-9-18

Rigging down

Date: 3/30/2010

Capstar #329 at 320. 0 Days Since Spud - Tear down and start moving rig

Daily Cost: \$0

Cumulative Cost: \$45,967

STATE 14-2-9-18

Drill 7 7/8" hole with fresh water

Date: 3/31/2010

Capstar #329 at 2158. 1 Days Since Spud - Nipple up BOP - On 3/30/2010 MIRU set equipment w/ Howcroft Trucking. (26.5 mile rig move) - on 3/30/2010 at 4:00 pm - 24 hr notice sent to BLM & State via email on 3/29/2010 of rig movr on 3/30/2010 at 7:00AM. BOP test - Accept rig on 3/30/2010 @ 12:30PM. R/U B&C Quicktest. Test top drive and upper kelly valve. Test - safety valve, pipe rams, blind rams, choke and kill valve. Test choke line and manifold to 2000 psi - for 10 minutes. Test Annular Preventer and surface casing to 1500 psi for 30 minutes. Flange on well - Pick up BHA as follows: Smith Mi 616 7 7/8" PDC, 6.5 Hunting 7/8 4.8 stage 1.5° mud motor, 1x2' - hang off sub, 1x30' monel collar, 7x200' drill colars. Tag cement at 280'. - Drill 7 7/8 hole from w/fresh water 280' to 2158' WOB/15,TRPM-182,GPM-400,ROP-208.67 - head to BOP was leaking on the first test. Tightened up and it tested ok.

Daily Cost: \$0

Cumulative Cost: \$63,165

STATE 14-2-9-18

Drill 7 7/8" hole with fresh water

Date: 4/1/2010

Capstar #329 at 5104. 2 Days Since Spud - Drill 7 7/8 hole from 2158' to 3201' WOB/18,000 TRPM-182,GPM-400,ROP-148fph - Drill 7 7/8 hole from 3201' to 5104' WOB/18,000 TRPM-182,GPM-400,ROP-148fph - Rig Service Grease Boom and Top Drive

Daily Cost: \$0

Cumulative Cost: \$79,240

STATE 14-2-9-18

Running casing

Date: 4/2/2010

Capstar #329 at 5960. 3 Days Since Spud - Lay Down Drillpipe & BHA - Rig Up Phoenix Surveys. Run DISGL/SP/GR Suite: TD To Surface Csg. Run DSN/SDL/GR/CAL SuiteTDTO 3000' - Drill 7 7/8" Hole From 5104' To 5960' TD. 17,000 lbs WOB,TRPM 182, GPM 400, 100 fph AVG ROP - Rig Servce - Circ Hole For Lay Down & Logs - Lay Down Drillpipe To 4,000' - Pump 260 bbls 10# Brine - R?U Run 5 1/2" Production Casing. **Finalized**

Daily Cost: \$0

Cumulative Cost: \$117,857

STATE 14-2-9-18

Wait on Completion

Date: 4/3/2010

Capstar #329 at 5960. 4 Days Since Spud - Clean Mud Tanks - Nipple Down Bop's,Set Slips With 96,000# Tension - Released Rig 8:00 pm 4/2/10 Don Bastian - Top Float Collar Set @ 5940' - Run 137 jts 5.5, J-55, 15.5# Production Casing. Set Guide Shoe @ 5957.88' KB Top Float Collar - Rig Up BJ Services - Cement 1st Stage With 300 sks PL-II+3% KCL+5# CSE +0.5# CF+2# KOL+.5SMS+FP+SF Mixed @ 11.0 ppg With - 3.53 yield.2nd Stage 400 sks 50:50:2 +3% KCL+0.5% EC-1+.25# CF+.05# SF+.3 SMS+FP-6L Mixed @ 14.4 ppg - with 1.24 Yield Returned 31 bbls To Pit. Tested Lines To 3500 psi - Circ Bottoms Up. Wait On

Landing Jt Finalized

Daily Cost: \$0

Cumulative Cost: \$246,727

Pertinent Files: Go to File List

Sundry Number: 46471 API Well Number: 43047357810000

SUND PROJECTION OF OIL, GAS, AND MINING SUND RY NOTICE OF DIA, AND MINING SUND RY NOTICE OF OIL, GAS, AND MINING SUND RY NOTICE OF OIL, GAS, AND MINING SUND RY NOTICE OF OIL, GAS, AND MINING DO NOT USE THAT SOME AND REPORTS ON WELLS DO NOT USE THAT SOME AND REPORTS ON WELLS OF PERMITT OF PROJECTION CONTROL OF THE MINING OF THE MI				FORM 9	
DIVISION OF CIL., GAS, AND MINING SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-fold depth, reserved plugged wells, or to drill horizontal laterals. Use APPLICATION CREEKING TO BRILL form for social proposals. 1. TYPE OF WELL Common for social proposals. 2. ANAME OF OPERATOR: NEWPIELD PRODUCTION COMPANY 3. APPRINDER: 3. ANDRESS OF OPERATOR: NEWPIELD PRODUCTION COMPANY 3. ANDRESS OF OPERATOR: NEWPIELD PRODUCTION COMPANY 3. ANDRESS OF OPERATOR: NEWPIELD PRODUCTION COMPANY 3. ANDRESS OF OPERATOR: 1. OCCUPANT SERVE Social COUNTY: UINTAH 1. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF SUBMISSION TYPE OF ACTION ACROSS TO SUBMISSION TYPE OF ACTION				I SKIII S	
Do not use this form for proposals to drill new wells, significantly despen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION CMP (AND INC.) PROPERTY TO DRILL form for such proposals. 1. TYPE OF WELL 3. AVELL NAME and NUMBER: STATE 14.29-18 2. NAME OF OPERATOR: NOW THE NUMBER: 3. A PINNUMBER: 3. PINNUMBER: 3. A PINNUMBER: 3. A PINNUMBER: 3. A PINNUMBER:				I .	
CONTROL DOTRILL FOR TO FILE STATE PLUGGED wells, or to drill horizontal laterals. Use APPLICATION CHIND (SRW) 1.17YE OF WELL SECOND TO READ PROPOSAIS. 2. NAME OF OPERATOR: 9, API NUMBER: 43047357810000 3. ADDRESS OF OPERATOR: 0, OR 0202 3. ADDRESS OF OPERAT	SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
SAME OF OPERATOR: NAME OF DERATOR: NAME OF DER	current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION				
ADDRESS OF OPERATOR: 3. ADDRESS OF OPERATOR: 3. STEEL SUITE 2000 , Denver, CO, 80202 3. 303 382-4443 Ext 3. FIELD and POOL or WILDCAT: 3. SMILE FLAT NOTH COUNTY: UINTAH TOTAGES AT SURFACE: 0073 FSL 1877 FVL CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION ACROSS CHAMBE WILL STATUS OPERATOR CHAMBE	1. TYPE OF WELL			1	
LOCATION OF WELL LOCATION TOWNSHIP, RANGE, MERIDIAN: CIT/QIT, SECTION, TOWNSHIP, RANGE,				I .	
FOOTAGES AT SURFACE: 0374 FS.1 2077 FWL 0374 FS.1 2				1	
TYPE OF SUBMISSION TYPE OF ACTION CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION ACIDIZE ALTER CABING ACIDIZE CHANGE FOR PREVIOUS PLANS C	FOOTAGES AT SURFACE:			1	
TYPE OF SUBMISSION TYPE OF ACTION ACIDIZE ALTER CASING CASING REPAIR ACIDIZE ALTER CASING CASING REPAIR CHANGE TO PREVIOUS PLANS CHANGE TUBING CHANGE WELL MAME Approximate dist work will start: DISTRICT COMMENT REPORT COMEN WATER STRUCK SUBSEQUENT REPORT COMEN WALTER CASING CHANGE TUBING CHANGE WELL MAME CHANGE WELL MAME CHANGE WELL TATUS COMMENTE TERRAT NEW COMPETITIONS CHOOSE TO STRUCK TOR RESUME RECAMATION OF WELL SITE RECAMATION	QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:			I .	
NOTICE OF INTENT					
NOTICE OF INTENT Approximate date work will stant:	TYPE OF SUBMISSION				
Appreciated date work will start: CHAMCE WELL STATUS		ACIDIZE [ALTER CASING	CASING REPAIR	
SUBSECUENT REPORT DIAN OF WORLD COMPRISED COMMINDE PRODUCING FORMATIONS CONVERT WELL TYPE		CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
Use Spudies Completion: 1/6/2014 □ SPUD REPORT Date of Wick Completion: 1/6/2014 □ SPUD REPORT Date of Spud: □ PRODUCTION START OR RESUME □ RECLAMATION OF WELL SITE □ RECOMPLETE DIFFERENT FORMATION □ SIDETRACK TO REPAIR WELL □ TEMPORARY ABANDON □ TUBING REPORT □ WATER SHUTOFF □ SITA STATUS EXTENSION □ WILDCAT WELL DETERMINATION □ SITA STATUS EXTENSION □ OTHER: □ SITA STATUS EXTENSION □ OTHE	Approximate date work will start:	l — ,	COMMINGLE PRODUCING FORMATIONS		
1/6/2014 □ OFERATOR CHANGE □ PLUG AND ABANDON □ PLUG BACK □ PRODUCTION START OR RESUME □ RECLAMATION OF WELL SITE □ RECOMPLETE DIFFERENT FORMATION □ DRILLING REPORT □ USING REPAIR □ VENT OR FLARE □ WATER DISPOSAL □ WATER SHUTOFF □ SI TA STATUS EXTENSION □ APD EXTENSION □ WILDCAT WELL DETERMINATION ▼ OTHER 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. SEE ATTACHED REVISED SITE FACILITY DIAGRAM ACCEPTED ONLY January 08, 2014 NAME (PLEASE PRINT) Jill L Loyle 303 383-4135 PHONE NUMBER TITLE Regulatory Technician FILLE Regulatory Technician SIGNATURE PLUG AND ABANDON □ PLUG BACK □ RECOMPLETE □	✓ SUBSEQUENT REPORT				
SPUD REPORT Date of Spud: REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARY ABANDON TUBING REPORT WATER SHUTOFF SITA STATUS EXTENSION APD EXTENSION WILDCAT WELL DETERMINATION					
Date of Spud: □ REPERFORATE CURRENT FORMATION □ SIDETRACK TO REPAIR WELL □ TRIMORARY ABANDON □ TUSING REPAIR □ VENT OR FLARE □ WATER DISPOSAL □ WATER SHUTOFF □ SI TA STATUS EXTENSION □ APD EXTENSION □ WILDCAT WELL DETERMINATION ✓ OTHER 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. SEE ATTACHED REVISED SITE FACILITY DIAGRAM Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY January 08, 2014 NAME (PLEASE PRINT) Jill L Loyle 303 383-4135 PHONE NUMBER TITLE Regulatory Technician SIGNATURE DATE		OPERATOR CHANGE	PLUG AND ABANDON	☐ PLUG BACK	
DRILLING REPORT WATER SHUTOFF SI TA STATUS EXTENSION APD EXTENSION APP EXTENSION		PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
DRILLING REPORT WATER SHUTOFF SITA STATUS EXTENSION APD EXTENSION OTHER: SITE Facility/Site Security		REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
Report Date: WATER SHUTDEF WILDCAT WELL DETERMINATION OTHER: SITE FACILITY DIAGRAM ACCEPTED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. SEE ATTACHED REVISED SITE FACILITY DIAGRAM Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY January 08, 2014 NAME (PLEASE PRINT) Jill L Loyle 303 383-4135 PHONE NUMBER TITLE Regulatory Technician SIGNATURE DATE		TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. SEE ATTACHED REVISED SITE FACILITY DIAGRAM Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY January 08, 2014 NAME (PLEASE PRINT) PHONE NUMBER JITLE Regulatory Technician SIGNATURE DATE		WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION	
SEE ATTACHED REVISED SITE FACILITY DIAGRAM Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY January 08, 2014 NAME (PLEASE PRINT) Jil L Loyle 303 383-4135 PHONE NUMBER Regulatory Technician SIGNATURE DATE		WILDCAT WELL DETERMINATION	✓ OTHER	OTHER: Site Facility/Site Security	
Jill L Loyle 303 383-4135 Regulatory Technician SIGNATURE DATE	SEE ATT		TY DIAGRAM	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY	
SIGNATURE DATE					
I A /C /OO A A	SIGNATURE		DATE		

Sundry Number: 46471 API Well Number: 43047357810000

